



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

Company: COMPLIANCE INC.
Name:
ClientProj: 4268
GTA ProjNo: 072919-3

Site Addr: MAREK PARCEL

Sampled By: JR/BP - COMPLIANCE
Date Rec: 7/29/2019
Time Rec: 10:00 AM

Sample No.	Sample ID	Date Sampled	Time Sampled	Sample Matrix
1	B-1	7/26/2019		WATER
2	B-2	7/26/2019		WATER
3	B-3	7/26/2019		WATER
4	B-4	7/26/2019		WATER
5	B-5	7/26/2019		WATER
6	B-9	7/26/2019		WATER
7	B-10	7/26/2019		WATER
8	B-12	7/26/2019		WATER
9	B-14	7/26/2019		WATER

ELECTRONIC SIGNATURE REPORT. This is a final report for the following pages of data for the samples specified above. All analysis was performed by the methods stated and all quality control measures required were completed. All quality control information is available upon request.

Kirk L Chase

Kirk L. Chase/Chemist
Grand Traverse Analytical
830 Robinwood Court
Traverse City, MI 49686
Ph: 231-929-0905
Fx: 231-929-0894
SP: 231-590-0291
kirk@gtanalytical.com

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: COMPLIANCE INC. GTA PROJECT NO: 072919-3
PROJECT NO: 4268 GTA SAMPLE NO: 1
LOCATION: MAREK PARCEL DATE SAMPLED: 7/26/2019
TIME SAMPLED:
DATE RECEIVED: 7/29/2019
TIME RECEIVED: 10:00 AM
MI
SAMPLE MATRIX: WATER
SAMPLE ID: B-1 SAMPLED BY: JR/BP - COMPLIANCE

EPA 8260B VOLATILE ORGANICS

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Extracted</u>	<u>Date Complete</u>	<u>Prep Method</u>
Benzene	ND	1.0	ug/L (PPB)	MR		7/30/2019	EPA 5030B
Toluene	ND	1.0					
Ethylbenzene	ND	1.0					
Xylene(Total)	ND	3.0					
1,2,4-Trimethylbenzene	ND	1.0					
1,3,5-Trimethylbenzene	ND	1.0					
Naphthalene	ND	5.0					
2-Methylnaphthalene	ND	5.0					

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.
ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: COMPLIANCE INC.

GTA PROJECT NO: 072919-3

PROJECT NO: 4268

GTA SAMPLE NO: 2

LOCATION: MAREK PARCEL

DATE SAMPLED: 7/26/2019

TIME SAMPLED:

DATE RECEIVED: 7/29/2019

TIME RECEIVED: 10:00 AM

SAMPLED BY: JR/BP - COMPLIANCE

SAMPLE MATRIX: WATER

SAMPLE ID: B-2

EPA 8260B VOLATILE ORGANICS

Units= ug/L (PPB)

Analyst= MR

Date

Date Completed= 7/30/2019

Prep

EPA 5030B

Analyte	Concentration	LOD
ACETONE	ND	25
ALLYL CHLORIDE	ND	10
BENZENE	ND	1.0
BROMOBENZENE	ND	1.0
BROMOCHLOROMETHANE	ND	1.0
BROMODICHLOROMETHANE	ND	1.0
BROMOFORM	ND	1.0
BROMOMETHANE	ND	1.0
n-BUTYLBENZENE	ND	1.0
s-BUTYLBENZENE	ND	1.0
t-BUTYLBENZENE	ND	1.0
CARBON DISULFIDE	ND	5.0
CARBON TETRACHLORIDE	ND	1.0
CHLOROBEZENE	ND	1.0
1-CHLOROBUTANE	ND	1.0
CHLOROFORM	ND	1.0
CHLOROETHANE	ND	1.0
CHLOROMETHANE	ND	1.0
2-CHLOROTOLUENE	ND	1.0
4-CHLOROTOLUENE	ND	1.0
DIBROMOCHLOROMETHANE	ND	1.0
DIBROMOMETHANE	ND	1.0
1,2-DIBROMOETHANE	ND	1.0
1,2-DICHLOROBENZENE	ND	1.0
1,3-DICHLOROBENZENE	ND	1.0
1,4-DICHLOROBENZENE	ND	1.0
t-1,4-DICHLORO-2-BUTENE	ND	10
DICHLORODIFLUOROMETHANE	ND	1.0
1,1-DICHLOROETHANE	ND	1.0
1,2-DICHLOROETHANE	ND	1.0
1,1-DICHLOROETHENE	ND	1.0
cis-1,2-DICHLOROETHENE	ND	1.0
trans-1,2-DICHLOROETHENE	ND	1.0
1,2-DICHLOROPROPANE	ND	1.0
1,3-DICHLOROPROPANE	ND	1.0
2,2-DICHLOROPROPANE	ND	1.0
1,1-DICHLOROPROPENE	ND	1.0

Analyte	Concentration	LOD
cis-1,3-DICHLOROPROPENE	ND	1.0
trans-1,3-DICHLOROPROPENE	ND	1.0
DIETHYL ETHER	ND	10
ETHYLBENZENE	ND	1.0
ETHYL METHACRYLATE	ND	10
HEXACHLOROBUTADIENE	ND	1.0
HEXACHLOROETHANE	ND	10
2-HEXANONE	ND	10
IDOMETHANE	ND	10
ISOPROPYLBENZENE	ND	1.0
ISOPROPYLTOLUENE	ND	1.0
METHYL ACRYLATE	ND	10
METHYL ETHYL KETONE	ND	10
METHYL-t-BUTYL ETHER	ND	5.0
METHYLENE CHLORIDE	ND	1.0
METHYL METHACRYLATE	ND	10
MIBK	ND	10
2-METHYLNAPHTHALENE	ND	5.0
NAPHTHALENE	ND	5.0
PENTACHLOROETHANE	ND	10
n-PROPYLBENZENE	ND	1.0
STYRENE	ND	1.0
1,1,1,2-TETRACHLOROETHANE	ND	1.0
1,1,2,2-TETRACHLOROETHANE	ND	1.0
TETRACHLOROETHENE	ND	1.0
TOLUENE	ND	1.0
1,2,3-TRICHLOROBENZENE	ND	1.0
1,2,4-TRICHLOROBENZENE	ND	1.0
1,1,1-TRICHLOROETHANE	ND	1.0
1,1,2-TRICHLOROETHANE	ND	1.0
TRICHLOROETHENE	ND	1.0
TRICHLORFLUOROMETHANE	ND	1.0
1,2,3-TRICHLOROPROPANE	ND	1.0
1,2,4-TRIMETHYLBENZENE	ND	1.0
1,3,5-TRIMETHYLBENZENE	ND	1.0
VINYL CHLORIDE	ND	1.0
XYLENE (TOTAL)	ND	3.0

ND = NOT DETECTED, RESULT IS <LOD.

LOD = LIMIT OF DETECTION.



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: COMPLIANCE INC.

GTA PROJECT NO: 072919-3

PROJECT NO: 4268

GTA SAMPLE NO: 3

LOCATION: MAREK PARCEL

DATE SAMPLED: 7/26/2019

TIME SAMPLED:

DATE RECEIVED: 7/29/2019

TIME RECEIVED: 10:00 AM

SAMPLED BY: JR/BP - COMPLIANCE

SAMPLE MATRIX: WATER

SAMPLE ID: B-3

EPA 8260B VOLATILE ORGANICS

Units= ug/L (PPB)

Analyst= MR

Date

Date Completed= 7/30/2019

Prep

EPA 5030B

Analyte	Concentration	LOD
ACETONE	ND	25
ALLYL CHLORIDE	ND	10
BENZENE	ND	1.0
BROMOBENZENE	ND	1.0
BROMOCHLOROMETHANE	ND	1.0
BROMODICHLOROMETHANE	ND	1.0
BROMOFORM	ND	1.0
BROMOMETHANE	ND	1.0
n-BUTYLBENZENE	ND	1.0
s-BUTYLBENZENE	ND	1.0
t-BUTYLBENZENE	ND	1.0
CARBON DISULFIDE	ND	5.0
CARBON TETRACHLORIDE	ND	1.0
CHLOROBENZENE	ND	1.0
1-CHLOROBUTANE	ND	1.0
CHLOROFORM	ND	1.0
CHLOROETHANE	ND	1.0
CHLOROMETHANE	ND	1.0
2-CHLOROTOLUENE	ND	1.0
4-CHLOROTOLUENE	ND	1.0
DIBROMOCHLOROMETHANE	ND	1.0
DIBROMOMETHANE	ND	1.0
1,2-DIBROMOETHANE	ND	1.0
1,2-DICHLOROBENZENE	ND	1.0
1,3-DICHLOROBENZENE	ND	1.0
1,4-DICHLOROBENZENE	ND	1.0
t-1,4-DICHLORO-2-BUTENE	ND	10
DICHLORODIFLUOROMETHANE	ND	1.0
1,1-DICHLOROETHANE	ND	1.0
1,2-DICHLOROETHANE	ND	1.0
1,1-DICHLOROETHENE	ND	1.0
cis-1,2-DICHLOROETHENE	ND	1.0
trans-1,2-DICHLOROETHENE	ND	1.0
1,2-DICHLOROPROPANE	ND	1.0
1,3-DICHLOROPROPANE	ND	1.0
2,2-DICHLOROPROPANE	ND	1.0
1,1-DICHLOROPROPENE	ND	1.0

Analyte	Concentration	LOD
cis-1,3-DICHLOROPROPENE	ND	1.0
trans-1,3-DICHLOROPROPENE	ND	1.0
DIETHYL ETHER	ND	10
ETHYLBENZENE	ND	1.0
ETHYL METHACRYLATE	ND	10
HEXACHLOROBUTADIENE	ND	1.0
HEXACHLOROETHANE	ND	10
2-HEXANONE	ND	10
IDOMETHANE	ND	10
ISOPROPYLBENZENE	ND	1.0
ISOPROPYLTOLUENE	ND	1.0
METHYL ACRYLATE	ND	10
METHYL ETHYL KETONE	ND	10
METHYL-t-BUTYL ETHER	ND	5.0
METHYLENE CHLORIDE	ND	1.0
METHYL METHACRYLATE	ND	10
MIBK	ND	10
2-METHYLNAPHTHALENE	ND	5.0
NAPHTHALENE	ND	5.0
PENTACHLOROETHANE	ND	10
n-PROPYLBENZENE	ND	1.0
STYRENE	ND	1.0
1,1,1,2-TETRACHLOROETHANE	ND	1.0
1,1,2,2-TETRACHLOROETHANE	ND	1.0
TETRACHLOROETHENE	ND	1.0
TOLUENE	ND	1.0
1,2,3-TRICHLOROBENZENE	ND	1.0
1,2,4-TRICHLOROBENZENE	ND	1.0
1,1,1-TRICHLOROETHANE	ND	1.0
1,1,2-TRICHLOROETHANE	ND	1.0
TRICHLOROETHENE	ND	1.0
TRICHLORFLUOROMETHANE	ND	1.0
1,2,3-TRICHLOROPROPANE	ND	1.0
1,2,4-TRIMETHYLBENZENE	ND	1.0
1,3,5-TRIMETHYLBENZENE	ND	1.0
VINYL CHLORIDE	ND	1.0
XYLENE (TOTAL)	ND	3.0

ND = NOT DETECTED, RESULT IS <LOD.

LOD = LIMIT OF DETECTION.



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: COMPLIANCE INC.

GTA PROJECT NO: 072919-3

PROJECT NO: 4268

GTA SAMPLE NO: 4

LOCATION: MAREK PARCEL

DATE SAMPLED: 7/26/2019

TIME SAMPLED:

DATE RECEIVED: 7/29/2019

TIME RECEIVED: 10:00 AM

SAMPLED BY: JR/BP - COMPLIANCE

SAMPLE MATRIX: WATER

SAMPLE ID: B-4

EPA 8260B VOLATILE ORGANICS

Units= ug/L (PPB)

Analyst= MR

Date

Date Completed= 7/30/2019

Prep

EPA 5030B

Analyte	Concentration	LOD
ACETONE	ND	25
ALLYL CHLORIDE	ND	10
BENZENE	ND	1.0
BROMOBENZENE	ND	1.0
BROMOCHLOROMETHANE	ND	1.0
BROMODICHLOROMETHANE	ND	1.0
BROMOFORM	ND	1.0
BROMOMETHANE	ND	1.0
n-BUTYLBENZENE	ND	1.0
s-BUTYLBENZENE	ND	1.0
t-BUTYLBENZENE	ND	1.0
CARBON DISULFIDE	ND	5.0
CARBON TETRACHLORIDE	ND	1.0
CHLOROBENZENE	ND	1.0
1-CHLOROBUTANE	ND	1.0
CHLOROFORM	ND	1.0
CHLOROETHANE	ND	1.0
CHLOROMETHANE	ND	1.0
2-CHLOROTOLUENE	ND	1.0
4-CHLOROTOLUENE	ND	1.0
DIBROMOCHLOROMETHANE	ND	1.0
DIBROMOMETHANE	ND	1.0
1,2-DIBROMOETHANE	ND	1.0
1,2-DICHLOROBENZENE	ND	1.0
1,3-DICHLOROBENZENE	ND	1.0
1,4-DICHLOROBENZENE	ND	1.0
t-1,4-DICHLORO-2-BUTENE	ND	10
DICHLORODIFLUOROMETHANE	ND	1.0
1,1-DICHLOROETHANE	ND	1.0
1,2-DICHLOROETHANE	ND	1.0
1,1-DICHLOROETHENE	ND	1.0
cis-1,2-DICHLOROETHENE	ND	1.0
trans-1,2-DICHLOROETHENE	ND	1.0
1,2-DICHLOROPROPANE	ND	1.0
1,3-DICHLOROPROPANE	ND	1.0
2,2-DICHLOROPROPANE	ND	1.0
1,1-DICHLOROPROPENE	ND	1.0

Analyte	Concentration	LOD
cis-1,3-DICHLOROPROPENE	ND	1.0
trans-1,3-DICHLOROPROPENE	ND	1.0
DIETHYL ETHER	ND	10
ETHYLBENZENE	ND	1.0
ETHYL METHACRYLATE	ND	10
HEXACHLOROBUTADIENE	ND	1.0
HEXACHLOROETHANE	ND	10
2-HEXANONE	ND	10
IDOMETHANE	ND	10
ISOPROPYLBENZENE	ND	1.0
ISOPROPYLTOLUENE	ND	1.0
METHYL ACRYLATE	ND	10
METHYL ETHYL KETONE	ND	10
METHYL-t-BUTYL ETHER	ND	5.0
METHYLENE CHLORIDE	ND	1.0
METHYL METHACRYLATE	ND	10
MIBK	ND	10
2-METHYLNAPHTHALENE	ND	5.0
NAPHTHALENE	ND	5.0
PENTACHLOROETHANE	ND	10
n-PROPYLBENZENE	ND	1.0
STYRENE	ND	1.0
1,1,1,2-TETRACHLOROETHANE	ND	1.0
1,1,2,2-TETRACHLOROETHANE	ND	1.0
TETRACHLOROETHENE	ND	1.0
TOLUENE	ND	1.0
1,2,3-TRICHLOROBENZENE	ND	1.0
1,2,4-TRICHLOROBENZENE	ND	1.0
1,1,1-TRICHLOROETHANE	ND	1.0
1,1,2-TRICHLOROETHANE	ND	1.0
TRICHLOROETHENE	ND	1.0
TRICHLORFLUOROMETHANE	ND	1.0
1,2,3-TRICHLOROPROPANE	ND	1.0
1,2,4-TRIMETHYLBENZENE	ND	1.0
1,3,5-TRIMETHYLBENZENE	ND	1.0
VINYL CHLORIDE	ND	1.0
XYLENE (TOTAL)	ND	3.0

ND = NOT DETECTED, RESULT IS <LOD.

LOD = LIMIT OF DETECTION.



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: COMPLIANCE INC.

GTA PROJECT NO: 072919-3

PROJECT NO: 4268

GTA SAMPLE NO: 5

LOCATION: MAREK PARCEL

DATE SAMPLED: 7/26/2019

TIME SAMPLED:

DATE RECEIVED: 7/29/2019

TIME RECEIVED: 10:00 AM

SAMPLED BY: JR/BP - COMPLIANCE

SAMPLE MATRIX: WATER

SAMPLE ID: B-5

EPA 8260B VOLATILE ORGANICS

Units= ug/L (PPB)

Analyst= MR

Date

Date Completed= 7/30/2019

Prep

EPA 5030B

Analyte	Concentration	LOD
ACETONE	ND	25
ALLYL CHLORIDE	ND	10
BENZENE	ND	1.0
BROMOBENZENE	ND	1.0
BROMOCHLOROMETHANE	ND	1.0
BROMODICHLOROMETHANE	ND	1.0
BROMOFORM	ND	1.0
BROMOMETHANE	ND	1.0
n-BUTYLBENZENE	ND	1.0
s-BUTYLBENZENE	ND	1.0
t-BUTYLBENZENE	ND	1.0
CARBON DISULFIDE	ND	5.0
CARBON TETRACHLORIDE	ND	1.0
CHLOROBENZENE	4.7	1.0
1-CHLOROBUTANE	ND	1.0
CHLOROFORM	ND	1.0
CHLOROETHANE	ND	1.0
CHLOROMETHANE	ND	1.0
2-CHLOROTOLUENE	ND	1.0
4-CHLOROTOLUENE	ND	1.0
DIBROMOCHLOROMETHANE	ND	1.0
DIBROMOMETHANE	ND	1.0
1,2-DIBROMOETHANE	ND	1.0
1,2-DICHLOROBENZENE	ND	1.0
1,3-DICHLOROBENZENE	ND	1.0
1,4-DICHLOROBENZENE	ND	1.0
t-1,4-DICHLORO-2-BUTENE	ND	10
DICHLORODIFLUOROMETHANE	ND	1.0
1,1-DICHLOROETHANE	ND	1.0
1,2-DICHLOROETHANE	ND	1.0
1,1-DICHLOROETHENE	ND	1.0
cis-1,2-DICHLOROETHENE	1.3	1.0
trans-1,2-DICHLOROETHENE	ND	1.0
1,2-DICHLOROPROPANE	ND	1.0
1,3-DICHLOROPROPANE	ND	1.0
2,2-DICHLOROPROPANE	ND	1.0
1,1-DICHLOROPROPENE	ND	1.0

Analyte	Concentration	LOD
cis-1,3-DICHLOROPROPENE	ND	1.0
trans-1,3-DICHLOROPROPENE	ND	1.0
DIETHYL ETHER	ND	10
ETHYLBENZENE	ND	1.0
ETHYL METHACRYLATE	ND	10
HEXACHLOROBUTADIENE	ND	1.0
HEXACHLOROETHANE	ND	10
2-HEXANONE	ND	10
IDOMETHANE	ND	10
ISOPROPYLBENZENE	ND	1.0
ISOPROPYLTOLUENE	ND	1.0
METHYL ACRYLATE	ND	10
METHYL ETHYL KETONE	ND	10
METHYL-t-BUTYL ETHER	ND	5.0
METHYLENE CHLORIDE	ND	1.0
METHYL METHACRYLATE	ND	10
MIBK	ND	10
2-METHYLNAPHTHALENE	ND	5.0
NAPHTHALENE	ND	5.0
PENTACHLOROETHANE	ND	10
n-PROPYLBENZENE	ND	1.0
STYRENE	ND	1.0
1,1,1,2-TETRACHLOROETHANE	ND	1.0
1,1,2,2-TETRACHLOROETHANE	ND	1.0
TETRACHLOROETHENE	ND	1.0
TOLUENE	ND	1.0
1,2,3-TRICHLOROBENZENE	ND	1.0
1,2,4-TRICHLOROBENZENE	ND	1.0
1,1,1-TRICHLOROETHANE	ND	1.0
1,1,2-TRICHLOROETHANE	ND	1.0
TRICHLOROETHENE	ND	1.0
TRICHLORFLUOROMETHANE	ND	1.0
1,2,3-TRICHLOROPROPANE	ND	1.0
1,2,4-TRIMETHYLBENZENE	ND	1.0
1,3,5-TRIMETHYLBENZENE	ND	1.0
VINYL CHLORIDE	ND	1.0
XYLENE (TOTAL)	ND	3.0

ND = NOT DETECTED, RESULT IS <LOD.

LOD = LIMIT OF DETECTION.



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: COMPLIANCE INC.

GTA PROJECT NO: 072919-3

PROJECT NO: 4268

GTA SAMPLE NO: 6

LOCATION: MAREK PARCEL

DATE SAMPLED: 7/26/2019

TIME SAMPLED:

DATE RECEIVED: 7/29/2019

TIME RECEIVED: 10:00 AM

SAMPLED BY: JR/BP - COMPLIANCE

SAMPLE MATRIX: WATER

SAMPLE ID: B-9

EPA 8260B VOLATILE ORGANICS

Units= ug/L (PPB)

Analyst= MR

Date

Date Completed= 7/30/2019

Prep

EPA 5030B

Analyte	Concentration	LOD
ACETONE	ND	25
ALLYL CHLORIDE	ND	10
BENZENE	ND	1.0
BROMOBENZENE	ND	1.0
BROMOCHLOROMETHANE	ND	1.0
BROMODICHLOROMETHANE	ND	1.0
BROMOFORM	ND	1.0
BROMOMETHANE	ND	1.0
n-BUTYLBENZENE	ND	1.0
s-BUTYLBENZENE	ND	1.0
t-BUTYLBENZENE	ND	1.0
CARBON DISULFIDE	ND	5.0
CARBON TETRACHLORIDE	ND	1.0
CHLOROBENZENE	ND	1.0
1-CHLOROBUTANE	ND	1.0
CHLOROFORM	ND	1.0
CHLOROETHANE	ND	1.0
CHLOROMETHANE	ND	1.0
2-CHLOROTOLUENE	ND	1.0
4-CHLOROTOLUENE	ND	1.0
DIBROMOCHLOROMETHANE	ND	1.0
DIBROMOMETHANE	ND	1.0
1,2-DIBROMOETHANE	ND	1.0
1,2-DICHLOROBENZENE	ND	1.0
1,3-DICHLOROBENZENE	ND	1.0
1,4-DICHLOROBENZENE	ND	1.0
t-1,4-DICHLORO-2-BUTENE	ND	10
DICHLORODIFLUOROMETHANE	ND	1.0
1,1-DICHLOROETHANE	ND	1.0
1,2-DICHLOROETHANE	ND	1.0
1,1-DICHLOROETHENE	ND	1.0
cis-1,2-DICHLOROETHENE	ND	1.0
trans-1,2-DICHLOROETHENE	ND	1.0
1,2-DICHLOROPROPANE	ND	1.0
1,3-DICHLOROPROPANE	ND	1.0
2,2-DICHLOROPROPANE	ND	1.0
1,1-DICHLOROPROPENE	ND	1.0

Analyte	Concentration	LOD
cis-1,3-DICHLOROPROPENE	ND	1.0
trans-1,3-DICHLOROPROPENE	ND	1.0
DIETHYL ETHER	ND	10
ETHYLBENZENE	ND	1.0
ETHYL METHACRYLATE	ND	10
HEXACHLOROBUTADIENE	ND	1.0
HEXACHLOROETHANE	ND	10
2-HEXANONE	ND	10
IDOMETHANE	ND	10
ISOPROPYLBENZENE	ND	1.0
ISOPROPYLTOLUENE	ND	1.0
METHYL ACRYLATE	ND	10
METHYL ETHYL KETONE	ND	10
METHYL-t-BUTYL ETHER	ND	5.0
METHYLENE CHLORIDE	ND	1.0
METHYL METHACRYLATE	ND	10
MIBK	ND	10
2-METHYLNAPHTHALENE	ND	5.0
NAPHTHALENE	ND	5.0
PENTACHLOROETHANE	ND	10
n-PROPYLBENZENE	ND	1.0
STYRENE	ND	1.0
1,1,1,2-TETRACHLOROETHANE	ND	1.0
1,1,2,2-TETRACHLOROETHANE	ND	1.0
TETRACHLOROETHENE	ND	1.0
TOLUENE	ND	1.0
1,2,3-TRICHLOROBENZENE	ND	1.0
1,2,4-TRICHLOROBENZENE	ND	1.0
1,1,1-TRICHLOROETHANE	ND	1.0
1,1,2-TRICHLOROETHANE	ND	1.0
TRICHLOROETHENE	ND	1.0
TRICHLORFLUOROMETHANE	ND	1.0
1,2,3-TRICHLOROPROPANE	ND	1.0
1,2,4-TRIMETHYLBENZENE	ND	1.0
1,3,5-TRIMETHYLBENZENE	ND	1.0
VINYL CHLORIDE	ND	1.0
XYLENE (TOTAL)	ND	3.0

ND = NOT DETECTED, RESULT IS <LOD.

LOD = LIMIT OF DETECTION.



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: COMPLIANCE INC.

GTA PROJECT NO: 072919-3

PROJECT NO: 4268

GTA SAMPLE NO: 7

LOCATION: MAREK PARCEL

DATE SAMPLED: 7/26/2019

TIME SAMPLED:

DATE RECEIVED: 7/29/2019

TIME RECEIVED: 10:00 AM

SAMPLED BY: JR/BP - COMPLIANCE

SAMPLE MATRIX: WATER

SAMPLE ID: B-10

EPA 8260B VOLATILE ORGANICS

Units= ug/L (PPB)

Analyst= MR

Date

Date Completed= 7/30/2019

Prep

EPA 5030B

Analyte	Concentration	LOD
ACETONE	ND	25
ALLYL CHLORIDE	ND	10
BENZENE	ND	1.0
BROMOBENZENE	ND	1.0
BROMOCHLOROMETHANE	ND	1.0
BROMODICHLOROMETHANE	ND	1.0
BROMOFORM	ND	1.0
BROMOMETHANE	ND	1.0
n-BUTYLBENZENE	ND	1.0
s-BUTYLBENZENE	ND	1.0
t-BUTYLBENZENE	ND	1.0
CARBON DISULFIDE	ND	5.0
CARBON TETRACHLORIDE	ND	1.0
CHLOROBENZENE	ND	1.0
1-CHLOROBUTANE	ND	1.0
CHLOROFORM	ND	1.0
CHLOROETHANE	ND	1.0
CHLOROMETHANE	ND	1.0
2-CHLOROTOLUENE	ND	1.0
4-CHLOROTOLUENE	ND	1.0
DIBROMOCHLOROMETHANE	ND	1.0
DIBROMOMETHANE	ND	1.0
1,2-DIBROMOETHANE	ND	1.0
1,2-DICHLOROBENZENE	ND	1.0
1,3-DICHLOROBENZENE	ND	1.0
1,4-DICHLOROBENZENE	ND	1.0
t-1,4-DICHLORO-2-BUTENE	ND	10
DICHLORODIFLUOROMETHANE	ND	1.0
1,1-DICHLOROETHANE	ND	1.0
1,2-DICHLOROETHANE	ND	1.0
1,1-DICHLOROETHENE	ND	1.0
cis-1,2-DICHLOROETHENE	ND	1.0
trans-1,2-DICHLOROETHENE	ND	1.0
1,2-DICHLOROPROPANE	ND	1.0
1,3-DICHLOROPROPANE	ND	1.0
2,2-DICHLOROPROPANE	ND	1.0
1,1-DICHLOROPROPENE	ND	1.0

Analyte	Concentration	LOD
cis-1,3-DICHLOROPROPENE	ND	1.0
trans-1,3-DICHLOROPROPENE	ND	1.0
DIETHYL ETHER	ND	10
ETHYLBENZENE	ND	1.0
ETHYL METHACRYLATE	ND	10
HEXACHLOROBUTADIENE	ND	1.0
HEXACHLOROETHANE	ND	10
2-HEXANONE	ND	10
IDOMETHANE	ND	10
ISOPROPYLBENZENE	ND	1.0
ISOPROPYLTOLUENE	ND	1.0
METHYL ACRYLATE	ND	10
METHYL ETHYL KETONE	ND	10
METHYL-t-BUTYL ETHER	ND	5.0
METHYLENE CHLORIDE	ND	1.0
METHYL METHACRYLATE	ND	10
MIBK	ND	10
2-METHYLNAPHTHALENE	ND	5.0
NAPHTHALENE	ND	5.0
PENTACHLOROETHANE	ND	10
n-PROPYLBENZENE	ND	1.0
STYRENE	ND	1.0
1,1,1,2-TETRACHLOROETHANE	ND	1.0
1,1,2,2-TETRACHLOROETHANE	ND	1.0
TETRACHLOROETHENE	ND	1.0
TOLUENE	ND	1.0
1,2,3-TRICHLOROBENZENE	ND	1.0
1,2,4-TRICHLOROBENZENE	ND	1.0
1,1,1-TRICHLOROETHANE	ND	1.0
1,1,2-TRICHLOROETHANE	ND	1.0
TRICHLOROETHENE	ND	1.0
TRICHLORFLUOROMETHANE	ND	1.0
1,2,3-TRICHLOROPROPANE	ND	1.0
1,2,4-TRIMETHYLBENZENE	ND	1.0
1,3,5-TRIMETHYLBENZENE	ND	1.0
VINYL CHLORIDE	ND	1.0
XYLENE (TOTAL)	ND	3.0

ND = NOT DETECTED, RESULT IS <LOD.

LOD = LIMIT OF DETECTION.



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: COMPLIANCE INC.

GTA PROJECT NO: 072919-3

PROJECT NO: 4268

GTA SAMPLE NO: 8

LOCATION: MAREK PARCEL

DATE SAMPLED: 7/26/2019

TIME SAMPLED:

DATE RECEIVED: 7/29/2019

TIME RECEIVED: 10:00 AM

SAMPLED BY: JR/BP - COMPLIANCE

SAMPLE MATRIX: WATER

SAMPLE ID: B-12

EPA 8260B VOLATILE ORGANICS

Units= ug/L (PPB)

Analyst= MR

Date

Date Completed= 7/30/2019

Prep

EPA 5030B

Analyte	Concentration	LOD
ACETONE	ND	25
ALLYL CHLORIDE	ND	10
BENZENE	ND	1.0
BROMOBENZENE	ND	1.0
BROMOCHLOROMETHANE	ND	1.0
BROMODICHLOROMETHANE	ND	1.0
BROMOFORM	ND	1.0
BROMOMETHANE	ND	1.0
n-BUTYLBENZENE	ND	1.0
s-BUTYLBENZENE	ND	1.0
t-BUTYLBENZENE	ND	1.0
CARBON DISULFIDE	ND	5.0
CARBON TETRACHLORIDE	ND	1.0
CHLOROBEZENE	ND	1.0
1-CHLOROBUTANE	ND	1.0
CHLOROFORM	ND	1.0
CHLOROETHANE	ND	1.0
CHLOROMETHANE	ND	1.0
2-CHLOROTOLUENE	ND	1.0
4-CHLOROTOLUENE	ND	1.0
DIBROMOCHLOROMETHANE	ND	1.0
DIBROMOMETHANE	ND	1.0
1,2-DIBROMOETHANE	ND	1.0
1,2-DICHLOROBENZENE	ND	1.0
1,3-DICHLOROBENZENE	ND	1.0
1,4-DICHLOROBENZENE	ND	1.0
t-1,4-DICHLORO-2-BUTENE	ND	10
DICHLORODIFLUOROMETHANE	ND	1.0
1,1-DICHLOROETHANE	ND	1.0
1,2-DICHLOROETHANE	ND	1.0
1,1-DICHLOROETHENE	ND	1.0
cis-1,2-DICHLOROETHENE	ND	1.0
trans-1,2-DICHLOROETHENE	ND	1.0
1,2-DICHLOROPROPANE	ND	1.0
1,3-DICHLOROPROPANE	ND	1.0
2,2-DICHLOROPROPANE	ND	1.0
1,1-DICHLOROPROPENE	ND	1.0

Analyte	Concentration	LOD
cis-1,3-DICHLOROPROPENE	ND	1.0
trans-1,3-DICHLOROPROPENE	ND	1.0
DIETHYL ETHER	ND	10
ETHYLBENZENE	ND	1.0
ETHYL METHACRYLATE	ND	10
HEXACHLOROBUTADIENE	ND	1.0
HEXACHLOROETHANE	ND	10
2-HEXANONE	ND	10
IDOMETHANE	ND	10
ISOPROPYLBENZENE	ND	1.0
ISOPROPYLTOLUENE	ND	1.0
METHYL ACRYLATE	ND	10
METHYL ETHYL KETONE	ND	10
METHYL-t-BUTYL ETHER	ND	5.0
METHYLENE CHLORIDE	ND	1.0
METHYL METHACRYLATE	ND	10
MIBK	ND	10
2-METHYLNAPHTHALENE	ND	5.0
NAPHTHALENE	ND	5.0
PENTACHLOROETHANE	ND	10
n-PROPYLBENZENE	ND	1.0
STYRENE	ND	1.0
1,1,1,2-TETRACHLOROETHANE	ND	1.0
1,1,2,2-TETRACHLOROETHANE	ND	1.0
TETRACHLOROETHENE	ND	1.0
TOLUENE	ND	1.0
1,2,3-TRICHLOROBENZENE	ND	1.0
1,2,4-TRICHLOROBENZENE	ND	1.0
1,1,1-TRICHLOROETHANE	ND	1.0
1,1,2-TRICHLOROETHANE	ND	1.0
TRICHLOROETHENE	ND	1.0
TRICHLORFLUOROMETHANE	ND	1.0
1,2,3-TRICHLOROPROPANE	ND	1.0
1,2,4-TRIMETHYLBENZENE	ND	1.0
1,3,5-TRIMETHYLBENZENE	ND	1.0
VINYL CHLORIDE	ND	1.0
XYLENE (TOTAL)	ND	3.0

ND = NOT DETECTED, RESULT IS <LOD.

LOD = LIMIT OF DETECTION.



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: COMPLIANCE INC.

GTA PROJECT NO: 072919-3

PROJECT NO: 4268

GTA SAMPLE NO: 9

LOCATION: MAREK PARCEL

DATE SAMPLED: 7/26/2019

TIME SAMPLED:

DATE RECEIVED: 7/29/2019

TIME RECEIVED: 10:00 AM

SAMPLED BY: JR/BP - COMPLIANCE

SAMPLE MATRIX: WATER

SAMPLE ID: B-14

EPA 8260B VOLATILE ORGANICS

Units= ug/L (PPB)

Analyst= MR

Date

Date Completed= 7/30/2019

Prep

EPA 5030B

Analyte	Concentration	LOD
ACETONE	ND	25
ALLYL CHLORIDE	ND	10
BENZENE	ND	1.0
BROMOBENZENE	ND	1.0
BROMOCHLOROMETHANE	ND	1.0
BROMODICHLOROMETHANE	ND	1.0
BROMOFORM	ND	1.0
BROMOMETHANE	ND	1.0
n-BUTYLBENZENE	ND	1.0
s-BUTYLBENZENE	ND	1.0
t-BUTYLBENZENE	ND	1.0
CARBON DISULFIDE	ND	5.0
CARBON TETRACHLORIDE	ND	1.0
CHLORO BENZENE	ND	1.0
1-CHLOROBUTANE	ND	1.0
CHLOROFORM	ND	1.0
CHLOROETHANE	ND	1.0
CHLOROMETHANE	ND	1.0
2-CHLOROTOLUENE	ND	1.0
4-CHLOROTOLUENE	ND	1.0
DIBROMOCHLOROMETHANE	ND	1.0
DIBROMOMETHANE	ND	1.0
1,2-DIBROMOETHANE	ND	1.0
1,2-DICHLORO BENZENE	ND	1.0
1,3-DICHLORO BENZENE	ND	1.0
1,4-DICHLORO BENZENE	ND	1.0
t-1,4-DICHLORO-2-BUTENE	ND	10
DICHLORODIFLUOROMETHANE	ND	1.0
1,1-DICHLOROETHANE	ND	1.0
1,2-DICHLOROETHANE	ND	1.0
1,1-DICHLOROETHENE	ND	1.0
cis-1,2-DICHLOROETHENE	ND	1.0
trans-1,2-DICHLOROETHENE	ND	1.0
1,2-DICHLOROPROPANE	ND	1.0
1,3-DICHLOROPROPANE	ND	1.0
2,2-DICHLOROPROPANE	ND	1.0
1,1-DICHLOROPROPENE	ND	1.0

Analyte	Concentration	LOD
cis-1,3-DICHLOROPROPENE	ND	1.0
trans-1,3-DICHLOROPROPENE	ND	1.0
DIETHYL ETHER	ND	10
ETHYLBENZENE	ND	1.0
ETHYL METHACRYLATE	ND	10
HEXACHLOROBUTADIENE	ND	1.0
HEXACHLOROETHANE	ND	10
2-HEXANONE	ND	10
IDOMETHANE	ND	10
ISOPROPYLBENZENE	ND	1.0
ISOPROPYLTOLUENE	ND	1.0
METHYL ACRYLATE	ND	10
METHYL ETHYL KETONE	ND	10
METHYL-t-BUTYL ETHER	ND	5.0
METHYLENE CHLORIDE	ND	1.0
METHYL METHACRYLATE	ND	10
MIBK	ND	10
2-METHYLNAPHTHALENE	ND	5.0
NAPHTHALENE	ND	5.0
PENTACHLOROETHANE	ND	10
n-PROPYLBENZENE	ND	1.0
STYRENE	ND	1.0
1,1,1,2-TETRACHLOROETHANE	ND	1.0
1,1,2,2-TETRACHLOROETHANE	ND	1.0
TETRACHLOROETHENE	ND	1.0
TOLUENE	ND	1.0
1,2,3-TRICHLORO BENZENE	ND	1.0
1,2,4-TRICHLORO BENZENE	ND	1.0
1,1,1-TRICHLOROETHANE	ND	1.0
1,1,2-TRICHLOROETHANE	ND	1.0
TRICHLOROETHENE	ND	1.0
TRICHLORFLUOROMETHANE	ND	1.0
1,2,3-TRICHLOROPROPANE	ND	1.0
1,2,4-TRIMETHYLBENZENE	ND	1.0
1,3,5-TRIMETHYLBENZENE	ND	1.0
VINYL CHLORIDE	ND	1.0
XYLENE (TOTAL)	ND	3.0

ND = NOT DETECTED, RESULT IS <LOD.

LOD = LIMIT OF DETECTION.

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: COMPLIANCE INC.

PROJECT NO: 4268

LOCATION: MAREK PARCEL

GTA PROJECT NO: 072919-3

GTA SAMPLE NO: 1

DATE SAMPLED: 7/26/2019

TIME SAMPLED:

SAMPLED BY: MI
JR/BP - COMPLIANCE

DATE RECEIVED: 7/29/2019

TIME RECEIVED: 10:00 AM

SAMPLE MATRIX: WATER

SAMPLE ID: B-1

PNA EPA 8270D (SIM)

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date</u> <u>Extracted</u>	<u>Date</u> <u>Complete</u>	<u>Prep Method</u>
Acenaphthene	ND	5.0	ug/L (PPB)	KC/TR	8/1/2019	8/4/2019	EPA 3511
Acenaphthylene	ND	5.0					
Anthracene	ND	5.0					
Benzo(a)anthracene	ND	1.0					
Benzo(b)fluoranthene	ND	1.0					
Benzo(k)fluoranthene	ND	1.0					
Benzo(a)pyrene	ND	1.0					
Benzo(ghi)perylene	ND	2.0					
2-Chloronaphthalene	ND	5.0					
Chrysene	ND	1.0					
Dibenz(ah)anthracene	ND	2.0					
Fluoranthene	ND	1.0					
Fluorene	ND	5.0					
Indeno(123-cd)pyrene	ND	2.0					
Phenanthrene	ND	2.0					
Pyrene	ND	5.0					

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.

ND = NOT DETECTED, RESULT IS <LOD.

LOD = LIMIT OF DETECTION.

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: COMPLIANCE INC.
PROJECT NO: 4268
LOCATION: MAREK PARCEL

SAMPLED BY: MI
JR/BP - COMPLIANCE

SAMPLE MATRIX: WATER
SAMPLE ID: B-2

GTA PROJECT NO: 072919-3
GTA SAMPLE NO: 2

DATE SAMPLED: 7/26/2019
TIME SAMPLED:

DATE RECEIVED: 7/29/2019
TIME RECEIVED: 10:00 AM

PNA EPA 8270D (SIM)

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date</u> <u>Extracted</u>	<u>Date</u> <u>Complete</u>	<u>Prep Method</u>
Acenaphthene	ND	5.0	ug/L (PPB)	KC/TR	8/1/2019	8/4/2019	EPA 3511
Acenaphthylene	ND	5.0					
Anthracene	ND	5.0					
Benzo(a)anthracene	ND	1.0					
Benzo(b)fluoranthene	ND	1.0					
Benzo(k)fluoranthene	ND	1.0					
Benzo(a)pyrene	ND	1.0					
Benzo(ghi)perylene	ND	2.0					
2-Chloronaphthalene	ND	5.0					
Chrysene	ND	1.0					
Dibenz(ah)anthracene	ND	2.0					
Fluoranthene	ND	1.0					
Fluorene	ND	5.0					
Indeno(123-cd)pyrene	ND	2.0					
Phenanthrene	ND	2.0					
Pyrene	ND	5.0					

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.
ND = NOT DETECTED, RESULT IS <LOD.
LOD = LIMIT OF DETECTION.

COMPANY: COMPLIANCE INC.

PROJECT NO: 4268

LOCATION: MAREK PARCEL

SAMPLED BY: MI
JR/BP - COMPLIANCE

SAMPLE MATRIX: WATER
SAMPLE ID: B-3

GTA PROJECT NO: 072919-3

GTA SAMPLE NO: 3

DATE SAMPLED: 7/26/2019

TIME SAMPLED:

DATE RECEIVED: 7/29/2019

TIME RECEIVED: 10:00 AM

PNA EPA 8270D (SIM)

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date</u> <u>Extracted</u>	<u>Date</u> <u>Complete</u>	<u>Prep Method</u>
Acenaphthene	ND	5.0	ug/L (PPB)	KC/TR	8/1/2019	8/4/2019	EPA 3511
Acenaphthylene	ND	5.0					
Anthracene	ND	5.0					
Benzo(a)anthracene	ND	1.0					
Benzo(b)fluoranthene	ND	1.0					
Benzo(k)fluoranthene	ND	1.0					
Benzo(a)pyrene	ND	1.0					
Benzo(ghi)perylene	ND	2.0					
2-Chloronaphthalene	ND	5.0					
Chrysene	ND	1.0					
Dibenz(ah)anthracene	ND	2.0					
Fluoranthene	ND	1.0					
Fluorene	ND	5.0					
Indeno(123-cd)pyrene	ND	2.0					
Phenanthrene	ND	2.0					
Pyrene	ND	5.0					

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.

ND = NOT DETECTED, RESULT IS <LOD.

LOD = LIMIT OF DETECTION.

COMPANY: COMPLIANCE INC.

PROJECT NO: 4268

LOCATION: MAREK PARCEL

GTA PROJECT NO: 072919-3

GTA SAMPLE NO: 4

DATE SAMPLED: 7/26/2019

TIME SAMPLED:

SAMPLED BY: MI
JR/BP - COMPLIANCE

DATE RECEIVED: 7/29/2019

TIME RECEIVED: 10:00 AM

SAMPLE MATRIX: WATER

SAMPLE ID: B-4

PNA EPA 8270D (SIM)

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date</u> <u>Extracted</u>	<u>Date</u> <u>Complete</u>	<u>Prep Method</u>
Acenaphthene	ND	5.0	ug/L (PPB)	KC/TR	8/1/2019	8/4/2019	EPA 3511
Acenaphthylene	ND	5.0					
Anthracene	ND	5.0					
Benzo(a)anthracene	ND	1.0					
Benzo(b)fluoranthene	ND	1.0					
Benzo(k)fluoranthene	ND	1.0					
Benzo(a)pyrene	ND	1.0					
Benzo(ghi)perylene	ND	2.0					
2-Chloronaphthalene	ND	5.0					
Chrysene	ND	1.0					
Dibenz(ah)anthracene	ND	2.0					
Fluoranthene	ND	1.0					
Fluorene	ND	5.0					
Indeno(123-cd)pyrene	ND	2.0					
Phenanthrene	ND	2.0					
Pyrene	ND	5.0					

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.

ND = NOT DETECTED, RESULT IS <LOD.

LOD = LIMIT OF DETECTION.

COMPANY: COMPLIANCE INC.
PROJECT NO: 4268
LOCATION: MAREK PARCEL

SAMPLED BY: MI
JR/BP - COMPLIANCE

SAMPLE MATRIX: WATER
SAMPLE ID: B-5

GTA PROJECT NO: 072919-3
GTA SAMPLE NO: 5

DATE SAMPLED: 7/26/2019
TIME SAMPLED:

DATE RECEIVED: 7/29/2019
TIME RECEIVED: 10:00 AM

PNA EPA 8270D (SIM)

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date</u> <u>Extracted</u>	<u>Date</u> <u>Complete</u>	<u>Prep Method</u>
Acenaphthene	ND	5.0	ug/L (PPB)	KC/TR	8/1/2019	8/4/2019	EPA 3511
Acenaphthylene	ND	5.0					
Anthracene	ND	5.0					
Benzo(a)anthracene	ND	1.0					
Benzo(b)fluoranthene	ND	1.0					
Benzo(k)fluoranthene	ND	1.0					
Benzo(a)pyrene	ND	1.0					
Benzo(ghi)perylene	ND	2.0					
2-Chloronaphthalene	ND	5.0					
Chrysene	ND	1.0					
Dibenz(ah)anthracene	ND	2.0					
Fluoranthene	ND	1.0					
Fluorene	ND	5.0					
Indeno(123-cd)pyrene	ND	2.0					
Phenanthrene	ND	2.0					
Pyrene	ND	5.0					

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.
ND = NOT DETECTED, RESULT IS <LOD.
LOD = LIMIT OF DETECTION.

COMPANY: COMPLIANCE INC.
PROJECT NO: 4268
LOCATION: MAREK PARCEL

SAMPLED BY: MI
JR/BP - COMPLIANCE

SAMPLE MATRIX: WATER
SAMPLE ID: B-9

GTA PROJECT NO: 072919-3
GTA SAMPLE NO: 6

DATE SAMPLED: 7/26/2019
TIME SAMPLED:

DATE RECEIVED: 7/29/2019
TIME RECEIVED: 10:00 AM

PNA EPA 8270D (SIM)

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date</u> <u>Extracted</u>	<u>Date</u> <u>Complete</u>	<u>Prep Method</u>
Acenaphthene	ND	5.0	ug/L (PPB)	KC/TR	8/1/2019	8/4/2019	EPA 3511
Acenaphthylene	ND	5.0					
Anthracene	ND	5.0					
Benzo(a)anthracene	ND	1.0					
Benzo(b)fluoranthene	ND	1.0					
Benzo(k)fluoranthene	ND	1.0					
Benzo(a)pyrene	ND	1.0					
Benzo(ghi)perylene	ND	2.0					
2-Chloronaphthalene	ND	5.0					
Chrysene	ND	1.0					
Dibenz(ah)anthracene	ND	2.0					
Fluoranthene	ND	1.0					
Fluorene	ND	5.0					
Indeno(123-cd)pyrene	ND	2.0					
Phenanthrene	ND	2.0					
Pyrene	ND	5.0					

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.
ND = NOT DETECTED, RESULT IS <LOD.
LOD = LIMIT OF DETECTION.

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: COMPLIANCE INC.

PROJECT NO: 4268

LOCATION: MAREK PARCEL

GTA PROJECT NO: 072919-3

GTA SAMPLE NO: 7

DATE SAMPLED: 7/26/2019

TIME SAMPLED:

SAMPLED BY: MI
JR/BP - COMPLIANCE

DATE RECEIVED: 7/29/2019

TIME RECEIVED: 10:00 AM

SAMPLE MATRIX: WATER

SAMPLE ID: B-10

PNA EPA 8270D (SIM)

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date</u> <u>Extracted</u>	<u>Date</u> <u>Complete</u>	<u>Prep Method</u>
Acenaphthene	ND	5.0	ug/L (PPB)	KC/TR	8/1/2019	8/4/2019	EPA 3511
Acenaphthylene	ND	5.0					
Anthracene	ND	5.0					
Benzo(a)anthracene	ND	1.0					
Benzo(b)fluoranthene	ND	1.0					
Benzo(k)fluoranthene	ND	1.0					
Benzo(a)pyrene	ND	1.0					
Benzo(ghi)perylene	ND	2.0					
2-Chloronaphthalene	ND	5.0					
Chrysene	ND	1.0					
Dibenz(ah)anthracene	ND	2.0					
Fluoranthene	ND	1.0					
Fluorene	ND	5.0					
Indeno(123-cd)pyrene	ND	2.0					
Phenanthrene	ND	2.0					
Pyrene	ND	5.0					

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.

ND = NOT DETECTED, RESULT IS <LOD.

LOD = LIMIT OF DETECTION.

COMPANY: COMPLIANCE INC.

PROJECT NO: 4268

LOCATION: MAREK PARCEL

SAMPLED BY: MI
JR/BP - COMPLIANCE

SAMPLE MATRIX: WATER
SAMPLE ID: B-12

GTA PROJECT NO: 072919-3

GTA SAMPLE NO: 8

DATE SAMPLED: 7/26/2019

TIME SAMPLED:

DATE RECEIVED: 7/29/2019

TIME RECEIVED: 10:00 AM

PNA EPA 8270D (SIM)

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date</u> <u>Extracted</u>	<u>Date</u> <u>Complete</u>	<u>Prep Method</u>
Acenaphthene	ND	5.0	ug/L (PPB)	KC/TR	8/1/2019	8/4/2019	EPA 3511
Acenaphthylene	ND	5.0					
Anthracene	ND	5.0					
Benzo(a)anthracene	ND	1.0					
Benzo(b)fluoranthene	ND	1.0					
Benzo(k)fluoranthene	ND	1.0					
Benzo(a)pyrene	ND	1.0					
Benzo(ghi)perylene	ND	2.0					
2-Chloronaphthalene	ND	5.0					
Chrysene	ND	1.0					
Dibenz(ah)anthracene	ND	2.0					
Fluoranthene	ND	1.0					
Fluorene	ND	5.0					
Indeno(123-cd)pyrene	ND	2.0					
Phenanthrene	ND	2.0					
Pyrene	ND	5.0					

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.

ND = NOT DETECTED, RESULT IS <LOD.

LOD = LIMIT OF DETECTION.

COMPANY: COMPLIANCE INC.

PROJECT NO: 4268

LOCATION: MAREK PARCEL

GTA PROJECT NO: 072919-3

GTA SAMPLE NO: 9

DATE SAMPLED: 7/26/2019

TIME SAMPLED:

SAMPLED BY: MI
JR/BP - COMPLIANCE

DATE RECEIVED: 7/29/2019

TIME RECEIVED: 10:00 AM

SAMPLE MATRIX: WATER

SAMPLE ID: B-14

PNA EPA 8270D (SIM)

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date</u> <u>Extracted</u>	<u>Date</u> <u>Complete</u>	<u>Prep Method</u>
Acenaphthene	ND	5.0	ug/L (PPB)	KC/TR	8/1/2019	8/4/2019	EPA 3511
Acenaphthylene	ND	5.0					
Anthracene	ND	5.0					
Benzo(a)anthracene	ND	1.0					
Benzo(b)fluoranthene	ND	1.0					
Benzo(k)fluoranthene	ND	1.0					
Benzo(a)pyrene	ND	1.0					
Benzo(ghi)perylene	ND	2.0					
2-Chloronaphthalene	ND	5.0					
Chrysene	ND	1.0					
Dibenz(ah)anthracene	ND	2.0					
Fluoranthene	ND	1.0					
Fluorene	ND	5.0					
Indeno(123-cd)pyrene	ND	2.0					
Phenanthrene	ND	2.0					
Pyrene	ND	5.0					

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.

ND = NOT DETECTED, RESULT IS <LOD.

LOD = LIMIT OF DETECTION.

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: COMPLIANCE INC.

PROJECT NO: 4268

LOCATION: MAREK PARCEL

MI

SAMPLED BY: JR/BP - COMPLIANCE

SAMPLE ID: B-2

GTA PROJECT NO: 072919-3

GTA SAMPLE NO: 2

DATE SAMPLED: 7/26/2019

TIME SAMPLED:

DATE RECEIVED: 7/29/2019

TIME RECEIVED: 10:00 AM

SAMPLE MATRIX: WATER

METALS

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Digestion Method</u>
ARSENIC DISS EPA 6020A	ND	0.0020	mg/L (PPM)	MR	8/2/2019	EPA 3005A
BARIUM DISS EPA 6020A	0.076	0.0010	mg/L (PPM)	MR	8/2/2019	EPA 3005A
CADMIUM DISS EPA 6020A	ND	0.0010	mg/L (PPM)	MR	8/2/2019	EPA 3005A
CHROMIUM DISS EPA 6020A	0.017	0.0020	mg/L (PPM)	MR	8/2/2019	EPA 3005A
COPPER DISS EPA 6020A	0.0046	0.0010	mg/L (PPM)	MR	8/2/2019	EPA 3005A
LEAD DISS EPA 6020A	ND	0.0020	mg/L (PPM)	MR	8/2/2019	EPA 3005A
MERCURY DISS EPA 7470A	ND	0.00020	mg/L (PPM)	MR	8/6/2019	EPA 7470
SELENIUM DISS EPA 6020A	ND	0.0010	mg/L (PPM)	MR	8/2/2019	EPA 3005A
SILVER DISS EPA 6020A	ND	0.0010	mg/L (PPM)	MR	8/2/2019	EPA 3005A
ZINC DISS EPA 6020A	ND	0.010	mg/L (PPM)	MR	8/2/2019	EPA 3005A

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

DISS = DISSOLVED

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: COMPLIANCE INC.

PROJECT NO: 4268

LOCATION: MAREK PARCEL

MI

SAMPLED BY: JR/BP - COMPLIANCE

SAMPLE ID: B-3

GTA PROJECT NO: 072919-3

GTA SAMPLE NO: 3

DATE SAMPLED: 7/26/2019

TIME SAMPLED:

DATE RECEIVED: 7/29/2019

TIME RECEIVED: 10:00 AM

SAMPLE MATRIX: WATER

METALS

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Digestion Method</u>
ARSENIC DISS EPA 6020A	ND	0.0020	mg/L (PPM)	MR	8/2/2019	EPA 3005A
BARIUM DISS EPA 6020A	0.10	0.0010	mg/L (PPM)	MR	8/2/2019	EPA 3005A
CADMIUM DISS EPA 6020A	ND	0.0010	mg/L (PPM)	MR	8/2/2019	EPA 3005A
CHROMIUM DISS EPA 6020A	0.021	0.0020	mg/L (PPM)	MR	8/2/2019	EPA 3005A
COPPER DISS EPA 6020A	0.0036	0.0010	mg/L (PPM)	MR	8/2/2019	EPA 3005A
LEAD DISS EPA 6020A	ND	0.0020	mg/L (PPM)	MR	8/2/2019	EPA 3005A
MERCURY DISS EPA 7470A	ND	0.00020	mg/L (PPM)	MR	8/6/2019	EPA 7470
SELENIUM DISS EPA 6020A	ND	0.0010	mg/L (PPM)	MR	8/2/2019	EPA 3005A
SILVER DISS EPA 6020A	ND	0.0010	mg/L (PPM)	MR	8/2/2019	EPA 3005A
ZINC DISS EPA 6020A	ND	0.010	mg/L (PPM)	MR	8/2/2019	EPA 3005A

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

DISS = DISSOLVED

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: COMPLIANCE INC.

PROJECT NO: 4268

LOCATION: MAREK PARCEL

MI

SAMPLED BY: JR/BP - COMPLIANCE

SAMPLE ID: B-4

GTA PROJECT NO: 072919-3

GTA SAMPLE NO: 4

DATE SAMPLED: 7/26/2019

TIME SAMPLED:

DATE RECEIVED: 7/29/2019

TIME RECEIVED: 10:00 AM

SAMPLE MATRIX: WATER

METALS

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Digestion Method</u>
ARSENIC DISS EPA 6020A	ND	0.0020	mg/L (PPM)	MR	8/2/2019	EPA 3005A
BARIUM DISS EPA 6020A	0.076	0.0010	mg/L (PPM)	MR	8/2/2019	EPA 3005A
CADMIUM DISS EPA 6020A	ND	0.0010	mg/L (PPM)	MR	8/2/2019	EPA 3005A
CHROMIUM DISS EPA 6020A	0.012	0.0020	mg/L (PPM)	MR	8/2/2019	EPA 3005A
COPPER DISS EPA 6020A	0.0044	0.0010	mg/L (PPM)	MR	8/2/2019	EPA 3005A
LEAD DISS EPA 6020A	ND	0.0020	mg/L (PPM)	MR	8/2/2019	EPA 3005A
MERCURY DISS EPA 7470A	ND	0.00020	mg/L (PPM)	MR	8/6/2019	EPA 7470
SELENIUM DISS EPA 6020A	ND	0.0010	mg/L (PPM)	MR	8/2/2019	EPA 3005A
SILVER DISS EPA 6020A	ND	0.0010	mg/L (PPM)	MR	8/2/2019	EPA 3005A
ZINC DISS EPA 6020A	ND	0.010	mg/L (PPM)	MR	8/2/2019	EPA 3005A

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

DISS = DISSOLVED

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: COMPLIANCE INC.

PROJECT NO: 4268

LOCATION: MAREK PARCEL

MI

SAMPLED BY: JR/BP - COMPLIANCE

SAMPLE ID: B-5

GTA PROJECT NO: 072919-3

GTA SAMPLE NO: 5

DATE SAMPLED: 7/26/2019

TIME SAMPLED:

DATE RECEIVED: 7/29/2019

TIME RECEIVED: 10:00 AM

SAMPLE MATRIX: WATER

METALS

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Digestion Method</u>
ARSENIC DISS EPA 6020A	ND	0.0020	mg/L (PPM)	MR	8/2/2019	EPA 3005A
BARIUM DISS EPA 6020A	0.086	0.0010	mg/L (PPM)	MR	8/2/2019	EPA 3005A
CADMIUM DISS EPA 6020A	ND	0.0010	mg/L (PPM)	MR	8/2/2019	EPA 3005A
CHROMIUM DISS EPA 6020A	0.015	0.0020	mg/L (PPM)	MR	8/2/2019	EPA 3005A
COPPER DISS EPA 6020A	0.0036	0.0010	mg/L (PPM)	MR	8/2/2019	EPA 3005A
LEAD DISS EPA 6020A	ND	0.0020	mg/L (PPM)	MR	8/2/2019	EPA 3005A
MERCURY DISS EPA 7470A	ND	0.00020	mg/L (PPM)	MR	8/6/2019	EPA 7470
SELENIUM DISS EPA 6020A	ND	0.0010	mg/L (PPM)	MR	8/2/2019	EPA 3005A
SILVER DISS EPA 6020A	ND	0.0010	mg/L (PPM)	MR	8/2/2019	EPA 3005A
ZINC DISS EPA 6020A	ND	0.010	mg/L (PPM)	MR	8/2/2019	EPA 3005A

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

DISS = DISSOLVED

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: COMPLIANCE INC.

PROJECT NO: 4268

LOCATION: MAREK PARCEL

MI

SAMPLED BY: JR/BP - COMPLIANCE

SAMPLE ID: B-9

GTA PROJECT NO: 072919-3

GTA SAMPLE NO: 6

DATE SAMPLED: 7/26/2019

TIME SAMPLED:

DATE RECEIVED: 7/29/2019

TIME RECEIVED: 10:00 AM

SAMPLE MATRIX: WATER

METALS

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Digestion Method</u>
ARSENIC DISS EPA 6020A	ND	0.0020	mg/L (PPM)	MR	8/2/2019	EPA 3005A
BARIUM DISS EPA 6020A	0.036	0.0010	mg/L (PPM)	MR	8/2/2019	EPA 3005A
CADMIUM DISS EPA 6020A	ND	0.0010	mg/L (PPM)	MR	8/2/2019	EPA 3005A
CHROMIUM DISS EPA 6020A	0.017	0.0020	mg/L (PPM)	MR	8/2/2019	EPA 3005A
COPPER DISS EPA 6020A	ND	0.0010	mg/L (PPM)	MR	8/2/2019	EPA 3005A
LEAD DISS EPA 6020A	ND	0.0020	mg/L (PPM)	MR	8/2/2019	EPA 3005A
MERCURY DISS EPA 7470A	ND	0.00020	mg/L (PPM)	MR	8/6/2019	EPA 7470
SELENIUM DISS EPA 6020A	ND	0.0010	mg/L (PPM)	MR	8/2/2019	EPA 3005A
SILVER DISS EPA 6020A	ND	0.0010	mg/L (PPM)	MR	8/2/2019	EPA 3005A
ZINC DISS EPA 6020A	ND	0.010	mg/L (PPM)	MR	8/2/2019	EPA 3005A

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

DISS = DISSOLVED

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: COMPLIANCE INC.

PROJECT NO: 4268

LOCATION: MAREK PARCEL

MI

SAMPLED BY: JR/BP - COMPLIANCE

SAMPLE ID: B-10

GTA PROJECT NO: 072919-3

GTA SAMPLE NO: 7

DATE SAMPLED: 7/26/2019

TIME SAMPLED:

DATE RECEIVED: 7/29/2019

TIME RECEIVED: 10:00 AM

SAMPLE MATRIX: WATER

METALS

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Digestion Method</u>
ARSENIC DISS EPA 6020A	ND	0.0020	mg/L (PPM)	MR	8/2/2019	EPA 3005A
BARIUM DISS EPA 6020A	0.038	0.0010	mg/L (PPM)	MR	8/2/2019	EPA 3005A
CADMIUM DISS EPA 6020A	ND	0.0010	mg/L (PPM)	MR	8/2/2019	EPA 3005A
CHROMIUM DISS EPA 6020A	0.012	0.0020	mg/L (PPM)	MR	8/2/2019	EPA 3005A
COPPER DISS EPA 6020A	0.0048	0.0010	mg/L (PPM)	MR	8/2/2019	EPA 3005A
LEAD DISS EPA 6020A	ND	0.0020	mg/L (PPM)	MR	8/2/2019	EPA 3005A
MERCURY DISS EPA 7470A	ND	0.00020	mg/L (PPM)	MR	8/6/2019	EPA 7470
SELENIUM DISS EPA 6020A	ND	0.0010	mg/L (PPM)	MR	8/2/2019	EPA 3005A
SILVER DISS EPA 6020A	ND	0.0010	mg/L (PPM)	MR	8/2/2019	EPA 3005A
ZINC DISS EPA 6020A	0.051	0.010	mg/L (PPM)	MR	8/2/2019	EPA 3005A

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

DISS = DISSOLVED

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: COMPLIANCE INC.

PROJECT NO: 4268

LOCATION: MAREK PARCEL

MI

SAMPLED BY: JR/BP - COMPLIANCE

SAMPLE ID: B-12

GTA PROJECT NO: 072919-3

GTA SAMPLE NO: 8

DATE SAMPLED: 7/26/2019

TIME SAMPLED:

DATE RECEIVED: 7/29/2019

TIME RECEIVED: 10:00 AM

SAMPLE MATRIX: WATER

METALS

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Digestion Method</u>
ARSENIC DISS EPA 6020A	ND	0.0020	mg/L (PPM)	MR	8/2/2019	EPA 3005A
BARIUM DISS EPA 6020A	0.023	0.0010	mg/L (PPM)	MR	8/2/2019	EPA 3005A
CADMIUM DISS EPA 6020A	ND	0.0010	mg/L (PPM)	MR	8/2/2019	EPA 3005A
CHROMIUM DISS EPA 6020A	0.0060	0.0020	mg/L (PPM)	MR	8/2/2019	EPA 3005A
COPPER DISS EPA 6020A	0.031	0.0010	mg/L (PPM)	MR	8/2/2019	EPA 3005A
LEAD DISS EPA 6020A	ND	0.0020	mg/L (PPM)	MR	8/2/2019	EPA 3005A
MERCURY DISS EPA 7470A	ND	0.00020	mg/L (PPM)	MR	8/6/2019	EPA 7470
SELENIUM DISS EPA 6020A	ND	0.0010	mg/L (PPM)	MR	8/2/2019	EPA 3005A
SILVER DISS EPA 6020A	ND	0.0010	mg/L (PPM)	MR	8/2/2019	EPA 3005A
ZINC DISS EPA 6020A	0.042	0.010	mg/L (PPM)	MR	8/2/2019	EPA 3005A

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

DISS = DISSOLVED

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: COMPLIANCE INC.

PROJECT NO: 4268

LOCATION: MAREK PARCEL

MI

SAMPLED BY: JR/BP - COMPLIANCE

SAMPLE ID: B-14

GTA PROJECT NO: 072919-3

GTA SAMPLE NO: 9

DATE SAMPLED: 7/26/2019

TIME SAMPLED:

DATE RECEIVED: 7/29/2019

TIME RECEIVED: 10:00 AM

SAMPLE MATRIX: WATER

METALS

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Digestion Method</u>
ARSENIC DISS EPA 6020A	ND	0.0020	mg/L (PPM)	MR	8/2/2019	EPA 3005A
BARIUM DISS EPA 6020A	0.043	0.0010	mg/L (PPM)	MR	8/2/2019	EPA 3005A
CADMIUM DISS EPA 6020A	ND	0.0010	mg/L (PPM)	MR	8/2/2019	EPA 3005A
CHROMIUM DISS EPA 6020A	0.020	0.0020	mg/L (PPM)	MR	8/2/2019	EPA 3005A
COPPER DISS EPA 6020A	0.071	0.0010	mg/L (PPM)	MR	8/2/2019	EPA 3005A
LEAD DISS EPA 6020A	ND	0.0020	mg/L (PPM)	MR	8/2/2019	EPA 3005A
MERCURY DISS EPA 7470A	ND	0.00020	mg/L (PPM)	MR	8/6/2019	EPA 7470
SELENIUM DISS EPA 6020A	ND	0.0010	mg/L (PPM)	MR	8/2/2019	EPA 3005A
SILVER DISS EPA 6020A	ND	0.0010	mg/L (PPM)	MR	8/2/2019	EPA 3005A
ZINC DISS EPA 6020A	0.65	0.010	mg/L (PPM)	MR	8/2/2019	EPA 3005A

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

DISS = DISSOLVED

3

CHAIN OF CUSTODY

PROJECT NUMBER 4268	SITE NAME/ADDRESS March Parcels	COMPANY/NAME Compliance
SAMPLED BY J. Rossi / B. Pankiss	COMPANY Compliance	GTA PROJECT # 072919-3

SAMPLE INFORMATION

#	SAMPLE ID	DATE SAMPLED	TIME	MATRIX	ANALYSIS
1	B-1	7-26-19		H ₂ O	BTEX, TMBs, Napht, 2-Mn, PNA _s
2	B-2	↓			Full VOCs, PNA _s , Mich 10 Metals
3	B-3				Full VOCs, PNA _s , Mich 10 Metals
4	B-4				Full VOCs, PNA _s , Mich 10 Metals
5	B-5				Full VOCs, PNA _s , Mich 10 Metals
6	B-9				Full VOCs, PNA _s , Mich 10 Metals
7	B-10				Full VOCs, PNA _s , Mich 10 Metals
8	B-12				Full VOCs, PNA _s , Mich 10 Metals*
9	B-14	↓		↓	Full VOCs, PNA _s , Mich 10 Metals*
					* B-12 and B-14 Require filtering (were not field filtered)

BILL TO:

REPORT TO:

RELEASED BY J. Rossi	DATE/TIME 7-29-19 10:00am	RECEIVED BY K. Ch	DATE/TIME 7/29/19 10:00am
		1 up 3.00 on ice	

REQUESTED TAT ☒ STANDARD ☐ 1 BUSINESS DAY ☐ 2 BUSINESS DAYS ☐ 3 BUSINESS DAYS