



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

Company: LAMBDA ENERGY RESOURCES, LLC
Name:
ClientProj:

Site Addr: STATE FRED WOOD 2-11

GTA ProjNo: 073019-7

Sampled By: NICK SUMMERLAND/LER

Date Rec: 7/30/2019

Time Rec: 3:45 PM

Sample No.	Sample ID
1	WOOD 1-2 CONTAINMENT

Date Sampled	Time Sampled	Sample Matrix
7/30/2019	8:00 AM	WATER

ELECTRONIC SIGNATURE REPORT. This is a final report for the following pages of data for the samples specified above. All analysis was performed by the methods stated and all quality control measures required were completed. All quality control information is available upon request.

Kirk L Chase

Kirk L. Chase/Chemist
Grand Traverse Analytical
830 Robinwood Court
Traverse City, MI 49686
Ph: 231-929-0905
Fx: 231-929-0894
SP: 231-590-0291
kirk@gtanalytical.com



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: LAMBDA ENERGY RESOURCES, LLC
PROJECT NO: GTA PROJECT NO: 073019-7
LOCATION: STATE FRED WOOD 2-11
DATE SAMPLED: 7/30/2019
TIME SAMPLED: 8:00 AM
DATE RECEIVED: 7/30/2019
TIME RECEIVED: 3:45 PM
MI
SAMPLE MATRIX: WATER
SAMPLE ID: WOOD 1-2 CONTAINMENT
SAMPLED BY: NICK SUMMERLAND/LER

EPA 8260B VOLATILE ORGANICS

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date</u> <u>Extracted</u>	<u>Date</u> <u>Complete</u>	<u>Prep Method</u>
Benzene	ND	1.0	ug/L (PPB)	MR		7/31/2019	EPA 5030B
Toluene	ND	1.0					
Ethylbenzene	ND	1.0					
Xylene(Total)	ND	3.0					

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: LAMBDA ENERGY RESOURCES, LLC GTA PROJECT NO: 073019-7
PROJECT NO: GTA SAMPLE NO: 1
LOCATION: STATE FRED WOOD 2-11 DATE SAMPLED: 7/30/2019
TIME SAMPLED: 8:00 AM
DATE RECEIVED: 7/30/2019
TIME RECEIVED: 3:45 PM
MI
SAMPLED BY: NICK SUMMERLAND/LER

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date</u>	<u>Sample</u>
	SAMPLE ID: WOOD 1-2 CONTAINMENT						
	CHLORIDE EPA 300.0	ND	10	mg/L (PPM)	LV	8/1/2019	WATER

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

s.u. = STANDARD pH UNITS REPORTED AT 25 C

