



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

Company: RIVERSIDE
Name:
ClientProj: 190011-3800
GTA ProjNo: 030520-5

Site Addr: SCHMITT CREEK ST. OSSINEKE C4-10

Sampled By: JOSH MAJORS/REM
Date Rec: 3/5/2020
Time Rec: 3:35 PM

Sample No.	Sample ID	Date Sampled	Time Sampled	Sample Matrix
1	SUMP	3/3/2020	7:51 AM	WATER

ELECTRONIC SIGNATURE REPORT. This is a final report for the following pages of data for the samples specified above. All analysis was performed by the methods stated and all quality control measures required were completed. All quality control information is available upon request.

Kirk Chase

Kirk L. Chase/Chemist
Grand Traverse Analytical
830 Robinwood Court
Traverse City, MI 49686
Ph: 231-929-0905
Fx: 231-929-0894
SP: 231-590-0291
kirk@gtanalytical.com

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: RIVERSIDE
PROJECT NO: 190011-3800
LOCATION: SCHMITT CREEK ST. OSSINEKE C4-10
MI
SAMPLED BY: JOSH MAJORS/REM

GTA PROJECT NO: 030520-5
GTA SAMPLE NO: 1
DATE SAMPLED: 3/3/2020
TIME SAMPLED: 7:51 AM
DATE RECEIVED: 3/5/2020
TIME RECEIVED: 3:35 PM

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date</u>	<u>Sample</u>
	SAMPLE ID: SUMP						
	CHLORIDE EPA 300.0	270	10	mg/L (PPM)	LV	3/6/2020	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C

www.gtanalytical.com

3 BUSINESS DAYS