



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

Company: WARD LAKE ENERGY
Name:
ClientProj: 190183-0100
GTA ProjNo: 041020-1

Site Addr: BEAR LAKE 28

Sampled By: NJ/ECT

Date Rec: 4/10/2020

Time Rec: 11:38 AM

Sample No.	Sample ID	Date Sampled	Time Sampled	Sample Matrix
1	MW-1 BLDG	4/10/2020		WATER

ELECTRONIC SIGNATURE REPORT. This is a final report for the following pages of data for the samples specified above. All analysis was performed by the methods stated and all quality control measures required were completed. All quality control information is available upon request.

Kirk Chase

Kirk L. Chase/Chemist
Grand Traverse Analytical
830 Robinwood Court
Traverse City, MI 49686
Ph: 231-929-0905
Fx: 231-929-0894
SP: 231-590-0291
kirk@gtanalytical.com

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: WARD LAKE ENERGY

GTA PROJECT NO: 041020-1

GTA SAMPLE NO: 1

PROJECT NO: 190183-0100

LOCATION: BEAR LAKE 28

DATE SAMPLED: 4/10/2020

TIME SAMPLED:

DATE RECEIVED: 4/10/2020

TIME RECEIVED: 11:38 AM

SAMPLED BY: MI
NJ/ECT**SAMPLE ANALYSIS**

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
	SAMPLE ID: MW-1 BLDG						
	CHLORIDE EPA 300.0	270	10	mg/L (PPM)	KC	4/10/2020	WATER
	CONDUCTIVITY SM2510-B	1,200	1.0	uS/cm@25C	KC	4/10/2020	WATER

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

s.u. = STANDARD pH UNITS REPORTED AT 25 C

DISS = DISSOLVED

CHAIN OF CUSTODY

PROJECT NUMBER 190183-0100	SITE NAME/ADDRESS Bear Lake 28	COMPANY/NAME WARD LAKE
SAMPLED BY NJ	COMPANY ECT	GTA PROJECT #10 640920-1

SAMPLE INFORMATION

#	SAMPLE ID	DATE SAMPLED	TIME	MATRIX	ANALYSIS
1	MW-1 Blog	4-10-20		WTR	CL Cond
2	MW-2 TB	4-10-20		WTR	CL Cond

Rush

BILL TO:

Ward Lake

REPORT TO:

Lisa

RELEASED BY

DATE/TIME

Mejor

4-10-20

RECEIVED BY

DATE/TIME

h. ch

4/10/20 11:38a

REQUESTED TAT

☐ STANDARD



1 BUSINESS DAY

☐ 2 BUSINESS DAYS

☐ 3 BUSINESS DAYS