



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

Company: CORE ENERGY
Name:
ClientProj: 202183005.01
GTA ProjNo: 042224-6

Site Addr: BAGLEY 11

Sampled By: JFR/GCES

Date Rec: 4/22/2024

Time Rec: 2:10 PM

Sample No.	Sample ID
1	INTER MP

Date Sampled
4/22/2024

Time Sampled
11:35 AM

Sample Matrix
WATER

ELECTRONIC SIGNATURE REPORT. This is a final report for the following pages of data for the samples specified above. All analysis was performed by the methods stated and all quality control measures required were completed. All quality control information is available upon request.

A handwritten signature in black ink that reads "Kirk Chase".

Kirk L. Chase/Chemist
Grand Traverse Analytical
830 Robinwood Court
Traverse City, MI 49686
Ph: 231-929-0905
Fx: 231-929-0894
SP: 231-590-0291
kirk@gtanalytical.com



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY:	CORE ENERGY	GTA PROJECT NO:	042224-6
PROJECT NO:	202183005.01	GTA SAMPLE NO:	1
LOCATION:	BAGLEY 11	DATE SAMPLED:	4/22/2024
		TIME SAMPLED:	11:35 AM
		DATE RECEIVED:	4/22/2024
	MI	TIME RECEIVED:	2:10 PM
SAMPLE MATRIX:	WATER		
SAMPLE ID:	INTER MP	SAMPLED BY:	JFR/GCES

EPA 8260B VOLATILE ORGANICS

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Extracted</u>	<u>Date Completed</u>	<u>Prep Method</u>
Benzene	ND	1.0	ug/L (PPB)	MR		4/23/2024	EPA 5030B
Toluene	ND	1.0					
Ethylbenzene	ND	1.0					
Xylene(Total)	ND	3.0					

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.
ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: CORE ENERGY

PROJECT NO: 202183005.01

LOCATION: BAGLEY 11

GTA PROJECT NO: 042224-6

GTA SAMPLE NO: 1

DATE SAMPLED: 4/22/2024

TIME SAMPLED: 11:35 AM

DATE RECEIVED: 4/22/2024

TIME RECEIVED: 2:10 PM

MI
SAMPLED BY: JFR/GCES**SAMPLE ANALYSIS****No: Analysis**

SAMPLE ID: INTER MP

CHLORIDE EPA 300.0

CONDUCTIVITY SM2510-B

Concentration**LOD****Units****Analyst****Date Completed****Sample Matrix**

ND

10

mg/L (PPM)

KC/TR

4/29/2024

WATER

53

1.0

uS/cm@25C

TR

4/25/2024

WATER

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

s.u. = STANDARD pH UNITS REPORTED AT 25 C

DISS = DISSOLVED

www.gtanalytical.com

REQUESTED TAT ☒ **STANDARD** ☐ **1 BUSINESS DAY** ☐ **2 BUSINESS DAYS** ☐ **3 BUSINESS DAYS**