

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

Company: RIVERSIDE ENERGY
Name:
ClientProj: 2019189002.01
GTA ProjNo: 100219-3

Site Addr: WEBBER CREEK CPF

Sampled By: JOSHUA GERRIE/GCES
Date Rec: 10/2/2019
Time Rec: 3:10 PM

Sample No.	Sample ID	Date Sampled	Time Sampled	Sample Matrix
1	MW-1	10/2/2019		WATER
2	MW-2	10/2/2019		WATER
3	MW-3	10/2/2019		WATER
4	MW-4	10/2/2019		WATER
5	MW-5	10/2/2019		WATER
6	MW-100	10/2/2019		WATER
7	MW-101	10/2/2019		WATER
8	MW-102	10/2/2019		WATER

ELECTRONIC SIGNATURE REPORT. This is a final report for the following pages of data for the samples specified above. All analysis was performed by the methods stated and all quality control measures required were completed. All quality control information is available upon request.

Kirk L Chase

Kirk L. Chase/Chemist
Grand Traverse Analytical
830 Robinwood Court
Traverse City, MI 49686
Ph: 231-929-0905
Fx: 231-929-0894
SP: 231-590-0291
kirk@gtanalytical.com

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: RIVERSIDE ENERGY
PROJECT NO: 2019189002.01
LOCATION: WEBBER CREEK CPF

GTA PROJECT NO: 100219-3
GTA SAMPLE NO: 1

DATE SAMPLED: 10/2/2019
TIME SAMPLED:

DATE RECEIVED: 10/2/2019
TIME RECEIVED: 3:10 PM

MI
SAMPLED BY: JOSHUA GERRIE/GCES

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
	SAMPLE ID: MW-1						
	CHLORIDE EPA 300.0	17	10	mg/L (PPM)	LV	10/11/2019	WATER
	CONDUCTIVITY SM2510-B	870	1.0	uS/cm@25C	LV	10/11/2019	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C
DISS = DISSOLVED

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: RIVERSIDE ENERGY
PROJECT NO: 2019189002.01
LOCATION: WEBBER CREEK CPF

GTA PROJECT NO: 100219-3
GTA SAMPLE NO: 2

DATE SAMPLED: 10/2/2019
TIME SAMPLED:

DATE RECEIVED: 10/2/2019
TIME RECEIVED: 3:10 PM

MI
SAMPLED BY: JOSHUA GERRIE/GCES

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
	SAMPLE ID: MW-2						
	CHLORIDE EPA 300.0	ND	10	mg/L (PPM)	LV	10/11/2019	WATER
	CONDUCTIVITY SM2510-B	250	1.0	uS/cm@25C	LV	10/11/2019	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C
DISS = DISSOLVED

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: RIVERSIDE ENERGY
PROJECT NO: 2019189002.01
LOCATION: WEBBER CREEK CPF

GTA PROJECT NO: 100219-3
GTA SAMPLE NO: 3

DATE SAMPLED: 10/2/2019
TIME SAMPLED:

DATE RECEIVED: 10/2/2019
TIME RECEIVED: 3:10 PM

MI
SAMPLED BY: JOSHUA GERRIE/GCES

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
	SAMPLE ID: MW-3						
	CHLORIDE EPA 300.0	ND	10	mg/L (PPM)	LV	10/11/2019	WATER
	CONDUCTIVITY SM2510-B	160	1.0	uS/cm@25C	LV	10/11/2019	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C
DISS = DISSOLVED

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: RIVERSIDE ENERGY
PROJECT NO: 2019189002.01
LOCATION: WEBBER CREEK CPF

GTA PROJECT NO: 100219-3
GTA SAMPLE NO: 4

DATE SAMPLED: 10/2/2019
TIME SAMPLED:

DATE RECEIVED: 10/2/2019
TIME RECEIVED: 3:10 PM

MI
SAMPLED BY: JOSHUA GERRIE/GCES

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
	SAMPLE ID: MW-4						
	CHLORIDE EPA 300.0	190	10	mg/L (PPM)	LV	10/11/2019	WATER
	CONDUCTIVITY SM2510-B	1,100	1.0	uS/cm@25C	LV	10/11/2019	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C
DISS = DISSOLVED

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: RIVERSIDE ENERGY
PROJECT NO: 2019189002.01
LOCATION: WEBBER CREEK CPF

GTA PROJECT NO: 100219-3
GTA SAMPLE NO: 5

DATE SAMPLED: 10/2/2019
TIME SAMPLED:

DATE RECEIVED: 10/2/2019
TIME RECEIVED: 3:10 PM

MI
SAMPLED BY: JOSHUA GERRIE/GCES

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
	SAMPLE ID: MW-5						
	CHLORIDE EPA 300.0	ND	10	mg/L (PPM)	LV	10/11/2019	WATER
	CONDUCTIVITY SM2510-B	220	1.0	uS/cm@25C	LV	10/11/2019	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C
DISS = DISSOLVED

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: RIVERSIDE ENERGY
PROJECT NO: 2019189002.01
LOCATION: WEBBER CREEK CPF

GTA PROJECT NO: 100219-3
GTA SAMPLE NO: 6

DATE SAMPLED: 10/2/2019
TIME SAMPLED:

DATE RECEIVED: 10/2/2019
TIME RECEIVED: 3:10 PM

MI
SAMPLED BY: JOSHUA GERRIE/GCES

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
	SAMPLE ID: MW-100						
	CHLORIDE EPA 300.0	ND	10	mg/L (PPM)	LV	10/11/2019	WATER
	CONDUCTIVITY SM2510-B	360	1.0	uS/cm@25C	LV	10/11/2019	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C
DISS = DISSOLVED

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: RIVERSIDE ENERGY
PROJECT NO: 2019189002.01
LOCATION: WEBBER CREEK CPF

GTA PROJECT NO: 100219-3
GTA SAMPLE NO: 7

DATE SAMPLED: 10/2/2019
TIME SAMPLED:

DATE RECEIVED: 10/2/2019
TIME RECEIVED: 3:10 PM

MI
SAMPLED BY: JOSHUA GERRIE/GCES

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
	SAMPLE ID: MW-101						
	CHLORIDE EPA 300.0	50	10	mg/L (PPM)	LV	10/11/2019	WATER
	CONDUCTIVITY SM2510-B	570	1.0	uS/cm@25C	LV	10/11/2019	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C
DISS = DISSOLVED

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: RIVERSIDE ENERGY
PROJECT NO: 2019189002.01
LOCATION: WEBBER CREEK CPF

GTA PROJECT NO: 100219-3
GTA SAMPLE NO: 8

DATE SAMPLED: 10/2/2019
TIME SAMPLED:

DATE RECEIVED: 10/2/2019
TIME RECEIVED: 3:10 PM

MI
SAMPLED BY: JOSHUA GERRIE/GCES

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
	SAMPLE ID: MW-102						
	CHLORIDE EPA 300.0	97	10	mg/L (PPM)	LV	10/11/2019	WATER
	CONDUCTIVITY SM2510-B	860	1.0	uS/cm@25C	LV	10/11/2019	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C
DISS = DISSOLVED

CHAIN OF CUSTODY

PROJECT NUMBER 2019189 002.01	SITE NAME/ADDRESS Webber Creek CPF	COMPANY/NAME Riverside Energy
SAMPLED BY Joshua Gervie	COMPANY Gosling Czubak	GTA PROJECT # 100219-3

SAMPLE INFORMATION

#	SAMPLE ID	DATE SAMPLED	TIME	MATRIX	ANALYSIS
1	MW-1	10-2-19		GW	Chloride & Sp. Cond.
2	MW-2	↓		↓	↓
3	MW-3				
4	MW-4				
5	MW-5				
6	MW-100				
7	MW-101				
8	MW-102	↓		↓	↓

BILL TO:

GCES

REPORT TO:

Jeff Simsa

RELEASED BY

DATE/TIME

RECEIVED BY

DATE/TIME

[Signature] 10-2-19/1510

[Signature] 10/2/19 1510

REQUESTED TAT ☒ STANDARD ☐ 1 BUSINESS DAY ☐ 2 BUSINESS DAYS ☐ 3 BUSINESS DAYS