



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

Company: MILLER ENERGY COMPANY II, LLC

Name:

ClientProj: 2021704005.06

GTA ProjNo: 060221-14

Site Addr: DUTCHER

Sampled By: JOSHUA GERRIE/GCES

Date Rec: 6/2/2021

Time Rec: 4:55 PM

Sample No.	Sample ID	Date Sampled	Time Sampled	Sample Matrix
1	TANK DIKE	6/2/2021		WATER
2	FLARE DIKE	6/2/2021		WATER

ELECTRONIC SIGNATURE REPORT. This is a final report for the following pages of data for the samples specified above. All analysis was performed by the methods stated and all quality control measures required were completed. All quality control information is available upon request.

Kirk Chase

Kirk L. Chase/Chemist
Grand Traverse Analytical
830 Robinwood Court
Traverse City, MI 49686
Ph: 231-929-0905
Fx: 231-929-0894
SP: 231-590-0291
kirk@gtanalytical.com

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: MILLER ENERGY COMPANY II, LLC
PROJECT NO: 2021704005.06
LOCATION: DUTCHER
MI
SAMPLE MATRIX: WATER
SAMPLE ID: TANK DIKE

GTA PROJECT NO: 060221-14
GTA SAMPLE NO: 1
DATE SAMPLED: 6/2/2021
TIME SAMPLED:
DATE RECEIVED: 6/2/2021
TIME RECEIVED: 4:55 PM
SAMPLED BY: JOSHUA GERRIE/GCES

EPA 8260B VOLATILE ORGANICS

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Extracted</u>	<u>Date Complete</u>	<u>Prep Method</u>
Benzene	ND	1.0	ug/L (PPB)	MR		6/3/2021	EPA 5030B
Toluene	ND	1.0					
Ethylbenzene	ND	1.0					
Xylene(Total)	ND	3.0					

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.
ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: MILLER ENERGY COMPANY II, LLC
PROJECT NO: 2021704005.06
LOCATION: DUTCHER
MI
SAMPLE MATRIX: WATER
SAMPLE ID: FLARE DIKE

GTA PROJECT NO: 060221-14
GTA SAMPLE NO: 2
DATE SAMPLED: 6/2/2021
TIME SAMPLED:
DATE RECEIVED: 6/2/2021
TIME RECEIVED: 4:55 PM
SAMPLED BY: JOSHUA GERRIE/GCES

EPA 8260B VOLATILE ORGANICS

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Extracted</u>	<u>Date Complete</u>	<u>Prep Method</u>
Benzene	ND	1.0	ug/L (PPB)	MR		6/3/2021	EPA 5030B
Toluene	ND	1.0					
Ethylbenzene	ND	1.0					
Xylene(Total)	ND	3.0					

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.
ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: MILLER ENERGY COMPANY II, LLC

PROJECT NO: 2021704005.06

LOCATION: DUTCHER

GTA PROJECT NO: 060221-14

GTA SAMPLE NO: 1

DATE SAMPLED: 6/2/2021

TIME SAMPLED:

DATE RECEIVED: 6/2/2021

TIME RECEIVED: 4:55 PM

MI

SAMPLED BY: JOSHUA GERRIE/GCES

SAMPLE ANALYSIS**No: Analysis**

SAMPLE ID: TANK DIKE

CHLORIDE EPA 300.0

CONDUCTIVITY SM2510-B

Concentration**LOD****Units****Analyst****Date Completed****Sample Matrix**

ND

10

mg/L (PPM)

TR

6/4/2021

WATER

45

1.0

uS/cm@25C

TR

6/4/2021

WATER

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

s.u. = STANDARD pH UNITS REPORTED AT 25 C

DISS = DISSOLVED

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: MILLER ENERGY COMPANY II, LLC
PROJECT NO: 2021704005.06
LOCATION: DUTCHER
MI
SAMPLED BY: JOSHUA GERRIE/GCES

GTA PROJECT NO: 060221-14
GTA SAMPLE NO: 2
DATE SAMPLED: 6/2/2021
TIME SAMPLED:
DATE RECEIVED: 6/2/2021
TIME RECEIVED: 4:55 PM

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
	SAMPLE ID: FLARE DIKE						
	CHLORIDE EPA 300.0	ND	10	mg/L (PPM)	TR	6/4/2021	WATER
	CONDUCTIVITY SM2510-B	120	1.0	uS/cm@25C	TR	6/4/2021	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C
DISS = DISSOLVED

