

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

Company:	FEDERATED OIL & GAS PROPERTIES	Site Addr:	CHARLIC FAUBLE	
Name:				
ClientProj:	160529-0300			
		Sampled By:	NJ/ECT	
GTA ProjNo:	101119-7	Date Rec:	10/11/2019	
		Time Rec:	10:50 AM	
Sample No.	Sample ID	Date Sampled	Time Sampled	Sample Matrix
1	OW-1	10/9/2019		WATER

ELECTRONIC SIGNATURE REPORT. This is a final report for the following pages of data for the samples specified above. All analysis was performed by the methods stated and all quality control measures required were completed. All quality control information is available upon request.

Kirk L Chase

Kirk L. Chase/Chemist
Grand Traverse Analytical
830 Robinwood Court
Traverse City, MI 49686
Ph: 231-929-0905
Fx: 231-929-0894
SP: 231-590-0291
kirk@gtanalytical.com

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: FEDERATED OIL & GAS PROPERTIES
PROJECT NO: 160529-0300
LOCATION: CHARLIC FAUBLE
MI
SAMPLE MATRIX: WATER
SAMPLE ID: OW-1

GTA PROJECT NO: 101119-7
GTA SAMPLE NO: 1
DATE SAMPLED: 10/9/2019
TIME SAMPLED:
DATE RECEIVED: 10/11/2019
TIME RECEIVED: 10:50 AM
SAMPLED BY: NJ/ECT

EPA 8260B VOLATILE ORGANICS

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Extracted</u>	<u>Date Complete</u>	<u>Prep Method</u>
Benzene	ND	1.0	ug/L (PPB)	MR		10/12/2019	EPA 5030B
Toluene	ND	1.0					
Ethylbenzene	ND	1.0					
Xylene(Total)	ND	3.0					

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.
ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: FEDERATED OIL & GAS PROPERTIES

GTA PROJECT NO: 101119-7

PROJECT NO: 160529-0300

GTA SAMPLE NO: 1

LOCATION: CHARLIC FAUBLE

DATE SAMPLED: 10/9/2019

TIME SAMPLED:

DATE RECEIVED: 10/11/2019

TIME RECEIVED: 10:50 AM

MI

SAMPLED BY: NJ/ECT

SAMPLE ANALYSIS**No: Analysis****Concentration****LOD****Units****Analyst****Date Completed****Sample Matrix**

SAMPLE ID: OW-1

CHLORIDE EPA 300.0

ND

10

mg/L (PPM)

LV

10/19/2019

WATER

CONDUCTIVITY SM2510-B

110

1.0

uS/cm@25C

LV

10/18/2019

WATER

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

s.u. = STANDARD pH UNITS REPORTED AT 25 C

DISS = DISSOLVED

