



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

Company: JORDAN DEVELOPMENT CO. LLC Site Addr: MILTON BRADLEY NORTH
Name:
ClientProj: 160205-0400
GTA ProjNo: 102119-7
Sampled By: NJ/ECT
Date Rec: 10/21/2019
Time Rec: 12:45 PM

Sample No.	Sample ID	Date Sampled	Time Sampled	Sample Matrix
1	OW-1	10/15/2019		WATER

ELECTRONIC SIGNATURE REPORT. This is a final report for the following pages of data for the samples specified above. All analysis was performed by the methods stated and all quality control measures required were completed. All quality control information is available upon request.

Kirk L Chase

Kirk L. Chase/Chemist
Grand Traverse Analytical
830 Robinwood Court
Traverse City, MI 49686
Ph: 231-929-0905
Fx: 231-929-0894
SP: 231-590-0291
kirk@gtanalytical.com



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: JORDAN DEVELOPMENT CO. LLC
PROJECT NO: 160205-0400
LOCATION: MILTON BRADLEY NORTH

GTA PROJECT NO: 102119-7
GTA SAMPLE NO: 1
DATE SAMPLED: 10/15/2019
TIME SAMPLED:
DATE RECEIVED: 10/21/2019
TIME RECEIVED: 12:45 PM

SAMPLED BY: MI
NJ/ECT

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
	SAMPLE ID: OW-1						
	CHLORIDE EPA 300.0	25	10	mg/L (PPM)	LV	10/25/2019	WATER
	CONDUCTIVITY SM2510-B	690	1.0	uS/cm@25C	LV	10/24/2019	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C
DISS = DISSOLVED

