



**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

[www.gtanalytical.com](http://www.gtanalytical.com)

Company: JORDAN DEVELOPMENT CO. LLC  
Name:  
ClientProj: 160205-0400  
GTA ProjNo: 092820-7

Site Addr: MILTON BRADLEY NORTH

Sampled By: NJ/ECT  
Date Rec: 9/28/2020  
Time Rec: 2:23 PM

Sample No.	Sample ID	Date Sampled	Time Sampled	Sample Matrix
1	OW-1	9/23/2020		WATER

ELECTRONIC SIGNATURE REPORT. This is a final report for the following pages of data for the samples specified above. All analysis was performed by the methods stated and all quality control measures required were completed. All quality control information is available upon request.

*Kirk Chase*

Kirk L. Chase/Chemist  
Grand Traverse Analytical  
830 Robinwood Court  
Traverse City, MI 49686  
Ph: 231-929-0905  
Fx: 231-929-0894  
SP: 231-590-0291  
[kirk@gtanalytical.com](mailto:kirk@gtanalytical.com)

COMPANY: JORDAN DEVELOPMENT CO. LLC  
 PROJECT NO: 160205-0400  
 LOCATION: MILTON BRADLEY NORTH

GTA PROJECT NO: 092820-7  
 GTA SAMPLE NO: 1  
 DATE SAMPLED: 9/23/2020  
 TIME SAMPLED:  
 DATE RECEIVED: 9/28/2020  
 TIME RECEIVED: 2:23 PM

SAMPLED BY: MI  
 NJ/ECT

**SAMPLE ANALYSIS**

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
	SAMPLE ID: OW-1						
	CHLORIDE EPA 300.0	ND	10	mg/L (PPM)	LV	10/2/2020	WATER
	CONDUCTIVITY SM2510-B	710	1.0	uS/cm@25C	LV	10/2/2020	WATER

ND = NOT DETECTED, RESULT < LOD  
 LOD = LIMIT OF DETECTION  
 s.u. = STANDARD pH UNITS REPORTED AT 25 C  
 DISS = DISSOLVED

