



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

Company: JORDAN DEVELOPMENT CO. LLC
Name:
ClientProj:

Site Addr: MILTON BRADLEY NORTH

GTA ProjNo: 053123-7

Sampled By: LMH-J/ECT
Date Rec: 5/31/2023
Time Rec: 12:45 PM

Sample No.	Sample ID	Date Sampled	Time Sampled	Sample Matrix
1	OW-1	5/31/2023		WATER
2	MW-10	5/31/2023		WATER
3	MW-11	5/31/2023		WATER
4	MW-12	5/31/2023		WATER
5	MW-13	5/31/2023		WATER
6	PW-1	5/31/2023		WATER
7	TB-SS#1 @ 2'	5/31/2023		SOIL
8	TB-SS#1 @ 4'	5/31/2023		SOIL
9	TB-SS#2 @ 2'	5/31/2023		SOIL
10	TB-SS#2 @ 4'	5/31/2023		SOIL
11	TB-SS#3 @ 2.5'	5/31/2023		SOIL
12	TB-SS#3 @ 5'	5/31/2023		SOIL
13	TB-SS#4 @ 2.5'	5/31/2023		SOIL
14	TB-SS#4 @ 5'	5/31/2023		SOIL

ELECTRONIC SIGNATURE REPORT. This is a final report for the following pages of data for the samples specified above. All analysis was performed by the methods stated and all quality control measures required were completed. All quality control information is available upon request.

Kirk Chase

Kirk L. Chase/Chemist
Grand Traverse Analytical
830 Robinwood Court
Traverse City, MI 49686
Ph: 231-929-0905
Fx: 231-929-0894
SP: 231-590-0291
kirk@gtanalytical.com



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: JORDAN DEVELOPMENT CO. LLC

PROJECT NO:

LOCATION: MILTON BRADLEY NORTH

SAMPLED BY: MI
LMH-J/ECT

GTA PROJECT NO: 053123-7

GTA SAMPLE NO: 1

DATE SAMPLED: 5/31/2023

TIME SAMPLED:

DATE RECEIVED: 5/31/2023

TIME RECEIVED: 12:45 PM

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
SAMPLE ID: OW-1	CHLORIDE EPA 300.0	32	10	mg/L (PPM)	KC/TR	6/5/2023	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: JORDAN DEVELOPMENT CO. LLC

PROJECT NO:

LOCATION: MILTON BRADLEY NORTH

GTA PROJECT NO: 053123-7

GTA SAMPLE NO: 2

DATE SAMPLED: 5/31/2023

TIME SAMPLED:

DATE RECEIVED: 5/31/2023

TIME RECEIVED: 12:45 PM

MI

SAMPLED BY: LMH-J/ECT

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
SAMPLE ID: MW-10	CHLORIDE EPA 300.0	27	10	mg/L (PPM)	KC/TR	6/5/2023	WATER

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: JORDAN DEVELOPMENT CO. LLC

GTA PROJECT NO: 053123-7

PROJECT NO:

GTA SAMPLE NO: 3

LOCATION: MILTON BRADLEY NORTH

DATE SAMPLED: 5/31/2023

TIME SAMPLED:

DATE RECEIVED: 5/31/2023

TIME RECEIVED: 12:45 PM

MI

SAMPLED BY: LMH-J/ECT

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
SAMPLE ID: MW-11	CHLORIDE EPA 300.0	20	10	mg/L (PPM)	KC/TR	6/5/2023	WATER

ND = NOT DETECTED, RESULT < LOD
 LOD = LIMIT OF DETECTION
 s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: JORDAN DEVELOPMENT CO. LLC

GTA PROJECT NO: 053123-7

PROJECT NO:

GTA SAMPLE NO: 4

LOCATION: MILTON BRADLEY NORTH

DATE SAMPLED: 5/31/2023

TIME SAMPLED:

DATE RECEIVED: 5/31/2023

TIME RECEIVED: 12:45 PM

MI

SAMPLED BY: LMH-J/ECT

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
SAMPLE ID: MW-12	CHLORIDE EPA 300.0	220	10	mg/L (PPM)	KC/TR	6/5/2023	WATER

ND = NOT DETECTED, RESULT < LOD
 LOD = LIMIT OF DETECTION
 s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: JORDAN DEVELOPMENT CO. LLC
 PROJECT NO:
 LOCATION: MILTON BRADLEY NORTH
 MI
 SAMPLED BY: LMH-J/ECT

GTA PROJECT NO: 053123-7
 GTA SAMPLE NO: 5
 DATE SAMPLED: 5/31/2023
 TIME SAMPLED:
 DATE RECEIVED: 5/31/2023
 TIME RECEIVED: 12:45 PM

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
SAMPLE ID: MW-13	CHLORIDE EPA 300.0	25	10	mg/L (PPM)	KC/TR	6/5/2023	WATER

ND = NOT DETECTED, RESULT < LOD
 LOD = LIMIT OF DETECTION
 s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: JORDAN DEVELOPMENT CO. LLC

GTA PROJECT NO: 053123-7

PROJECT NO:

GTA SAMPLE NO: 6

LOCATION: MILTON BRADLEY NORTH

DATE SAMPLED: 5/31/2023

TIME SAMPLED:

DATE RECEIVED: 5/31/2023

TIME RECEIVED: 12:45 PM

MI

SAMPLED BY: LMH-J/ECT

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
SAMPLE ID: PW-1	CHLORIDE EPA 300.0	66	10	mg/L (PPM)	KC/TR	6/5/2023	WATER

ND = NOT DETECTED, RESULT < LOD
 LOD = LIMIT OF DETECTION
 s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: JORDAN DEVELOPMENT CO. LLC
 PROJECT NO:
 LOCATION: MILTON BRADLEY NORTH
 MI
 SAMPLED BY: LMH-J/ECT

GTA PROJECT NO: 053123-7
 GTA SAMPLE NO: 7
 DATE SAMPLED: 5/31/2023
 TIME SAMPLED:
 DATE RECEIVED: 5/31/2023
 TIME RECEIVED: 12:45 PM

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
	SAMPLE ID: TB-SS#1 @ 2' CHLORIDE EPA 300.0	ND	100	mg/Kg (PPM)	KC/AS	6/5/2023	SOIL

ND = NOT DETECTED, RESULT < LOD
 LOD = LIMIT OF DETECTION
 s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: JORDAN DEVELOPMENT CO. LLC

PROJECT NO:

LOCATION: MILTON BRADLEY NORTH

SAMPLED BY: MI
 LMH-J/ECT

GTA PROJECT NO: 053123-7

GTA SAMPLE NO: 8

DATE SAMPLED: 5/31/2023

TIME SAMPLED:

DATE RECEIVED: 5/31/2023

TIME RECEIVED: 12:45 PM

SAMPLE ANALYSIS

No: Analysis

SAMPLE ID: TB-SS#1 @ 4'

CHLORIDE EPA 300.0

<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
ND	99	mg/Kg (PPM)	KC/AS	6/5/2023	SOIL

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: JORDAN DEVELOPMENT CO. LLC

PROJECT NO:

LOCATION: MILTON BRADLEY NORTH

GTA PROJECT NO: 053123-7

GTA SAMPLE NO: 9

DATE SAMPLED: 5/31/2023

TIME SAMPLED:

DATE RECEIVED: 5/31/2023

TIME RECEIVED: 12:45 PM

MI

SAMPLED BY: LMH-J/ECT

SAMPLE ANALYSIS

No: Analysis

SAMPLE ID: TB-SS#2 @ 2'

CHLORIDE EPA 300.0

<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
140	94	mg/Kg (PPM)	KC/AS	6/5/2023	SOIL

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: JORDAN DEVELOPMENT CO. LLC

PROJECT NO:

LOCATION: MILTON BRADLEY NORTH

GTA PROJECT NO: 053123-7

GTA SAMPLE NO: 10

DATE SAMPLED: 5/31/2023

TIME SAMPLED:

DATE RECEIVED: 5/31/2023

TIME RECEIVED: 12:45 PM

MI

SAMPLED BY: LMH-J/ECT

SAMPLE ANALYSIS

No: Analysis

SAMPLE ID: TB-SS#2 @ 4'

CHLORIDE EPA 300.0

<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
150	100	mg/Kg (PPM)	KC/AS	6/5/2023	SOIL

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: JORDAN DEVELOPMENT CO. LLC

PROJECT NO:

LOCATION: MILTON BRADLEY NORTH

SAMPLED BY: MI
 LMH-J/ECT

GTA PROJECT NO: 053123-7

GTA SAMPLE NO: 11

DATE SAMPLED: 5/31/2023

TIME SAMPLED:

DATE RECEIVED: 5/31/2023

TIME RECEIVED: 12:45 PM

SAMPLE ANALYSIS

No: Analysis

SAMPLE ID: TB-SS#3 @ 2.5'

CHLORIDE EPA 300.0

<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
150	99	mg/Kg (PPM)	KC/AS	6/5/2023	SOIL

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: JORDAN DEVELOPMENT CO. LLC

PROJECT NO:

LOCATION: MILTON BRADLEY NORTH

GTA PROJECT NO: 053123-7

GTA SAMPLE NO: 12

DATE SAMPLED: 5/31/2023

TIME SAMPLED:

DATE RECEIVED: 5/31/2023

TIME RECEIVED: 12:45 PM

MI

SAMPLED BY: LMH-J/ECT

SAMPLE ANALYSIS

No: Analysis

SAMPLE ID: TB-SS#3 @ 5'
 CHLORIDE EPA 300.0

<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
ND	98	mg/Kg (PPM)	KC/AS	6/5/2023	SOIL

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: JORDAN DEVELOPMENT CO. LLC

PROJECT NO:

LOCATION: MILTON BRADLEY NORTH

GTA PROJECT NO: 053123-7

GTA SAMPLE NO: 13

DATE SAMPLED: 5/31/2023

TIME SAMPLED:

DATE RECEIVED: 5/31/2023

TIME RECEIVED: 12:45 PM

MI

SAMPLED BY: LMH-J/ECT

SAMPLE ANALYSIS

No: Analysis

SAMPLE ID: TB-SS#4 @ 2.5'

CHLORIDE EPA 300.0

<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
ND	110	mg/Kg (PPM)	KC/AS	6/5/2023	SOIL

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: JORDAN DEVELOPMENT CO. LLC
 PROJECT NO:
 LOCATION: MILTON BRADLEY NORTH
 MI
 SAMPLED BY: LMH-J/ECT

GTA PROJECT NO: 053123-7
 GTA SAMPLE NO: 14
 DATE SAMPLED: 5/31/2023
 TIME SAMPLED:
 DATE RECEIVED: 5/31/2023
 TIME RECEIVED: 12:45 PM

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
	SAMPLE ID: TB-SS#4 @ 5' CHLORIDE EPA 300.0	ND	120	mg/Kg (PPM)	KC/AS	6/5/2023	SOIL

ND = NOT DETECTED, RESULT < LOD
 LOD = LIMIT OF DETECTION
 s.u. = STANDARD pH UNITS REPORTED AT 25 C



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: JORDAN DEVELOPMENT CO. LLC

NAME:
PROJECT NO:

LOCATION: MILTON BRADLEY NORTH

MI

GTA PROJECT NO: 053123-
SAMPLED BY: LMH-J/ECT

DATE SAMPLED: 5/31/2023

SAMPLE MATRIX: SOIL

DATE RECEIVED: 5/31/2023
TIME RECEIVED: 12:45 PM

MOISTURE

<u>No:</u> <u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>
SAMPLE ID: TB-SS#1 @ 2' % MOISTURE EPA 3550C	6.9	0.10	% OF SAMPLE	AS	5/31/2023
SAMPLE ID: TB-SS#1 @ 4' % MOISTURE EPA 3550C	9.4	0.10	% OF SAMPLE	AS	5/31/2023
SAMPLE ID: TB-SS#2 @ 2' % MOISTURE EPA 3550C	7.0	0.10	% OF SAMPLE	AS	5/31/2023
SAMPLE ID: TB-SS#2 @ 4' % MOISTURE EPA 3550C	10	0.10	% OF SAMPLE	AS	5/31/2023
SAMPLE ID: TB-SS#3 @ 2.5' % MOISTURE EPA 3550C	13	0.10	% OF SAMPLE	AS	5/31/2023
SAMPLE ID: TB-SS#3 @ 5' % MOISTURE EPA 3550C	12	0.10	% OF SAMPLE	AS	5/31/2023
SAMPLE ID: TB-SS#4 @ 2.5' % MOISTURE EPA 3550C	14	0.10	% OF SAMPLE	AS	5/31/2023
SAMPLE ID: TB-SS#4 @ 5' % MOISTURE EPA 3550C	14	0.10	% OF SAMPLE	AS	5/31/2023

CHAIN OF CUSTODY

PROJECT NUMBER	SITE NAME/ADDRESS	COMPANY/NAME
	Milton Bradley N.	JORDAN
SAMPLED BY	COMPANY	GTA PROJECT #
LMH-J	ECT	053123-7

SAMPLE INFORMATION

#	SAMPLE ID	DATE SAMPLED	TIME	MATRIX	ANALYSIS		
1	OW-1	5-31-23		WTR	CL		
2	MW-10	↓		↓	↓		
3	MW-11						
4	MW-12						
5	MW-13						
6	PW-1						
7	TB-SS#1 @ 2'					Soil	
8	TB-SS#1 @ 4'						
9	TB-SS#2 @ 2'						
10	TB-SS#2 @ 4'						
11	NW-SS#3 @ 2.5'						
12	NW-SS#3 @ 5'						
13	NW-SS#4 @ 2.5'						
14	NW-SS#4 @ 5'		✓			✓	✓

BILL TO:	TempRec: <input type="checkbox"/>	On Ice? <input type="checkbox"/> <input checked="" type="checkbox"/>	REPORT TO:
JORDAN			Lisa

RELEASED BY	DATE/TIME	RECEIVED BY	DATE/TIME
Lisa	5-31-23	Chris	5/31/23 12:45p

REQUESTED TAT STANDARD 1 BUSINESS DAY 2 BUSINESS DAYS 3 BUSINESS DAYS