



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

Company: R.E.M.
Name:
ClientProj: 190011-3100
GTA ProjNo: 033120-4

Site Addr: BIG WOLF

Sampled By: NJ/ECT

Date Rec: 3/31/2020

Time Rec: 12:30 PM

Sample No.	Sample ID	Date Sampled	Time Sampled	Sample Matrix
1	MW-1D	3/30/2020		WATER

ELECTRONIC SIGNATURE REPORT. This is a final report for the following pages of data for the samples specified above. All analysis was performed by the methods stated and all quality control measures required were completed. All quality control information is available upon request.

Kirk Chase

Kirk L. Chase/Chemist
Grand Traverse Analytical
830 Robinwood Court
Traverse City, MI 49686
Ph: 231-929-0905
Fx: 231-929-0894
SP: 231-590-0291
kirk@gtanalytical.com

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: R.E.M
PROJECT NO: 190011-3100
LOCATION: BIG WOLF

GTA PROJECT NO: 033120-4
GTA SAMPLE NO: 1

DATE SAMPLED: 3/30/2020
TIME SAMPLED:
DATE RECEIVED: 3/31/2020
TIME RECEIVED: 12:30 PM

MI
SAMPLED BY: NJ/ECT

SAMPLE ANALYSIS**No: Analysis**

SAMPLE ID: MW-1D
CHLORIDE EPA 300.0

Concentration

22,000

LOD

1,000

Units

mg/L (PPM)

Analyst

LV

Date

3/31/2020

Sample

WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C

www.gtanalytical.com

REQUESTED TAT ☐ STANDARD ☐ 1 BUSINESS DAY ☐ 2 BUSINESS DAYS ☒ 3 BUSINESS DAYS