



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

Company: WARD LAKE ENERGY
Name:
ClientProj: 190183-0800
GTA ProjNo: 040920-2

Site Addr: SPRINGDALE 28
Sampled By: NJ/ECT
Date Rec: 4/9/2020
Time Rec: 11:30 AM

Sample No.	Sample ID	Date Sampled	Time Sampled	Sample Matrix
1	E-1	4/9/2020		WATER
2	E-2	4/9/2020		WATER
3	E-3	4/9/2020		WATER
4	E-4	4/9/2020		WATER
5	E-5	4/9/2020		WATER
6	E-6	4/9/2020		WATER
7	E-7	4/9/2020		WATER
8	E-8	4/9/2020		WATER
9	E-9	4/9/2020		WATER
10	E-10	4/9/2020		WATER
11	E-11	4/9/2020		WATER
12	E-12	4/9/2020		WATER
13	W-2	4/9/2020		WATER
14	W-3	4/9/2020		WATER
15	W-4	4/9/2020		WATER
16	W-6	4/9/2020		WATER
17	W-10	4/9/2020		WATER
18	W-11	4/9/2020		WATER
19	W-12	4/9/2020		WATER
20	W-13	4/9/2020		WATER
21	W-33	4/9/2020		WATER
22	W-39	4/9/2020		WATER
23	STREAM 1	4/9/2020		WATER
24	STREAM 2	4/9/2020		WATER

ELECTRONIC SIGNATURE REPORT. This is a final report for the following pages of data for the samples specified above. All analysis was performed by the methods stated and all quality control measures required were completed. All quality control information is available upon request.

Kirk Chase

Kirk L. Chase/Chemist
Grand Traverse Analytical
830 Robinwood Court
Traverse City, MI 49686
Ph: 231-929-0905
Fx: 231-929-0894
SP: 231-590-0291
kirk@gtanalytical.com

COMPANY: WARD LAKE ENERGY
 PROJECT NO: 190183-0800
 LOCATION: SPRINGDALE 28

GTA PROJECT NO: 040920-2
 GTA SAMPLE NO: 1
 DATE SAMPLED: 4/9/2020
 TIME SAMPLED:
 DATE RECEIVED: 4/9/2020
 TIME RECEIVED: 11:30 AM

SAMPLED BY: MI
 NJ/ECT

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date</u>	<u>Sample</u>
	SAMPLE ID: E-1 CHLORIDE EPA 300.0	ND	10	mg/L (PPM)	LV	4/10/2020	WATER

ND = NOT DETECTED, RESULT < LOD
 LOD = LIMIT OF DETECTION
 s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: WARD LAKE ENERGY
 PROJECT NO: 190183-0800
 LOCATION: SPRINGDALE 28

GTA PROJECT NO: 040920-2
 GTA SAMPLE NO: 2
 DATE SAMPLED: 4/9/2020
 TIME SAMPLED:
 DATE RECEIVED: 4/9/2020
 TIME RECEIVED: 11:30 AM

SAMPLED BY: MI
 NJ/ECT

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date</u>	<u>Sample</u>
	SAMPLE ID: E-2 CHLORIDE EPA 300.0	ND	10	mg/L (PPM)	LV	4/10/2020	WATER

ND = NOT DETECTED, RESULT < LOD
 LOD = LIMIT OF DETECTION
 s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: WARD LAKE ENERGY
 PROJECT NO: 190183-0800
 LOCATION: SPRINGDALE 28

GTA PROJECT NO: 040920-2
 GTA SAMPLE NO: 3
 DATE SAMPLED: 4/9/2020
 TIME SAMPLED:
 DATE RECEIVED: 4/9/2020
 TIME RECEIVED: 11:30 AM

SAMPLED BY: MI
 NJ/ECT

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date</u>	<u>Sample</u>
	SAMPLE ID: E-3 CHLORIDE EPA 300.0	12	10	mg/L (PPM)	LV	4/10/2020	WATER

ND = NOT DETECTED, RESULT < LOD
 LOD = LIMIT OF DETECTION
 s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: WARD LAKE ENERGY
 PROJECT NO: 190183-0800
 LOCATION: SPRINGDALE 28

GTA PROJECT NO: 040920-2
 GTA SAMPLE NO: 4
 DATE SAMPLED: 4/9/2020
 TIME SAMPLED:
 DATE RECEIVED: 4/9/2020
 TIME RECEIVED: 11:30 AM

SAMPLED BY: MI
 NJ/ECT

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date</u>	<u>Sample</u>
	SAMPLE ID: E-4 CHLORIDE EPA 300.0	ND	10	mg/L (PPM)	LV	4/10/2020	WATER

ND = NOT DETECTED, RESULT < LOD
 LOD = LIMIT OF DETECTION
 s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: WARD LAKE ENERGY
 PROJECT NO: 190183-0800
 LOCATION: SPRINGDALE 28

GTA PROJECT NO: 040920-2
 GTA SAMPLE NO: 5
 DATE SAMPLED: 4/9/2020
 TIME SAMPLED:
 DATE RECEIVED: 4/9/2020
 TIME RECEIVED: 11:30 AM

SAMPLED BY: MI
 NJ/ECT

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date</u>	<u>Sample</u>
	SAMPLE ID: E-5 CHLORIDE EPA 300.0	ND	10	mg/L (PPM)	LV	4/10/2020	WATER

ND = NOT DETECTED, RESULT < LOD
 LOD = LIMIT OF DETECTION
 s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: WARD LAKE ENERGY
 PROJECT NO: 190183-0800
 LOCATION: SPRINGDALE 28

GTA PROJECT NO: 040920-2
 GTA SAMPLE NO: 6
 DATE SAMPLED: 4/9/2020
 TIME SAMPLED:
 DATE RECEIVED: 4/9/2020
 TIME RECEIVED: 11:30 AM

SAMPLED BY: MI
 NJ/ECT

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date</u>	<u>Sample</u>
	SAMPLE ID: E-6 CHLORIDE EPA 300.0	ND	10	mg/L (PPM)	LV	4/10/2020	WATER

ND = NOT DETECTED, RESULT < LOD
 LOD = LIMIT OF DETECTION
 s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: WARD LAKE ENERGY
 PROJECT NO: 190183-0800
 LOCATION: SPRINGDALE 28

GTA PROJECT NO: 040920-2
 GTA SAMPLE NO: 7
 DATE SAMPLED: 4/9/2020
 TIME SAMPLED:
 DATE RECEIVED: 4/9/2020
 TIME RECEIVED: 11:30 AM

SAMPLED BY: MI
 NJ/ECT

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date</u>	<u>Sample</u>
	SAMPLE ID: E-7 CHLORIDE EPA 300.0	21	10	mg/L (PPM)	LV	4/10/2020	WATER

ND = NOT DETECTED, RESULT < LOD
 LOD = LIMIT OF DETECTION
 s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: WARD LAKE ENERGY
 PROJECT NO: 190183-0800
 LOCATION: SPRINGDALE 28

GTA PROJECT NO: 040920-2
 GTA SAMPLE NO: 8
 DATE SAMPLED: 4/9/2020
 TIME SAMPLED:
 DATE RECEIVED: 4/9/2020
 TIME RECEIVED: 11:30 AM

SAMPLED BY: MI
 NJ/ECT

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date</u>	<u>Sample</u>
	SAMPLE ID: E-8 CHLORIDE EPA 300.0	ND	10	mg/L (PPM)	LV	4/10/2020	WATER

ND = NOT DETECTED, RESULT < LOD
 LOD = LIMIT OF DETECTION
 s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: WARD LAKE ENERGY
 PROJECT NO: 190183-0800
 LOCATION: SPRINGDALE 28

GTA PROJECT NO: 040920-2
 GTA SAMPLE NO: 9
 DATE SAMPLED: 4/9/2020
 TIME SAMPLED:
 DATE RECEIVED: 4/9/2020
 TIME RECEIVED: 11:30 AM

SAMPLED BY: MI
 NJ/ECT

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date</u>	<u>Sample</u>
SAMPLE ID: E-9	CHLORIDE EPA 300.0	31	10	mg/L (PPM)	LV	4/10/2020	WATER

ND = NOT DETECTED, RESULT < LOD
 LOD = LIMIT OF DETECTION
 s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: WARD LAKE ENERGY
 PROJECT NO: 190183-0800
 LOCATION: SPRINGDALE 28

GTA PROJECT NO: 040920-2
 GTA SAMPLE NO: 10
 DATE SAMPLED: 4/9/2020
 TIME SAMPLED:
 DATE RECEIVED: 4/9/2020
 TIME RECEIVED: 11:30 AM

SAMPLED BY: MI
 NJ/ECT

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date</u>	<u>Sample</u>
SAMPLE ID: E-10	CHLORIDE EPA 300.0	ND	10	mg/L (PPM)	LV	4/13/2020	WATER

ND = NOT DETECTED, RESULT < LOD
 LOD = LIMIT OF DETECTION
 s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: WARD LAKE ENERGY
 PROJECT NO: 190183-0800
 LOCATION: SPRINGDALE 28

GTA PROJECT NO: 040920-2
 GTA SAMPLE NO: 11
 DATE SAMPLED: 4/9/2020
 TIME SAMPLED:
 DATE RECEIVED: 4/9/2020
 TIME RECEIVED: 11:30 AM

SAMPLED BY: MI
 NJ/ECT

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date</u>	<u>Sample</u>
SAMPLE ID: E-11	CHLORIDE EPA 300.0	ND	10	mg/L (PPM)	LV	4/13/2020	WATER

ND = NOT DETECTED, RESULT < LOD
 LOD = LIMIT OF DETECTION
 s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: WARD LAKE ENERGY
 PROJECT NO: 190183-0800
 LOCATION: SPRINGDALE 28

GTA PROJECT NO: 040920-2
 GTA SAMPLE NO: 12
 DATE SAMPLED: 4/9/2020
 TIME SAMPLED:
 DATE RECEIVED: 4/9/2020
 TIME RECEIVED: 11:30 AM

SAMPLED BY: MI
 NJ/ECT

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date</u>	<u>Sample</u>
SAMPLE ID: E-12	CHLORIDE EPA 300.0	ND	10	mg/L (PPM)	LV	4/13/2020	WATER

ND = NOT DETECTED, RESULT < LOD
 LOD = LIMIT OF DETECTION
 s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: WARD LAKE ENERGY
 PROJECT NO: 190183-0800
 LOCATION: SPRINGDALE 28

GTA PROJECT NO: 040920-2
 GTA SAMPLE NO: 13
 DATE SAMPLED: 4/9/2020
 TIME SAMPLED:
 DATE RECEIVED: 4/9/2020
 TIME RECEIVED: 11:30 AM

SAMPLED BY: MI
 NJ/ECT

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date</u>	<u>Sample</u>
SAMPLE ID: W-2	CHLORIDE EPA 300.0	470	50	mg/L (PPM)	LV	4/13/2020	WATER

ND = NOT DETECTED, RESULT < LOD
 LOD = LIMIT OF DETECTION
 s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: WARD LAKE ENERGY
 PROJECT NO: 190183-0800
 LOCATION: SPRINGDALE 28

GTA PROJECT NO: 040920-2
 GTA SAMPLE NO: 14
 DATE SAMPLED: 4/9/2020
 TIME SAMPLED:
 DATE RECEIVED: 4/9/2020
 TIME RECEIVED: 11:30 AM

SAMPLED BY: MI
 NJ/ECT

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date</u>	<u>Sample</u>
SAMPLE ID: W-3	CHLORIDE EPA 300.0	320	10	mg/L (PPM)	LV	4/13/2020	WATER

ND = NOT DETECTED, RESULT < LOD
 LOD = LIMIT OF DETECTION
 s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: WARD LAKE ENERGY
 PROJECT NO: 190183-0800
 LOCATION: SPRINGDALE 28

GTA PROJECT NO: 040920-2
 GTA SAMPLE NO: 15
 DATE SAMPLED: 4/9/2020
 TIME SAMPLED:
 DATE RECEIVED: 4/9/2020
 TIME RECEIVED: 11:30 AM

SAMPLED BY: MI
 NJ/ECT

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date</u>	<u>Sample</u>
SAMPLE ID: W-4	CHLORIDE EPA 300.0	ND	10	mg/L (PPM)	LV	4/13/2020	WATER

ND = NOT DETECTED, RESULT < LOD
 LOD = LIMIT OF DETECTION
 s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: WARD LAKE ENERGY
 PROJECT NO: 190183-0800
 LOCATION: SPRINGDALE 28

GTA PROJECT NO: 040920-2
 GTA SAMPLE NO: 16
 DATE SAMPLED: 4/9/2020
 TIME SAMPLED:
 DATE RECEIVED: 4/9/2020
 TIME RECEIVED: 11:30 AM

SAMPLED BY: MI
 NJ/ECT

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date</u>	<u>Sample</u>
	SAMPLE ID: W-6 CHLORIDE EPA 300.0	1,600	100	mg/L (PPM)	LV	4/13/2020	WATER

ND = NOT DETECTED, RESULT < LOD
 LOD = LIMIT OF DETECTION
 s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: WARD LAKE ENERGY
 PROJECT NO: 190183-0800
 LOCATION: SPRINGDALE 28

GTA PROJECT NO: 040920-2
 GTA SAMPLE NO: 17
 DATE SAMPLED: 4/9/2020
 TIME SAMPLED:
 DATE RECEIVED: 4/9/2020
 TIME RECEIVED: 11:30 AM

SAMPLED BY: MI
 NJ/ECT

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date</u>	<u>Sample</u>
	SAMPLE ID: W-10 CHLORIDE EPA 300.0	160	10	mg/L (PPM)	LV	4/13/2020	WATER

ND = NOT DETECTED, RESULT < LOD
 LOD = LIMIT OF DETECTION
 s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: WARD LAKE ENERGY
 PROJECT NO: 190183-0800
 LOCATION: SPRINGDALE 28

GTA PROJECT NO: 040920-2
 GTA SAMPLE NO: 18
 DATE SAMPLED: 4/9/2020
 TIME SAMPLED:
 DATE RECEIVED: 4/9/2020
 TIME RECEIVED: 11:30 AM

SAMPLED BY: MI
 NJ/ECT

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date</u>	<u>Sample</u>
	SAMPLE ID: W-11 CHLORIDE EPA 300.0	110	10	mg/L (PPM)	LV	4/13/2020	WATER

ND = NOT DETECTED, RESULT < LOD
 LOD = LIMIT OF DETECTION
 s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: WARD LAKE ENERGY
 PROJECT NO: 190183-0800
 LOCATION: SPRINGDALE 28

GTA PROJECT NO: 040920-2
 GTA SAMPLE NO: 19
 DATE SAMPLED: 4/9/2020
 TIME SAMPLED:
 DATE RECEIVED: 4/9/2020
 TIME RECEIVED: 11:30 AM

SAMPLED BY: MI
 NJ/ECT

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date</u>	<u>Sample</u>
SAMPLE ID: W-12	CHLORIDE EPA 300.0	49	10	mg/L (PPM)	LV	4/13/2020	WATER

ND = NOT DETECTED, RESULT < LOD
 LOD = LIMIT OF DETECTION
 s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: WARD LAKE ENERGY
 PROJECT NO: 190183-0800
 LOCATION: SPRINGDALE 28

GTA PROJECT NO: 040920-2
 GTA SAMPLE NO: 20
 DATE SAMPLED: 4/9/2020
 TIME SAMPLED:
 DATE RECEIVED: 4/9/2020
 TIME RECEIVED: 11:30 AM

SAMPLED BY: MI
 NJ/ECT

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date</u>	<u>Sample</u>
	SAMPLE ID: W-13 CHLORIDE EPA 300.0	98	10	mg/L (PPM)	LV	4/13/2020	WATER

ND = NOT DETECTED, RESULT < LOD
 LOD = LIMIT OF DETECTION
 s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: WARD LAKE ENERGY
 PROJECT NO: 190183-0800
 LOCATION: SPRINGDALE 28

GTA PROJECT NO: 040920-2
 GTA SAMPLE NO: 21
 DATE SAMPLED: 4/9/2020
 TIME SAMPLED:
 DATE RECEIVED: 4/9/2020
 TIME RECEIVED: 11:30 AM

SAMPLED BY: MI
 NJ/ECT

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date</u>	<u>Sample</u>
	SAMPLE ID: W-33 CHLORIDE EPA 300.0	72	10	mg/L (PPM)	LV	4/13/2020	WATER

ND = NOT DETECTED, RESULT < LOD
 LOD = LIMIT OF DETECTION
 s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: WARD LAKE ENERGY
 PROJECT NO: 190183-0800
 LOCATION: SPRINGDALE 28

GTA PROJECT NO: 040920-2
 GTA SAMPLE NO: 22
 DATE SAMPLED: 4/9/2020
 TIME SAMPLED:
 DATE RECEIVED: 4/9/2020
 TIME RECEIVED: 11:30 AM

SAMPLED BY: MI
 NJ/ECT

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date</u>	<u>Sample</u>
SAMPLE ID: W-39	CHLORIDE EPA 300.0	130	10	mg/L (PPM)	LV	4/13/2020	WATER

ND = NOT DETECTED, RESULT < LOD
 LOD = LIMIT OF DETECTION
 s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: WARD LAKE ENERGY
 PROJECT NO: 190183-0800
 LOCATION: SPRINGDALE 28

GTA PROJECT NO: 040920-2
 GTA SAMPLE NO: 23
 DATE SAMPLED: 4/9/2020
 TIME SAMPLED:
 DATE RECEIVED: 4/9/2020
 TIME RECEIVED: 11:30 AM

SAMPLED BY: MI
 NJ/ECT

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date</u>	<u>Sample</u>
	SAMPLE ID: STREAM 1 CHLORIDE EPA 300.0	ND	10	mg/L (PPM)	LV	4/13/2020	WATER

ND = NOT DETECTED, RESULT < LOD
 LOD = LIMIT OF DETECTION
 s.u. = STANDARD pH UNITS REPORTED AT 25 C



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: WARD LAKE ENERGY
PROJECT NO: 190183-0800
LOCATION: SPRINGDALE 28

GTA PROJECT NO: 040920-2
GTA SAMPLE NO: 24
DATE SAMPLED: 4/9/2020
TIME SAMPLED:
DATE RECEIVED: 4/9/2020
TIME RECEIVED: 11:30 AM

SAMPLED BY: MI
NJ/ECT

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date</u>	<u>Sample</u>
	SAMPLE ID: STREAM 2 CHLORIDE EPA 300.0	ND	10	mg/L (PPM)	LV	4/13/2020	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C

CHAIN OF CUSTODY

PROJECT NUMBER 190183-0800	SITE NAME/ADDRESS SPRINGDALE 28	COMPANY/NAME Ward Lake/Enervest
SAMPLED BY NJ	COMPANY ECT	GTA PROJECT # 04082-040920-2 <i>AS 4/9/20</i>

SAMPLE INFORMATION

#	SAMPLE ID	DATE SAMPLED	TIME	MATRIX	ANALYSIS				
1	E-1	4-9-20		WTR	CL				
2	E-2	↓	↓	↓	↓				
3	E-3								
4	E-4								
5	E-5								
6	E-6								
7	E-7								
8	E-8								
9	E-9								
10	E-10								
11	E-11								
12	E-12								
13	W-2								
14	W-3								
15	W-4					↓			↓

BILL TO:

Enervest

REPORT TO:

Lisa

RELEASED BY <i>Lisa Hj Jones</i>	DATE/TIME <i>4-9-20</i>
-------------------------------------	----------------------------

RECEIVED BY <i>NJ</i>	DATE/TIME <i>4/9/20 11:30am</i>
--------------------------	------------------------------------

REQUESTED TAT STANDARD 1 BUSINESS DAY 2 BUSINESS DAYS 3 BUSINESS DAYS

CHAIN OF CUSTODY

PROJECT NUMBER 190183-0800	SITE NAME/ADDRESS SPRINGDALE 28	COMPANY/NAME Wood Lake/Enervest
SAMPLED BY NJ	COMPANY ECT	GTA PROJECT # 040900-2

SAMPLE INFORMATION

#	SAMPLE ID	DATE SAMPLED	TIME	MATRIX	ANALYSIS
6	W-6	4-9-20		WTR	CL
7	W-10	↓		↓	↓
8	W-11				
9	W-12				
20	W-13				
21	W-33				
22	W-39	↓		↓	↓
23	STREAM 1				
24	STREAM 2	↓		↓	↓

BILL TO:

ENERVEST

REPORT TO:

Lisa

RELEASED BY

DATE/TIME

Lisa H Jones 4-9-20

RECEIVED BY

DATE/TIME

K. Orr 4/9/20 11:30am

REQUESTED TAT

STANDARD

1 BUSINESS DAY

2 BUSINESS DAYS

3 BUSINESS DAYS