

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

Company: MUSKEGON OPERATING COMPANY

Name:

ClientProj: 13.027

GTA ProjNo: 042925-11

Site Addr: BASS LAKE

Sampled By: HURON

Date Rec: 4/29/2025

Time Rec: 1:20 PM

Sample No. Sample ID
1 OW-2Date Sampled
4/23/2025

Time Sampled

Sample Matrix
WATER

ELECTRONIC SIGNATURE REPORT. This is a final report for the following pages of data for the samples specified above. All analysis was performed by the methods stated and all quality control measures required were completed. All quality control information is available upon request.

Kirk Chase

Kirk L. Chase/Chemist
Grand Traverse Analytical
830 Robinwood Court
Traverse City, MI 49686
Ph: 231-929-0905
Fx: 231-929-0894
SP: 231-590-0291
kirk@gtanalytical.com

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: MUSKEGON OPERATING COMPANY
PROJECT NO: 13.027
LOCATION: BASS LAKE
MI
SAMPLED BY: HURON

GTA PROJECT NO: 042925-11
GTA SAMPLE NO: 1
DATE SAMPLED: 4/23/2025
TIME SAMPLED:
DATE RECEIVED: 4/29/2025
TIME RECEIVED: 1:20 PM

SAMPLE ANALYSIS**No: Analysis**

SAMPLE ID: OW-2

CHLORIDE EPA 300.0

CONDUCTIVITY SM2510-B

<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
ND	10	mg/L (PPM)	KC/TR	5/2/2025	WATER
340	1.0	uS/cm@25C	TR	5/2/2025	WATER

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

s.u. = STANDARD pH UNITS REPORTED AT 25 C

DISS = DISSOLVED

