



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

Company: MUSKEGON OPERATING

Name:

ClientProj: 13.030

GTA ProjNo: 050724-9

Site Addr: LOWER CHUB LAKE

Sampled By: KWB/HURON

Date Rec: 5/7/2024

Time Rec: 12:15 PM

Sample No. Sample ID
1 MW-1

Date Sampled
5/1/2024

Time Sampled

Sample Matrix
WATER

ELECTRONIC SIGNATURE REPORT. This is a final report for the following pages of data for the samples specified above. All analysis was performed by the methods stated and all quality control measures required were completed. All quality control information is available upon request.

Kirk Chase

Kirk L. Chase/Chemist
Grand Traverse Analytical
830 Robinwood Court
Traverse City, MI 49686
Ph: 231-929-0905
Fx: 231-929-0894
SP: 231-590-0291
kirk@gtanalytical.com

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: MUSKEGON OPERATING

PROJECT NO: 13.030

LOCATION: LOWER CHUB LAKE

GTA PROJECT NO: 050724-9

GTA SAMPLE NO: 1

DATE SAMPLED: 5/1/2024

TIME SAMPLED:

DATE RECEIVED: 5/7/2024

TIME RECEIVED: 12:15 PM

SAMPLED BY: MI
KWB/HURON**SAMPLE ANALYSIS****No: Analysis**

SAMPLE ID: MW-1

CHLORIDE EPA 300.0

CONDUCTIVITY SM2510-B

Concentration

ND

640

LOD

10

1.0

Units

mg/L (PPM)

uS/cm@25C

Analyst

KC/TR

TR

Date Completed

5/15/2024

5/14/2024

Sample Matrix

WATER

WATER

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

s.u. = STANDARD pH UNITS REPORTED AT 25 C

DISS = DISSOLVED

