Grand Traverse Analytical, LLC

INDEPENDENT TESTING LAB
830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686
PH: 231-929-0905 FAX: 231-929-0894
www.gtanalytical.com

Company:	MUSKEGON OPERATING COMPANY	Site Addr:	MITCHELL LAKE 1
Name:			
ClientProj:	13.050		
		Sampled By:	KWB/AS - HURON
GTA ProjNo:	042925-19	Date Rec:	4/29/2025
		Time Rec:	1:20 PM

Sample No.	Sample ID	Date Sampled	Time Sampled	Sample Matrix
1	MW-3	4/25/2025		WATER

ELECTRONIC SIGNATURE REPORT. This is a final report for the following pages of data for the samples specified above. All analysis was performed by the methods stated and all quality control measures required were completed. All quality control information is available upon request.

Kirk Chase

Kirk L. Chase/Chemist
Grand Traverse Analytical
830 Robinwood Court
Traverse City, MI 49686
Ph: 231-929-0905
Fx: 231-929-0894
SP: 231-590-0291
kirk@gtanalytical.com

Grand Traverse Analytical, LLC
INDEPENDENT TESTING LAB
830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686
PH: 231-929-0905 FAX: 231-929-0894
www.gtanalytical.com

COMPANY:	MUSKEGON OPERATING COMPANY	GTA PROJECT NO:	042925-19
		GTA SAMPLE NO:	1
PROJECT NO:	13.050		
LOCATION:	MITCHELL LAKE 1	DATE SAMPLED:	4/25/2025
		TIME SAMPLED:	
		DATE RECEIVED:	4/29/2025
		TIME RECEIVED:	1:20 PM
	MI		
SAMPLED BY:	KWB/AS - HURON		

SAMPLE ANALYSIS

No: Analysis	Concentration	LOD	Units	Analyst	Date Completed	Sample Matrix
SAMPLE ID: **MW-3**						
CHLORIDE EPA 300.0	ND	10	mg/L (PPM)	KC/TR	5/5/2025	WATER
CONDUCTIVITY SM2510-B	390	1.0	uS/cm@25C	TR	5/5/2025	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C
DISS = DISSOLVED

Grand Traverse Analytical, LLC

INDEPENDENT TESTING LAB
830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686
PH: 231-929-0905 FAX: 231-929-0894
www.gtanalytical.com

Semi-Annual, Secondary Containment, Groundwater Monitoring Event

CHAIN OF CUSTODY

PROJECT NUMBER	SITE NAME/ADDRESS	COMPANY/NAME
13.050	Mitchell Lake 1	Muskegon Operating Company
SAMPLED BY: Kim Wallis-Burke	COMPANY: Huron Engineering and Surveying	GTA PROJECT #: 042925-19

SAMPLE INFORMATION

#	SAMPLE ID	DATE SAMPLED	TIME	MATRIX	ANALYSIS
	MW 3	04/25/25		GW	Chloride and Specific Conductance

BILL TO: KWB Huron

TempRec: ☐ N/A **On Ice?** Y ☐ N ☒

REPORT TO: KWB Huron

RELEASED BY	DATE/TIME	RECEIVED BY	DATE/TIME
Kimberly Wallis Burke		Alpena UPS	4/28/25 pm
		A Alpena	4/29/25 1120

REQUESTED TAT ☒ STANDARD ☐ 1 BUSINESS DAY ☐ 2 BUSINESS DAYS ☐ 3 BUSINESS DAYS