



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

Company: LAMBDA ENERGY RESOURCES, LLC
Name:
ClientProj: 19.019
GTA ProjNo: 093024-4

Site Addr: USA BIG CREEK 3-16/CTB
Sampled By: AS/KWB - HURON
Date Rec: 9/27/2024
Time Rec: 12:00 PM

Sample No.	Sample ID	Date Sampled	Time Sampled	Sample Matrix
1	OW 5 (70)	9/27/2024		WATER
2	MW 7-S (73)	9/27/2024		WATER
3	MW 7-I (85)	9/27/2024		WATER
4	MW-7-D (113)	9/25/2024		WATER
5	MW 8-S (69)	9/27/2024		WATER
6	MW-8-I (88)	9/27/2024		WATER
7	MW 9-S (70)	9/27/2024		WATER
8	MW 9-I (85)	9/27/2024		WATER
9	MW 9-D (100)	9/27/2024		WATER
10	MW 10-S (69)	9/27/2024		WATER
11	MW 10-I (85)	9/27/2024		WATER
12	MW 13 (72)	9/27/2024		WATER
13	MW 14 (70)	9/26/2024		WATER
14	MW 14 (79)	9/26/2024		WATER
15	MW 17 (73)	9/26/2024		WATER
16	MW 17 (81)	9/26/2024		WATER
17	MW 18 (69)	9/26/2024		WATER
18	MW 18 (82)	9/26/2024		WATER
19	MW 19 (71)	9/26/2024		WATER
20	MW 19 (84)	9/26/2024		WATER
21	MW 20 (72)	9/27/2024		WATER
22	MW 20 (87)	9/27/2024		WATER
23	MW 21 (70)	9/26/2024		WATER
24	MW 21(83)	9/26/2024		WATER
25	MW 22 (71)	9/27/2024		WATER
26	MW 22 (85)	9/27/2024		WATER

ELECTRONIC SIGNITURE REPORT. This is a final report for the following pages of data for the samples specified above. All analysis was performed by the methods stated and all quality control measures required were completed. All quality control information is available upon request.

Kirk Chase

Kirk L. Chase/Chemist
Grand Traverse Analytical
830 Robinwood Court
Traverse City, MI 49686
Ph: 231-929-0905
Fx: 231-929-0894
SP: 231-590-0291
kirk@gtanalytical.com



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: LAMBDA ENERGY RESOURCES, LLC
PROJECT NO: 19.09
LOCATION: USA BIG CREEK 3-16/CTB

GTA PROJECT NO: 093024-4
GTA SAMPLE NO: 1
DATE SAMPLED: 9/27/2024
TIME SAMPLED:
DATE RECEIVED: 9/27/2024
TIME RECEIVED: 12:00 PM

MI
SAMPLED BY: AS/KWB - HURON

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date</u>	<u>Sample</u>
	SAMPLE ID: OW 5 (70) CHLORIDE EPA 300.0	380	10	mg/L (PPM)	TR	10/4/2024	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: LAMBDA ENERGY RESOURCES, LLC
PROJECT NO: 19.09
LOCATION: USA BIG CREEK 3-16/CTB

GTA PROJECT NO: 093024-4
GTA SAMPLE NO: 2
DATE SAMPLED: 9/27/2024
TIME SAMPLED:
DATE RECEIVED: 9/27/2024
TIME RECEIVED: 12:00 PM

MI
SAMPLED BY: AS/KWB - HURON

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date</u>	<u>Sample</u>
	SAMPLE ID: MW 7-S (73) CHLORIDE EPA 300.0	600	50	mg/L (PPM)	TR	10/4/2024	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: LAMBDA ENERGY RESOURCES, LLC GTA PROJECT NO: 093024-4
PROJECT NO: 19.09 GTA SAMPLE NO: 3
LOCATION: USA BIG CREEK 3-16/CTB DATE SAMPLED: 9/27/2024
TIME SAMPLED:
DATE RECEIVED: 9/27/2024
TIME RECEIVED: 12:00 PM

MI
SAMPLED BY: AS/KWB - HURON

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date</u>	<u>Sample</u>
	SAMPLE ID: MW 7-I (85) CHLORIDE EPA 300.0	450	20	mg/L (PPM)	TR	10/4/2024	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: LAMBDA ENERGY RESOURCES, LLC
 PROJECT NO: 19.09
 LOCATION: USA BIG CREEK 3-16/CTB

GTA PROJECT NO: 093024-4
 GTA SAMPLE NO: 4
 DATE SAMPLED: 9/25/2024
 TIME SAMPLED:
 DATE RECEIVED: 9/27/2024
 TIME RECEIVED: 12:00 PM

MI
 SAMPLED BY: AS/KWB - HURON

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date</u>	<u>Sample</u>
	SAMPLE ID: MW-7-D (113) CHLORIDE EPA 300.0	ND	10	mg/L (PPM)	TR	3/10/2024	WATER

ND = NOT DETECTED, RESULT < LOD
 LOD = LIMIT OF DETECTION
 s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: LAMBDA ENERGY RESOURCES, LLC GTA PROJECT NO: 093024-4
PROJECT NO: 19.09 GTA SAMPLE NO: 5
LOCATION: USA BIG CREEK 3-16/CTB DATE SAMPLED: 9/27/2024
TIME SAMPLED:
DATE RECEIVED: 9/27/2024
TIME RECEIVED: 12:00 PM
MI
SAMPLED BY: AS/KWB - HURON

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date</u>	<u>Sample</u>
	SAMPLE ID: MW 8-S (69) CHLORIDE EPA 300.0	46	10	mg/L (PPM)	TR	10/4/2024	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: LAMBDA ENERGY RESOURCES, LLC
 PROJECT NO: 19.09
 LOCATION: USA BIG CREEK 3-16/CTB

GTA PROJECT NO: 093024-4
 GTA SAMPLE NO: 7
 DATE SAMPLED: 9/27/2024
 TIME SAMPLED:
 DATE RECEIVED: 9/27/2024
 TIME RECEIVED: 12:00 PM

MI
 SAMPLED BY: AS/KWB - HURON

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date</u>	<u>Sample</u>
	SAMPLE ID: MW 9-S (70) CHLORIDE EPA 300.0	16	10	mg/L (PPM)	TR	10/4/2024	WATER

ND = NOT DETECTED, RESULT < LOD
 LOD = LIMIT OF DETECTION
 s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: LAMBDA ENERGY RESOURCES, LLC
 PROJECT NO: 19.09
 LOCATION: USA BIG CREEK 3-16/CTB

GTA PROJECT NO: 093024-4
 GTA SAMPLE NO: 9
 DATE SAMPLED: 9/27/2024
 TIME SAMPLED:
 DATE RECEIVED: 9/27/2024
 TIME RECEIVED: 12:00 PM

MI
 SAMPLED BY: AS/KWB - HURON

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date</u>	<u>Sample</u>
	SAMPLE ID: MW 9-D (100) CHLORIDE EPA 300.0	420	10	mg/L (PPM)	TR	10/4/2024	WATER

ND = NOT DETECTED, RESULT < LOD
 LOD = LIMIT OF DETECTION
 s.u. = STANDARD pH UNITS REPORTED AT 25 C



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: LAMBDA ENERGY RESOURCES, LLC
 PROJECT NO: 19.09
 LOCATION: USA BIG CREEK 3-16/CTB

GTA PROJECT NO: 093024-4
 GTA SAMPLE NO: 10
 DATE SAMPLED: 9/27/2024
 TIME SAMPLED:
 DATE RECEIVED: 9/27/2024
 TIME RECEIVED: 12:00 PM

SAMPLED BY: MI
 AS/KWB - HURON

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date</u>	<u>Sample</u>
	SAMPLE ID: MW 10-S (69) CHLORIDE EPA 300.0	420	50	mg/L (PPM)	TR	10/4/2024	WATER

ND = NOT DETECTED, RESULT < LOD
 LOD = LIMIT OF DETECTION
 s.u. = STANDARD pH UNITS REPORTED AT 25 C



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: LAMBDA ENERGY RESOURCES, LLC
 PROJECT NO: 19.09
 LOCATION: USA BIG CREEK 3-16/CTB

GTA PROJECT NO: 093024-4
 GTA SAMPLE NO: 11
 DATE SAMPLED: 9/27/2024
 TIME SAMPLED:
 DATE RECEIVED: 9/27/2024
 TIME RECEIVED: 12:00 PM

SAMPLED BY: MI
 AS/KWB - HURON

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date</u>	<u>Sample</u>
	SAMPLE ID: MW 10-I (85) CHLORIDE EPA 300.0	730	50	mg/L (PPM)	TR	10/4/2024	WATER

ND = NOT DETECTED, RESULT < LOD
 LOD = LIMIT OF DETECTION
 s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: LAMBDA ENERGY RESOURCES, LLC
 PROJECT NO: 19.09
 LOCATION: USA BIG CREEK 3-16/CTB
 MI
 SAMPLED BY: AS/KWB - HURON

GTA PROJECT NO: 093024-4
 GTA SAMPLE NO: 12
 DATE SAMPLED: 9/27/2024
 TIME SAMPLED:
 DATE RECEIVED: 9/27/2024
 TIME RECEIVED: 12:00 PM

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date</u>	<u>Sample</u>
	SAMPLE ID: MW 13 (72) CHLORIDE EPA 300.0	49	10	mg/L (PPM)	TR	10/4/2024	WATER

ND = NOT DETECTED, RESULT < LOD
 LOD = LIMIT OF DETECTION
 s.u. = STANDARD pH UNITS REPORTED AT 25 C



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: LAMBDA ENERGY RESOURCES, LLC
 PROJECT NO: 19.09
 LOCATION: USA BIG CREEK 3-16/CTB

GTA PROJECT NO: 093024-4
 GTA SAMPLE NO: 13
 DATE SAMPLED: 9/26/2024
 TIME SAMPLED:
 DATE RECEIVED: 9/27/2024
 TIME RECEIVED: 12:00 PM

SAMPLED BY: MI
 AS/KWB - HURON

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date</u>	<u>Sample</u>
	SAMPLE ID: MW 14 (70) CHLORIDE EPA 300.0	37	10	mg/L (PPM)	TR	10/4/2024	WATER

ND = NOT DETECTED, RESULT < LOD
 LOD = LIMIT OF DETECTION
 s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: LAMBDA ENERGY RESOURCES, LLC GTA PROJECT NO: 093024-4
PROJECT NO: 19.09 GTA SAMPLE NO: 14
LOCATION: USA BIG CREEK 3-16/CTB DATE SAMPLED: 9/26/2024
TIME SAMPLED:
DATE RECEIVED: 9/27/2024
TIME RECEIVED: 12:00 PM
MI
SAMPLED BY: AS/KWB - HURON

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date</u>	<u>Sample</u>
	SAMPLE ID: MW 14 (79) CHLORIDE EPA 300.0	46	10	mg/L (PPM)	TR	10/4/2024	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: LAMBDA ENERGY RESOURCES, LLC
 PROJECT NO: 19.09
 LOCATION: USA BIG CREEK 3-16/CTB

GTA PROJECT NO: 093024-4
 GTA SAMPLE NO: 15
 DATE SAMPLED: 9/26/2024
 TIME SAMPLED:
 DATE RECEIVED: 9/27/2024
 TIME RECEIVED: 12:00 PM

SAMPLED BY: MI
 AS/KWB - HURON

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date</u>	<u>Sample</u>
	SAMPLE ID: MW 17 (73) CHLORIDE EPA 300.0	ND	10	mg/L (PPM)	TR	10/4/2024	WATER

ND = NOT DETECTED, RESULT < LOD
 LOD = LIMIT OF DETECTION
 s.u. = STANDARD pH UNITS REPORTED AT 25 C



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: LAMBDA ENERGY RESOURCES, LLC
 PROJECT NO: 19.09
 LOCATION: USA BIG CREEK 3-16/CTB

GTA PROJECT NO: 093024-4
 GTA SAMPLE NO: 17
 DATE SAMPLED: 9/26/2024
 TIME SAMPLED:
 DATE RECEIVED: 9/27/2024
 TIME RECEIVED: 12:00 PM

MI
 SAMPLED BY: AS/KWB - HURON

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date</u>	<u>Sample</u>
	SAMPLE ID: MW 18 (69) CHLORIDE EPA 300.0	35	10	mg/L (PPM)	TR	10/4/2024	WATER

ND = NOT DETECTED, RESULT < LOD
 LOD = LIMIT OF DETECTION
 s.u. = STANDARD pH UNITS REPORTED AT 25 C



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: LAMBDA ENERGY RESOURCES, LLC
PROJECT NO: 19.09
LOCATION: USA BIG CREEK 3-16/CTB

GTA PROJECT NO: 093024-4
GTA SAMPLE NO: 18
DATE SAMPLED: 9/26/2024
TIME SAMPLED:
DATE RECEIVED: 9/27/2024
TIME RECEIVED: 12:00 PM

MI
SAMPLED BY: AS/KWB - HURON

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date</u>	<u>Sample</u>
	SAMPLE ID: MW 18 (82) CHLORIDE EPA 300.0	ND	10	mg/L (PPM)	TR	10/4/2024	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: LAMBDA ENERGY RESOURCES, LLC
 PROJECT NO: 19.09
 LOCATION: USA BIG CREEK 3-16/CTB
 MI
 SAMPLED BY: AS/KWB - HURON

GTA PROJECT NO: 093024-4
 GTA SAMPLE NO: 19
 DATE SAMPLED: 9/26/2024
 TIME SAMPLED:
 DATE RECEIVED: 9/27/2024
 TIME RECEIVED: 12:00 PM

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date</u>	<u>Sample</u>
	SAMPLE ID: MW 19 (71) CHLORIDE EPA 300.0	ND	10	mg/L (PPM)	TR	10/4/2024	WATER

ND = NOT DETECTED, RESULT < LOD
 LOD = LIMIT OF DETECTION
 s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: LAMBDA ENERGY RESOURCES, LLC
 PROJECT NO: 19.09
 LOCATION: USA BIG CREEK 3-16/CTB

GTA PROJECT NO: 093024-4
 GTA SAMPLE NO: 21
 DATE SAMPLED: 9/27/2024
 TIME SAMPLED:
 DATE RECEIVED: 9/27/2024
 TIME RECEIVED: 12:00 PM

MI
 SAMPLED BY: AS/KWB - HURON

SAMPLE ANALYSIS

<u>No:</u> <u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date</u>	<u>Sample</u>
SAMPLE ID: MW 20 (72) CHLORIDE EPA 300.0	ND	10	mg/L (PPM)	TR	10/4/2024	WATER

ND = NOT DETECTED, RESULT < LOD
 LOD = LIMIT OF DETECTION
 s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: LAMBDA ENERGY RESOURCES, LLC

PROJECT NO: 19.09

LOCATION: USA BIG CREEK 3-16/CTB

GTA PROJECT NO: 093024-4

GTA SAMPLE NO: 22

DATE SAMPLED: 9/27/2024

TIME SAMPLED:

DATE RECEIVED: 9/27/2024

TIME RECEIVED: 12:00 PM

MI

SAMPLED BY: AS/KWB - HURON

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date</u>	<u>Sample</u>
	SAMPLE ID: MW 20 (87) CHLORIDE EPA 300.0	84	10	mg/L (PPM)	TR	10/4/2024	WATER

ND = NOT DETECTED, RESULT < LOD
 LOD = LIMIT OF DETECTION
 s.u. = STANDARD pH UNITS REPORTED AT 25 C



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: LAMBDA ENERGY RESOURCES, LLC
 PROJECT NO: 19.09
 LOCATION: USA BIG CREEK 3-16/CTB

GTA PROJECT NO: 093024-4
 GTA SAMPLE NO: 23
 DATE SAMPLED: 9/26/2024
 TIME SAMPLED:
 DATE RECEIVED: 9/27/2024
 TIME RECEIVED: 12:00 PM

MI
 SAMPLED BY: AS/KWB - HURON

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date</u>	<u>Sample</u>
	SAMPLE ID: MW 21 (70) CHLORIDE EPA 300.0	20	10	mg/L (PPM)	TR	10/4/2024	WATER

ND = NOT DETECTED, RESULT < LOD
 LOD = LIMIT OF DETECTION
 s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: LAMBDA ENERGY RESOURCES, LLC
 PROJECT NO: 19.09
 LOCATION: USA BIG CREEK 3-16/CTB

GTA PROJECT NO: 093024-4
 GTA SAMPLE NO: 25
 DATE SAMPLED: 9/27/2024
 TIME SAMPLED:
 DATE RECEIVED: 9/27/2024
 TIME RECEIVED: 12:00 PM

MI
 SAMPLED BY: AS/KWB - HURON

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date</u>	<u>Sample</u>
	SAMPLE ID: MW 22 (71) CHLORIDE EPA 300.0	86	10	mg/L (PPM)	TR	10/4/2024	WATER

ND = NOT DETECTED, RESULT < LOD
 LOD = LIMIT OF DETECTION
 s.u. = STANDARD pH UNITS REPORTED AT 25 C



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: LAMBDA ENERGY RESOURCES, LLC
 PROJECT NO: 19.09
 LOCATION: USA BIG CREEK 3-16/CTB

GTA PROJECT NO: 093024-4
 GTA SAMPLE NO: 26
 DATE SAMPLED: 9/27/2024
 TIME SAMPLED:
 DATE RECEIVED: 9/27/2024
 TIME RECEIVED: 12:00 PM

SAMPLED BY: MI
 AS/KWB - HURON

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date</u>	<u>Sample</u>
	SAMPLE ID: MW 22 (85) CHLORIDE EPA 300.0	39	10	mg/L (PPM)	TR	10/4/2024	WATER

ND = NOT DETECTED, RESULT < LOD
 LOD = LIMIT OF DETECTION
 s.u. = STANDARD pH UNITS REPORTED AT 25 C

Annual ICA's GW Monitoring
CHAIN OF CUSTODY

PROJECT NUMBER 19.019	SITE NAME/ADDRESS USA Big Creek 3-16/CTB	COMPANY/NAME Lambda
ANALYZED BY KWB	COMPANY Huron Engineering & Surveying	GTA PROJECT # 093024-4

SAMPLE INFORMATION

#	SAMPLE ID	DATE SAMPLED	TIME	MATRIX	ANALYSIS	F Cond mS/cm
1	OW 5 (70')	9/27/24		GW	Chloride	2.0
2	MW 7-S (73')	9/27/24		"	"	2.7
3	MW 7-I (85')	9/27/24		"	"	2.2
4	MW 7-D (113')	9/25/24		"	* MW-7-D (113')	
5	MW 8-S (69')	9/27/24		"	"	0.75
6	MW 8-I (88')	9/27/24		"	"	1.4
7	MW 9-S (70')	9/27/24		"	"	0.67
8	MW 9-I (85')	9/27/24		"	"	3.4
9	MW 9-D (100')	9/27/24		"	"	1.8
10	MW 10-S (69')	9/27/24		"	"	2.6
11	MW 10-I (85')	9/27/24		"	"	2.9
12	MW 13 (72')	9/27/24		"	"	0.64
13	MW 14 (70')	9/26/24		"	"	0.69
14	MW 14 (79')	9/26/24		"	"	0.90
15	MW 17 (73')	9/26/24		"	"	0.47

BILL TO: NS Lambda	Temp Rec: <input type="checkbox"/> N/A	On Ice? <input type="checkbox"/> Y <input checked="" type="checkbox"/> N	REPORT TO: KWB Huron
-----------------------	---	--	-------------------------

RELEASED BY Lamberly Wallis Burke	DATE/TIME	RECEIVED BY Alpena UPS	DATE/TIME 9/27/24
			9/30/24 12P

REQUESTED TAT STANDARD 1 BUSINESS DAY 2 BUSINESS DAYS 3 BUSINESS DAYS

Annual ICA₃ GW Monitoring

Page 2 of 2

CHAIN OF CUSTODY

PROJECT NUMBER 19.019	SITE NAME/ADDRESS USA Big Creek 3-16/CTB	COMPANY/NAME Lambda
--------------------------	---	------------------------

SAMPLED BY KWB	COMPANY Huron Engineering & Surveying	GTA PROJECT # 093024-4
-------------------	--	---------------------------

SAMPLE INFORMATION						F Cond
#	SAMPLE ID	DATE SAMPLED	TIME	MATRIX	ANALYSIS	ms/cm
16	MW 17 (81')	9/26/24		GW	Chloride	0.54
17	MW 18 (69')	9/26/24		"		0.82
18	MW 18 (82')	9/26/24		"		0.71
19	MW 19 (71')	9/26/24		"		0.70
20	MW 19 (84')	9/26/24		"		0.68
21	MW 20 (72')	9/27/24		"		0.86
22	MW 20 (87')	9/27/24		"		0.94
23	MW 21 (70')	9/26/24		"		0.68
24	MW 21 (83')	9/26/24		"		0.70
25	MW 22 (71')	9/27/24		"		0.85
26	MW 22 (85')	9/27/24		"		0.86

BILL TO: NS Lambda	Temp Rec: <input type="checkbox"/> N/A	On Ice? <input type="checkbox"/> Y <input checked="" type="checkbox"/> N	REPORT TO: KWB Huron
-----------------------	---	--	-------------------------

RELEASED BY Humberty Walsh Burke	DATE/TIME	RECEIVED BY Alpena UPS KCB	DATE/TIME 9/27/24 9/30/24 12P
-------------------------------------	-----------	----------------------------------	-------------------------------------

REQUESTED TAT STANDARD 1 BUSINESS DAY 2 BUSINESS DAYS 3 BUSINESS DAYS