

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

Company: CITY OF MANISTEE
Name:
ClientProj: 3975
GTA ProjNo: 051320-6

Site Addr: DEPT. PUBLIC WORKS GARAGE
280 WASHINGTON ST
MANISTEE
Sampled By: BRIAN PURKISS/COMPLIANCE, INC.
Date Rec: 5/13/2020
Time Rec: 4:51 PM

Sample No.	Sample ID	Date Sampled	Time Sampled	Sample Matrix
1	MW-11	5/13/2020	1:43 PM	WATER
2	MW-12	5/13/2020	2:17 PM	WATER
3	MW-15S	5/13/2020	12:03 PM	WATER
4	MW-15I	5/13/2020	12:30 PM	WATER
5	MW-15D	5/13/2020	12:56 PM	WATER
6	MW-16A	5/13/2020	7:55 AM	WATER
7	MW-16B	5/13/2020	8:19 AM	WATER
8	MW-16C	5/13/2020	8:45 AM	WATER
9	MW-17A	5/13/2020	9:21 AM	WATER
10	MW-17B	5/13/2020	9:45 AM	WATER
11	MW-17C	5/13/2020	10:07 AM	WATER
12	MW-18A	5/13/2020	10:37 AM	WATER
13	MW-18B	5/13/2020	11:03 AM	WATER
14	MW-18C	5/13/2020	11:27 AM	WATER

ELECTRONIC SIGNATURE REPORT. This is a final report for the following pages of data for the samples specified above. All analysis was performed by the methods stated and all quality control measures required were completed. All quality control information is available upon request.

Kirk Chase

Kirk L. Chase/Chemist
Grand Traverse Analytical
830 Robinwood Court
Traverse City, MI 49686
Ph: 231-929-0905
Fx: 231-929-0894
SP: 231-590-0291
kirk@gtanalytical.com

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: CITY OF MANISTEE
PROJECT NO: 3975
LOCATION: DEPT. PUBLIC WORKS GARAGE
280 WASHINGTON ST
MANISTEE
MI
SAMPLE MATRIX: WATER
SAMPLE ID: MW-11

GTA PROJECT NO: 051320-6
GTA SAMPLE NO: 1
DATE SAMPLED: 5/13/2020
TIME SAMPLED: 1:43 PM
DATE RECEIVED: 5/13/2020
TIME RECEIVED: 4:51 PM
SAMPLED BY: BRIAN PURKISS/COMPLIANCE, INC.

EPA 8260B VOLATILE ORGANICS

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Extracted</u>	<u>Date Complete</u>	<u>Prep Method</u>
Benzene	ND	1.0	ug/L (PPB)	MR		5/14/2020	EPA 5030B
Toluene	ND	1.0					
Ethylbenzene	ND	1.0					
Xylene(Total)	ND	3.0					
1,2,4-Trimethylbenzene	ND	1.0					
1,3,5-Trimethylbenzene	ND	1.0					
Methyl-t-Butyl Ether	ND	5.0					
Naphthalene	ND	5.0					
2-Methylnaphthalene	ND	5.0					

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: CITY OF MANISTEE
PROJECT NO: 3975
LOCATION: DEPT. PUBLIC WORKS GARAGE
280 WASHINGTON ST
MANISTEE
MI
SAMPLE MATRIX: WATER
SAMPLE ID: MW-12

GTA PROJECT NO: 051320-6
GTA SAMPLE NO: 2
DATE SAMPLED: 5/13/2020
TIME SAMPLED: 2:17 PM
DATE RECEIVED: 5/13/2020
TIME RECEIVED: 4:51 PM
SAMPLED BY: BRIAN PURKISS/COMPLIANCE, INC.

EPA 8260B VOLATILE ORGANICS

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date</u> <u>Extracted</u>	<u>Date</u> <u>Complete</u>	<u>Prep Method</u>
Benzene	7.4	1.0	ug/L (PPB)	MR		5/14/2020	EPA 5030B
Toluene	ND	1.0					
Ethylbenzene	2.4	1.0					
Xylene(Total)	ND	3.0					
1,2,4-Trimethylbenzene	ND	1.0					
1,3,5-Trimethylbenzene	ND	1.0					
Methyl-t-Butyl Ether	1,700	5.0					
Naphthalene	ND	5.0					
2-Methylnaphthalene	ND	5.0					

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: CITY OF MANISTEE
PROJECT NO: 3975
LOCATION: DEPT. PUBLIC WORKS GARAGE
280 WASHINGTON ST
MANISTEE
MI
SAMPLE MATRIX: WATER
SAMPLE ID: MW-15S

GTA PROJECT NO: 051320-6
GTA SAMPLE NO: 3
DATE SAMPLED: 5/13/2020
TIME SAMPLED: 12:03 PM
DATE RECEIVED: 5/13/2020
TIME RECEIVED: 4:51 PM
SAMPLED BY: BRIAN PURKISS/COMPLIANCE, INC.

EPA 8260B VOLATILE ORGANICS

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Extracted</u>	<u>Date Complete</u>	<u>Prep Method</u>
Benzene	ND	1.0	ug/L (PPB)	MR		5/14/2020	EPA 5030B
Toluene	ND	1.0					
Ethylbenzene	ND	1.0					
Xylene(Total)	ND	3.0					
1,2,4-Trimethylbenzene	ND	1.0					
1,3,5-Trimethylbenzene	ND	1.0					
Methyl-t-Butyl Ether	ND	5.0					
Naphthalene	ND	5.0					
2-Methylnaphthalene	ND	5.0					

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: CITY OF MANISTEE
PROJECT NO: 3975
LOCATION: DEPT. PUBLIC WORKS GARAGE
280 WASHINGTON ST
MANISTEE
MI
SAMPLE MATRIX: WATER
SAMPLE ID: MW-15I

GTA PROJECT NO: 051320-6
GTA SAMPLE NO: 4
DATE SAMPLED: 5/13/2020
TIME SAMPLED: 12:30 PM
DATE RECEIVED: 5/13/2020
TIME RECEIVED: 4:51 PM
SAMPLED BY: BRIAN PURKISS/COMPLIANCE, INC.

EPA 8260B VOLATILE ORGANICS

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Extracted</u>	<u>Date Complete</u>	<u>Prep Method</u>
Benzene	ND	1.0	ug/L (PPB)	MR		5/14/2020	EPA 5030B
Toluene	ND	1.0					
Ethylbenzene	ND	1.0					
Xylene(Total)	ND	3.0					
1,2,4-Trimethylbenzene	ND	1.0					
1,3,5-Trimethylbenzene	ND	1.0					
Methyl-t-Butyl Ether	45	5.0					
Naphthalene	ND	5.0					
2-Methylnaphthalene	ND	5.0					

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: CITY OF MANISTEE
PROJECT NO: 3975
LOCATION: DEPT. PUBLIC WORKS GARAGE
280 WASHINGTON ST
MANISTEE
MI
SAMPLE MATRIX: WATER
SAMPLE ID: MW-15D

GTA PROJECT NO: 051320-6
GTA SAMPLE NO: 5
DATE SAMPLED: 5/13/2020
TIME SAMPLED: 12:56 PM
DATE RECEIVED: 5/13/2020
TIME RECEIVED: 4:51 PM
SAMPLED BY: BRIAN PURKISS/COMPLIANCE, INC.

EPA 8260B VOLATILE ORGANICS

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Extracted</u>	<u>Date Complete</u>	<u>Prep Method</u>
Benzene	ND	1.0	ug/L (PPB)	MR		5/14/2020	EPA 5030B
Toluene	ND	1.0					
Ethylbenzene	1.1	1.0					
Xylene(Total)	ND	3.0					
1,2,4-Trimethylbenzene	ND	1.0					
1,3,5-Trimethylbenzene	ND	1.0					
Methyl-t-Butyl Ether	12	5.0					
Naphthalene	ND	5.0					
2-Methylnaphthalene	ND	5.0					

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: CITY OF MANISTEE
PROJECT NO: 3975
LOCATION: DEPT. PUBLIC WORKS GARAGE
280 WASHINGTON ST
MANISTEE
MI
SAMPLE MATRIX: WATER
SAMPLE ID: MW-16A

GTA PROJECT NO: 051320-6
GTA SAMPLE NO: 6
DATE SAMPLED: 5/13/2020
TIME SAMPLED: 7:55 AM
DATE RECEIVED: 5/13/2020
TIME RECEIVED: 4:51 PM
SAMPLED BY: BRIAN PURKISS/COMPLIANCE, INC.

EPA 8260B VOLATILE ORGANICS

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Extracted</u>	<u>Date Complete</u>	<u>Prep Method</u>
Benzene	ND	1.0	ug/L (PPB)	MR		5/14/2020	EPA 5030B
Toluene	ND	1.0					
Ethylbenzene	ND	1.0					
Xylene(Total)	ND	3.0					
1,2,4-Trimethylbenzene	ND	1.0					
1,3,5-Trimethylbenzene	ND	1.0					
Methyl-t-Butyl Ether	ND	5.0					
Naphthalene	ND	5.0					
2-Methylnaphthalene	ND	5.0					

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

COMPANY:	CITY OF MANISTEE	GTA PROJECT NO:	051320-6
PROJECT NO:	3975	GTA SAMPLE NO:	7
LOCATION:	DEPT. PUBLIC WORKS GARAGE	DATE SAMPLED:	5/13/2020
	280 WASHINGTON ST	TIME SAMPLED:	8:19 AM
	MANISTEE	DATE RECEIVED:	5/13/2020
	MI	TIME RECEIVED:	4:51 PM
SAMPLE MATRIX:	WATER		
SAMPLE ID:	MW-16B	SAMPLED BY:	BRIAN PURKISS/COMPLIANCE, INC.

EPA 8260B VOLATILE ORGANICS

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Extracted</u>	<u>Date Complete</u>	<u>Prep Method</u>
Benzene	ND	1.0	ug/L (PPB)	MR		5/14/2020	EPA 5030B
Toluene	ND	1.0					
Ethylbenzene	ND	1.0					
Xylene(Total)	ND	3.0					
1,2,4-Trimethylbenzene	ND	1.0					
1,3,5-Trimethylbenzene	ND	1.0					
Methyl-t-Butyl Ether	ND	5.0					
Naphthalene	ND	5.0					
2-Methylnaphthalene	ND	5.0					

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: CITY OF MANISTEE
PROJECT NO: 3975
LOCATION: DEPT. PUBLIC WORKS GARAGE
280 WASHINGTON ST
MANISTEE
MI
SAMPLE MATRIX: WATER
SAMPLE ID: MW-16C

GTA PROJECT NO: 051320-6
GTA SAMPLE NO: 8
DATE SAMPLED: 5/13/2020
TIME SAMPLED: 8:45 AM
DATE RECEIVED: 5/13/2020
TIME RECEIVED: 4:51 PM
SAMPLED BY: BRIAN PURKISS/COMPLIANCE, INC.

EPA 8260B VOLATILE ORGANICS

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Extracted</u>	<u>Date Complete</u>	<u>Prep Method</u>
Benzene	8.6	1.0	ug/L (PPB)	MR		5/14/2020	EPA 5030B
Toluene	ND	1.0					
Ethylbenzene	ND	1.0					
Xylene(Total)	ND	3.0					
1,2,4-Trimethylbenzene	ND	1.0					
1,3,5-Trimethylbenzene	ND	1.0					
Methyl-t-Butyl Ether	ND	5.0					
Naphthalene	ND	5.0					
2-Methylnaphthalene	ND	5.0					

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

COMPANY:	CITY OF MANISTEE	GTA PROJECT NO:	051320-6
PROJECT NO:	3975	GTA SAMPLE NO:	9
LOCATION:	DEPT. PUBLIC WORKS GARAGE	DATE SAMPLED:	5/13/2020
	280 WASHINGTON ST	TIME SAMPLED:	9:21 AM
	MANISTEE	DATE RECEIVED:	5/13/2020
	MI	TIME RECEIVED:	4:51 PM
SAMPLE MATRIX:	WATER		
SAMPLE ID:	MW-17A	SAMPLED BY:	BRIAN PURKISS/COMPLIANCE, INC.

EPA 8260B VOLATILE ORGANICS

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Extracted</u>	<u>Date Complete</u>	<u>Prep Method</u>
Benzene	ND	1.0	ug/L (PPB)	MR		5/14/2020	EPA 5030B
Toluene	ND	1.0					
Ethylbenzene	ND	1.0					
Xylene(Total)	ND	3.0					
1,2,4-Trimethylbenzene	ND	1.0					
1,3,5-Trimethylbenzene	ND	1.0					
Methyl-t-Butyl Ether	ND	5.0					
Naphthalene	ND	5.0					
2-Methylnaphthalene	ND	5.0					

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

COMPANY:	CITY OF MANISTEE	GTA PROJECT NO:	051320-6
PROJECT NO:	3975	GTA SAMPLE NO:	10
LOCATION:	DEPT. PUBLIC WORKS GARAGE	DATE SAMPLED:	5/13/2020
	280 WASHINGTON ST	TIME SAMPLED:	9:45 AM
	MANISTEE	DATE RECEIVED:	5/13/2020
	MI	TIME RECEIVED:	4:51 PM
SAMPLE MATRIX:	WATER		
SAMPLE ID:	MW-17B	SAMPLED BY:	BRIAN PURKISS/COMPLIANCE, INC.

EPA 8260B VOLATILE ORGANICS

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date</u> <u>Extracted</u>	<u>Date</u> <u>Complete</u>	<u>Prep Method</u>
Benzene	ND	1.0	ug/L (PPB)	MR		5/14/2020	EPA 5030B
Toluene	ND	1.0					
Ethylbenzene	ND	1.0					
Xylene(Total)	ND	3.0					
1,2,4-Trimethylbenzene	ND	1.0					
1,3,5-Trimethylbenzene	ND	1.0					
Methyl-t-Butyl Ether	ND	5.0					
Naphthalene	ND	5.0					
2-Methylnaphthalene	ND	5.0					

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: CITY OF MANISTEE
PROJECT NO: 3975
LOCATION: DEPT. PUBLIC WORKS GARAGE
280 WASHINGTON ST
MANISTEE
MI
SAMPLE MATRIX: WATER
SAMPLE ID: MW-17C

GTA PROJECT NO: 051320-6
GTA SAMPLE NO: 11
DATE SAMPLED: 5/13/2020
TIME SAMPLED: 10:07 AM
DATE RECEIVED: 5/13/2020
TIME RECEIVED: 4:51 PM
SAMPLED BY: BRIAN PURKISS/COMPLIANCE, INC.

EPA 8260B VOLATILE ORGANICS

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Extracted</u>	<u>Date Complete</u>	<u>Prep Method</u>
Benzene	4.7	1.0	ug/L (PPB)	MR		5/14/2020	EPA 5030B
Toluene	ND	1.0					
Ethylbenzene	17	1.0					
Xylene(Total)	ND	3.0					
1,2,4-Trimethylbenzene	ND	1.0					
1,3,5-Trimethylbenzene	ND	1.0					
Methyl-t-Butyl Ether	ND	5.0					
Naphthalene	ND	5.0					
2-Methylnaphthalene	ND	5.0					

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

COMPANY:	CITY OF MANISTEE	GTA PROJECT NO:	051320-6
PROJECT NO:	3975	GTA SAMPLE NO:	12
LOCATION:	DEPT. PUBLIC WORKS GARAGE	DATE SAMPLED:	5/13/2020
	280 WASHINGTON ST	TIME SAMPLED:	10:37 AM
	MANISTEE	DATE RECEIVED:	5/13/2020
	MI	TIME RECEIVED:	4:51 PM
SAMPLE MATRIX:	WATER		
SAMPLE ID:	MW-18A	SAMPLED BY:	BRIAN PURKISS/COMPLIANCE, INC.

EPA 8260B VOLATILE ORGANICS

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date</u> <u>Extracted</u>	<u>Date</u> <u>Complete</u>	<u>Prep Method</u>
Benzene	ND	1.0	ug/L (PPB)	MR		5/14/2020	EPA 5030B
Toluene	ND	1.0					
Ethylbenzene	ND	1.0					
Xylene(Total)	ND	3.0					
1,2,4-Trimethylbenzene	ND	1.0					
1,3,5-Trimethylbenzene	ND	1.0					
Methyl-t-Butyl Ether	ND	5.0					
Naphthalene	ND	5.0					
2-Methylnaphthalene	ND	5.0					

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: CITY OF MANISTEE
PROJECT NO: 3975
LOCATION: DEPT. PUBLIC WORKS GARAGE
280 WASHINGTON ST
MANISTEE
MI
SAMPLE MATRIX: WATER
SAMPLE ID: MW-18B

GTA PROJECT NO: 051320-6
GTA SAMPLE NO: 13
DATE SAMPLED: 5/13/2020
TIME SAMPLED: 11:03 AM
DATE RECEIVED: 5/13/2020
TIME RECEIVED: 4:51 PM
SAMPLED BY: BRIAN PURKISS/COMPLIANCE, INC.

EPA 8260B VOLATILE ORGANICS

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Extracted</u>	<u>Date Complete</u>	<u>Prep Method</u>
Benzene	ND	1.0	ug/L (PPB)	MR		5/14/2020	EPA 5030B
Toluene	ND	1.0					
Ethylbenzene	7.8	1.0					
Xylene(Total)	ND	3.0					
1,2,4-Trimethylbenzene	ND	1.0					
1,3,5-Trimethylbenzene	ND	1.0					
Methyl-t-Butyl Ether	ND	5.0					
Naphthalene	ND	5.0					
2-Methylnaphthalene	ND	5.0					

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: CITY OF MANISTEE
PROJECT NO: 3975
LOCATION: DEPT. PUBLIC WORKS GARAGE
280 WASHINGTON ST
MANISTEE
MI
SAMPLE MATRIX: WATER
SAMPLE ID: MW-18C

GTA PROJECT NO: 051320-6
GTA SAMPLE NO: 14
DATE SAMPLED: 5/13/2020
TIME SAMPLED: 11:27 AM
DATE RECEIVED: 5/13/2020
TIME RECEIVED: 4:51 PM
SAMPLED BY: BRIAN PURKISS/COMPLIANCE, INC.

EPA 8260B VOLATILE ORGANICS

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Extracted</u>	<u>Date Complete</u>	<u>Prep Method</u>
Benzene	57	1.0	ug/L (PPB)	MR		5/14/2020	EPA 5030B
Toluene	ND	1.0					
Ethylbenzene	2.5	1.0					
Xylene(Total)	ND	3.0					
1,2,4-Trimethylbenzene	ND	1.0					
1,3,5-Trimethylbenzene	ND	1.0					
Methyl-t-Butyl Ether	29	5.0					
Naphthalene	ND	5.0					
2-Methylnaphthalene	ND	5.0					

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

CHAIN OF CUSTODY

PROJECT NUMBER 3975	SITE NAME/ADDRESS DEPT. PUBLIC WORKS GARAGE 280 WASHINGTON STREET, MANISTEE, MI 49660	COMPANY/NAME CITY OF MANISTEE
SAMPLED BY BRIAN FURKISS	COMPANY COMPLIANCE, INC.	GTA PROJECT # 051320-6


SAMPLE INFORMATION

#	SAMPLE ID	DATE SAMPLED	TIME	MATRIX	ANALYSIS
1	MW-11	5-13-20	13:43	GW	UNLEADED (GASOLINE SCAN
2	MW-12		14:17		(ALL SAMPLES)
3	MW-15s		12:03		
4	MW-15i		12:30		
5	MW-15d		12:56		
6	MW-16A		07:55		
7	MW-16B		08:19		
8	MW-16C		08:45		
9	MW-17A		09:21		
10	MW-17B		09:45		
11	MW-17C		10:07		
12	MW-18A		10:37		
13	MW-18B		11:03		
14	MW-18C		11:27		

BILL TO: COMPLIANCE, INC.

REPORT TO:

RAY ANDRAS

RELEASED BY 	DATE/TIME 5-13-20 16:51	RECEIVED BY 	DATE/TIME 5/13/20 16:51 RC 4.00
--	-----------------------------------	---	--

REQUESTED TAT ☒ STANDARD ☐ 1 BUSINESS DAY ☐ 2 BUSINESS DAYS ☐ 3 BUSINESS DAYS