



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

Company: JORDAN DEVELOPMENT CO. LLC

Name:

ClientProj: 160205-0600

GTA ProjNo: 091324-1

Site Addr: COLFAX 29

Sampled By: LMH/ECT

Date Rec: 9/13/2024

Time Rec: 9:00 AM

Sample No. Sample ID
1 OW-1

Date Sampled
9/12/2024

Time Sampled

Sample Matrix
WATER

ELECTRONIC SIGNATURE REPORT. This is a final report for the following pages of data for the samples specified above. All analysis was performed by the methods stated and all quality control measures required were completed. All quality control information is available upon request.

Kirk Chase

Kirk L. Chase/Chemist
Grand Traverse Analytical
830 Robinwood Court
Traverse City, MI 49686
Ph: 231-929-0905
Fx: 231-929-0894
SP: 231-590-0291
kirk@gtanalytical.com

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: JORDAN DEVELOPMENT CO. LLC
PROJECT NO: 160205-0600
LOCATION: COLFAX 29
MI
SAMPLED BY: LMH/ECT

GTA PROJECT NO: 091324-1
GTA SAMPLE NO: 1
DATE SAMPLED: 9/12/2024
TIME SAMPLED:
DATE RECEIVED: 9/13/2024
TIME RECEIVED: 9:00 AM

SAMPLE ANALYSIS

<u>No:</u> <u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
SAMPLE ID: OW-1	ND	10	mg/L (PPM)	KC/TR	9/18/2024	WATER
CHLORIDE EPA 300.0	130	1.0	uS/cm@25C	TR	9/17/2024	WATER
CONDUCTIVITY SM2510-B						

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C
DISS = DISSOLVED

