



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

Company: VILLAGE OF KALKASKA
Name:
ClientProj:

Site Addr: IDC PARK LIFT STATION

GTA ProjNo: 032320-3

Sampled By: JAKE TURNIPSEED/VOK

Date Rec: 3/23/2020

Time Rec: 12:04 PM

Sample No.	Sample ID
1	IDC PARK LIFT STATION

Date Sampled	Time Sampled	Sample Matrix
3/23/2020	10:53 AM	WATER

ELECTRONIC SIGNATURE REPORT. This is a final report for the following pages of data for the samples specified above. All analysis was performed by the methods stated and all quality control measures required were completed. All quality control information is available upon request.

Kirk Chase

Kirk L. Chase/Chemist
Grand Traverse Analytical
830 Robinwood Court
Traverse City, MI 49686
Ph: 231-929-0905
Fx: 231-929-0894
SP: 231-590-0291
kirk@gtanalytical.com



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: VILLAGE OF KALKASKA

GTA PROJECT NO: 032320-3

PROJECT NO:

GTA SAMPLE NO: 1

LOCATION: IDC PARK LIFT STATION

DATE SAMPLED: 3/23/2020

TIME SAMPLED: 10:53 AM

DATE RECEIVED: 3/23/2020

TIME RECEIVED: 12:04 PM

SAMPLED BY: JAKE TURNIPSEED/VOK

SAMPLE MATRIX: WATER

SAMPLE ID: IDC PARK LIFT STATION

EPA 8260B VOLATILE ORGANICS

Units= ug/L (PPB)

Analyst= MR

Date

Date Completed= 3/24/2020

Prep

EPA 5030B

Analyte	Concentration	LOD
ACETONE	120	25
ALLYL CHLORIDE	ND	10
BENZENE	ND	1.0
BROMOBENZENE	ND	1.0
BROMOCHLOROMETHANE	ND	1.0
BROMODICHLOROMETHANE	ND	1.0
BROMOFORM	ND	1.0
BROMOMETHANE	ND	1.0
n-BUTYLBENZENE	ND	1.0
s-BUTYLBENZENE	ND	1.0
t-BUTYLBENZENE	ND	1.0
CARBON DISULFIDE	ND	5.0
CARBON TETRACHLORIDE	ND	1.0
CHLOROBEZENE	ND	1.0
1-CHLOROBUTANE	ND	1.0
CHLOROFORM	2.0	1.0
CHLOROETHANE	ND	1.0
CHLOROMETHANE	ND	1.0
2-CHLOROTOLUENE	ND	1.0
4-CHLOROTOLUENE	ND	1.0
DIBROMOCHLOROMETHANE	ND	1.0
DIBROMOMETHANE	ND	1.0
1,2-DIBROMOETHANE	ND	1.0
1,2-DICHLOROBENZENE	ND	1.0
1,3-DICHLOROBENZENE	ND	1.0
1,4-DICHLOROBENZENE	ND	1.0
t-1,4-DICHLORO-2-BUTENE	ND	10
DICHLORODIFLUOROMETHANE	ND	1.0
1,1-DICHLOROETHANE	ND	1.0
1,2-DICHLOROETHANE	ND	1.0
1,1-DICHLOROETHENE	ND	1.0
cis-1,2-DICHLOROETHENE	ND	1.0
trans-1,2-DICHLOROETHENE	ND	1.0
1,2-DICHLOROPROPANE	ND	1.0
1,3-DICHLOROPROPANE	ND	1.0
2,2-DICHLOROPROPANE	ND	1.0
1,1-DICHLOROPROPENE	ND	1.0

Analyte	Concentration	LOD
cis-1,3-DICHLOROPROPENE	ND	1.0
trans-1,3-DICHLOROPROPENE	ND	1.0
DIETHYL ETHER	ND	10
ETHYLBENZENE	ND	1.0
ETHYL METHACRYLATE	ND	10
HEXACHLOROBUTADIENE	ND	1.0
HEXACHLOROETHANE	ND	10
2-HEXANONE	ND	10
IDOMETHANE	ND	10
ISOPROPYLBENZENE	ND	1.0
ISOPROPYLTOLUENE	ND	1.0
METHYL ACRYLATE	ND	10
METHYL ETHYL KETONE	ND	10
METHYL-t-BUTYL ETHER	ND	5.0
METHYLENE CHLORIDE	ND	1.0
METHYL METHACRYLATE	ND	10
MIBK	ND	10
2-METHYLNAPHTHALENE	ND	5.0
NAPHTHALENE	ND	5.0
PENTACHLOROETHANE	ND	10
n-PROPYLBENZENE	ND	1.0
STYRENE	ND	1.0
1,1,1,2-TETRACHLOROETHANE	ND	1.0
1,1,2,2-TETRACHLOROETHANE	ND	1.0
TETRACHLOROETHENE	ND	1.0
TOLUENE	ND	1.0
1,2,3-TRICHLOROBENZENE	ND	1.0
1,2,4-TRICHLOROBENZENE	ND	1.0
1,1,1-TRICHLOROETHANE	ND	1.0
1,1,2-TRICHLOROETHANE	ND	1.0
TRICHLOROETHENE	ND	1.0
TRICHLORFLUOROMETHANE	ND	1.0
1,2,3-TRICHLOROPROPANE	ND	1.0
1,2,4-TRIMETHYLBENZENE	ND	1.0
1,3,5-TRIMETHYLBENZENE	ND	1.0
VINYL CHLORIDE	ND	1.0
XYLENE (TOTAL)	ND	3.0

ND = NOT DETECTED, RESULT IS <LOD.

LOD = LIMIT OF DETECTION.

830 Robinwood Court
Traverse City, MI 49686
Phone (231) 929-0905 Fax (231) 929-0894

Chain of Custody Record

[illegible]