



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

Company: MISSAUKEE OIL & GAS
Name:
ClientProj:

Site Addr: BAUER C4-15

GTA ProjNo: 052523-2

Sampled By: LMH-J/ECT

Date Rec: 5/25/2023

Time Rec: 12:10 PM

Sample No. Sample ID
1 MW-3

Date Sampled Time Sampled Sample Matrix
5/25/2023 WATER

ELECTRONIC SIGNATURE REPORT. This is a final report for the following pages of data for the samples specified above. All analysis was performed by the methods stated and all quality control measures required were completed. All quality control information is available upon request.

Kirk Chase

Kirk L. Chase/Chemist
Grand Traverse Analytical
830 Robinwood Court
Traverse City, MI 49686
Ph: 231-929-0905
Fx: 231-929-0894
SP: 231-590-0291
kirk@gtanalytical.com

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: MISSAUKEE OIL & GAS

PROJECT NO:

LOCATION: BAUER C4-15

MI

SAMPLE MATRIX: WATER

SAMPLE ID: MW-3

GTA PROJECT NO: 052523-2

GTA SAMPLE NO: 1

DATE SAMPLED: 5/25/2023

TIME SAMPLED:

DATE RECEIVED: 5/25/2023

TIME RECEIVED: 12:10 PM

SAMPLED BY: LMH-J/ECT

EPA 8260B VOLATILE ORGANICS

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Extracted</u>	<u>Date Complete</u>	<u>Prep Method</u>
Benzene	ND	1.0	ug/L (PPB)	MR		5/27/2023	EPA 5030B
Toluene	ND	1.0					
Ethylbenzene	ND	1.0					
Xylene(Total)	ND	3.0					

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: MISSAUKEE OIL & GAS

GTA PROJECT NO: 052523-2

PROJECT NO:

GTA SAMPLE NO: 1

LOCATION: BAUER C4-15

DATE SAMPLED: 5/25/2023

TIME SAMPLED:

DATE RECEIVED: 5/25/2023

TIME RECEIVED: 12:10 PM

SAMPLED BY: MI
LMH-J/ECT**SAMPLE ANALYSIS**

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
	SAMPLE ID: MW-3						
	CHLORIDE EPA 300.0	ND	10	mg/L (PPM)	KC/TR	5/31/2023	WATER
	CONDUCTIVITY SM2510-B	560	1.0	uS/cm@25C	TR	5/30/2023	WATER

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

s.u. = STANDARD pH UNITS REPORTED AT 25 C

DISS = DISSOLVED

