



**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

[www.gtanalytical.com](http://www.gtanalytical.com)

Company: SAVOY ENERGY  
Name:  
ClientProj:

Site Addr: SEYMOUR 1-34

GTA ProjNo: 041020-2

Sampled By: HOLLIS THOMAS/DARCY  
Date Rec: 4/10/2020  
Time Rec: 10:10 AM

Sample No.	Sample ID	Date Sampled	Time Sampled	Sample Matrix
1	TANK DL	4/2/2020	5:45 PM	WATER
2	PU-DL	4/2/2020	6:15 PM	WATER

ELECTRONIC SIGNATURE REPORT. This is a final report for the following pages of data for the samples specified above. All analysis was performed by the methods stated and all quality control measures required were completed. All quality control information is available upon request.

*Kirk Chase*

Kirk L. Chase/Chemist  
Grand Traverse Analytical  
830 Robinwood Court  
Traverse City, MI 49686  
Ph: 231-929-0905  
Fx: 231-929-0894  
SP: 231-590-0291  
[kirk@gtanalytical.com](mailto:kirk@gtanalytical.com)



**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: SAVOY ENERGY  
 PROJECT NO:  
 LOCATION: SEYMOUR 1-34  
 MI  
 SAMPLE MATRIX: WATER  
 SAMPLE ID: TANK DL

GTA PROJECT NO: 041020-2  
 GTA SAMPLE NO: 1  
 DATE SAMPLED: 4/2/2020  
 TIME SAMPLED: 5:45 PM  
 DATE RECEIVED: 4/10/2020  
 TIME RECEIVED: 10:10 AM

SAMPLED BY: HOLLIS THOMAS/DARCY

**EPA 8260B VOLATILE ORGANICS**

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Extracted</u>	<u>Date Complete</u>	<u>Prep Method</u>
Benzene	ND	1.0	ug/L (PPB)	MR		4/13/2020	EPA 5030B
Toluene	ND	1.0					
Ethylbenzene	ND	1.0					
Xylene(Total)	ND	3.0					

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.  
 ND = NOT DETECTED, RESULT < LOD  
 LOD = LIMIT OF DETECTION



**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: SAVOY ENERGY  
PROJECT NO:  
LOCATION: SEYMOUR 1-34  
MI  
SAMPLE MATRIX: WATER  
SAMPLE ID: PU-DL

GTA PROJECT NO: 041020-2  
GTA SAMPLE NO: 2  
DATE SAMPLED: 4/2/2020  
TIME SAMPLED: 6:15 PM  
DATE RECEIVED: 4/10/2020  
TIME RECEIVED: 10:10 AM

SAMPLED BY: HOLLIS THOMAS/DARCY

**EPA 8260B VOLATILE ORGANICS**

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Extracted</u>	<u>Date Complete</u>	<u>Prep Method</u>
Benzene	ND	1.0	ug/L (PPB)	MR		4/13/2020	EPA 5030B
Toluene	ND	1.0					
Ethylbenzene	ND	1.0					
Xylene(Total)	ND	3.0					

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.  
ND = NOT DETECTED, RESULT < LOD  
LOD = LIMIT OF DETECTION



**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: SAVOY ENERGY

PROJECT NO:

LOCATION: SEYMOUR 1-34

MI

SAMPLED BY: HOLLIS THOMAS/DARCY

GTA PROJECT NO: 041020-2

GTA SAMPLE NO: 1

DATE SAMPLED: 4/2/2020

TIME SAMPLED: 5:45 PM

DATE RECEIVED: 4/10/2020

TIME RECEIVED: 10:10 AM

**SAMPLE ANALYSIS**

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
	SAMPLE ID: TANK DL						
	CHLORIDE EPA 300.0	17	10	mg/L (PPM)	LV	4/13/2020	WATER
	CONDUCTIVITY SM2510-B	580	1.0	uS/cm@25C	LV	4/13/2020	WATER

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

s.u. = STANDARD pH UNITS REPORTED AT 25 C

DISS = DISSOLVED



**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: SAVOY ENERGY

PROJECT NO:

LOCATION: SEYMOUR 1-34

GTA PROJECT NO: 041020-2

GTA SAMPLE NO: 2

DATE SAMPLED: 4/2/2020

TIME SAMPLED: 6:15 PM

DATE RECEIVED: 4/10/2020

TIME RECEIVED: 10:10 AM

MI

SAMPLED BY: HOLLIS THOMAS/DARCY

**SAMPLE ANALYSIS**

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
	SAMPLE ID: PU-DL						
	CHLORIDE EPA 300.0	14	10	mg/L (PPM)	LV	4/13/2020	WATER
	CONDUCTIVITY SM2510-B	630	1.0	uS/cm@25C	LV	4/13/2020	WATER

ND = NOT DETECTED, RESULT < LOD  
 LOD = LIMIT OF DETECTION  
 s.u. = STANDARD pH UNITS REPORTED AT 25 C  
 DISS = DISSOLVED

