

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

Company: COMPLIANCE INC.
Name:
ClientProj: 4357
GTA ProjNo: 033121-8

Site Addr: 208 WILLIAMS ST
MANCELONA
Sampled By: RA/BP - COMPLIANCE
Date Rec: 3/31/2021
Time Rec: 4:50 PM

Sample No.	Sample ID	Date Sampled	Time Sampled	Sample Matrix
1	B1 @ 0.5'	3/31/2021		SOIL
2	B4 @ 1.5'	3/31/2021		SOIL
3	B6 @ 3'	3/31/2021		SOIL
4	B7 @ 4'	3/31/2021		SOIL
5	B8 @ 3'	3/31/2021		SOIL
6	B11 @ 1.5'	3/31/2021		SOIL

ELECTRONIC SIGNATURE REPORT. This is a final report for the following pages of data for the samples specified above. All analysis was performed by the methods stated and all quality control measures required were completed. All quality control information is available upon request.

Kirk Chase

Kirk L. Chase/Chemist
Grand Traverse Analytical
830 Robinwood Court
Traverse City, MI 49686
Ph: 231-929-0905
Fx: 231-929-0894
SP: 231-590-0291
kirk@gtanalytical.com



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: COMPLIANCE INC.
PROJECT NO: 4357
LOCATION: 208 WILLIAMS ST
MANCELONA
SAMPLED BY: RA/BP - COMPLIANCE
SAMPLE MATRIX: SOIL

GTA PROJECT NO: 033121-8
GTA SAMPLE NO: 1
DATE SAMPLED: 3/31/2021
TIME SAMPLED:
DATE RECEIVED: 3/31/2021
TIME RECEIVED: 4:50 PM

**THIS SAMPLE WAS RECEIVED MEOH PRESERVED.

SAMPLE ID: B1 @ 0.5'

EPA 8260B VOLATILE ORGANICS

Units= ug/Kg (PPB) Analyst= MR Date Extracted= 3/31/2021 Date Completed= 4/1/2021 Prep Method= EPA 5035A

Analyte	Concentration	LOD	Analyte	Concentration	LOD
ACETONE	ND	1,000	cis-1,3-DICHLOROPROPENE	ND	50
ALLYL CHLORIDE	ND	250	trans-1,3-DICHLOROPROPENE	ND	50
BENZENE	ND	50	DIETHYL ETHER	ND	200
BROMOBENZENE	ND	100	ETHYLBENZENE	ND	50
BROMOCHLOROMETHANE	ND	100	ETHYL METHACRYLATE	ND	250
BROMODICHLOROMETHANE	ND	50	HEXACHLOROBUTADIENE	ND	50
BROMOFORM	ND	100	HEXACHLOROETHANE	ND	250
BROMOMETHANE	ND	200	2-HEXANONE	ND	2,500
n-BUTYLBENZENE	ND	50	IDOMETHANE	ND	250
s-BUTYLBENZENE	ND	50	ISOPROPYLBENZENE	ND	50
t-BUTYLBENZENE	ND	50	ISOPROPYLTOLUENE	ND	50
CARBON DISULFIDE	ND	250	METHYL ACRYLATE	ND	250
CARBON TETRACHLORIDE	ND	50	METHYL ETHYL KETONE	ND	750
CHLOROBENZENE	ND	50	METHYL-t-BUTYL ETHER	ND	250
1-CHLOROBUTANE	ND	100	METHYLENE CHLORIDE	ND	100
CHLOROFORM	ND	50	METHYL METHACRYLATE	ND	250
CHLOROETHANE	ND	250	MIBK	ND	2,500
CHLOROMETHANE	ND	250	2-METHYLNAPHTHALENE	ND	250
2-CHLOROTOLUENE	ND	50	NAPHTHALENE	ND	250
4-CHLOROTOLUENE	ND	50	PENTACHLOROETHANE	ND	250
DIBROMOCHLOROMETHANE	ND	100	n-PROPYLBENZENE	ND	50
DIBROMOMETHANE	ND	250	STYRENE	ND	50
1,2-DIBROMOETHANE	ND	20	1,1,1,2-TETRACHLOROETHANE	ND	100
1,2-DICHLOROETHANE	ND	50	1,1,2,2-TETRACHLOROETHANE	ND	50
1,3-DICHLOROETHANE	ND	50	TETRACHLOROETHENE	ND	50
1,4-DICHLOROETHANE	ND	50	TOLUENE	ND	50
t-1,4-DICHLORO-2-BUTENE	ND	50	1,2,3-TRICHLOROETHANE	ND	50
DICHLORODIFLUOROMETHANE	ND	250	1,2,4-TRICHLOROETHANE	ND	250
1,1-DICHLOROETHANE	ND	50	1,1,1-TRICHLOROETHANE	ND	50
1,2-DICHLOROETHANE	ND	50	1,1,2-TRICHLOROETHANE	ND	50
1,1-DICHLOROETHENE	ND	50	TRICHLOROETHENE	ND	50
cis-1,2-DICHLOROETHENE	ND	50	TRICHLORFLUOROMETHANE	ND	100
trans-1,2-DICHLOROETHENE	ND	50	1,2,3-TRICHLOROPROPANE	ND	100
1,2-DICHLOROPROPANE	ND	50	1,2,4-TRIMETHYLBENZENE	ND	50
1,3-DICHLOROPROPANE	ND	50	1,3,5-TRIMETHYLBENZENE	ND	50
2,2-DICHLOROPROPANE	ND	50	VINYL CHLORIDE	ND	40
1,1-DICHLOROPROPENE	ND	50	XYLENE (TOTAL)	ND	150

ND = NOT DETECTED, RESULT IS <LOD.

LOD = LIMIT OF DETECTION.



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: COMPLIANCE INC.
PROJECT NO: 4357
LOCATION: 208 WILLIAMS ST
SAMPLED BY: MANCELONA
RA/BP - COMPLIANCE
SAMPLE MATRIX: SOIL

GTA PROJECT NO: 033121-8
GTA SAMPLE NO: 2
DATE SAMPLED: 3/31/2021
TIME SAMPLED:
DATE RECEIVED: 3/31/2021
TIME RECEIVED: 4:50 PM

**THIS SAMPLE WAS RECEIVED MEOH PRESERVED.

SAMPLE ID: B4 @ 1.5'

EPA 8260B VOLATILE ORGANICS

Units= ug/Kg (PPB) Analyst= MR Date Extracted= 3/31/2021 Date Completed= 4/1/2021 Prep Method= EPA 5035A

Analyte	Concentration	LOD	Analyte	Concentration	LOD
ACETONE	ND	1,000	cis-1,3-DICHLOROPROPENE	ND	50
ALLYL CHLORIDE	ND	250	trans-1,3-DICHLOROPROPENE	ND	50
BENZENE	ND	50	DIETHYL ETHER	ND	200
BROMOBENZENE	ND	100	ETHYLBENZENE	ND	50
BROMOCHLOROMETHANE	ND	100	ETHYL METHACRYLATE	ND	250
BROMODICHLOROMETHANE	ND	50	HEXACHLOROBUTADIENE	ND	50
BROMOFORM	ND	100	HEXACHLOROETHANE	ND	250
BROMOMETHANE	ND	200	2-HEXANONE	ND	2,500
n-BUTYLBENZENE	ND	50	IDOMETHANE	ND	250
s-BUTYLBENZENE	ND	50	ISOPROPYLBENZENE	ND	50
t-BUTYLBENZENE	ND	50	ISOPROPYLTOLUENE	ND	50
CARBON DISULFIDE	ND	250	METHYL ACRYLATE	ND	250
CARBON TETRACHLORIDE	ND	50	METHYL ETHYL KETONE	ND	750
CHLOROBENZENE	ND	50	METHYL-t-BUTYL ETHER	ND	250
1-CHLOROBUTANE	ND	100	METHYLENE CHLORIDE	ND	100
CHLOROFORM	ND	50	METHYL METHACRYLATE	ND	250
CHLOROETHANE	ND	250	MIBK	ND	2,500
CHLOROMETHANE	ND	250	2-METHYLNAPHTHALENE	ND	250
2-CHLOROTOLUENE	ND	50	NAPHTHALENE	ND	250
4-CHLOROTOLUENE	ND	50	PENTACHLOROETHANE	ND	250
DIBROMOCHLOROMETHANE	ND	100	n-PROPYLBENZENE	ND	50
DIBROMOMETHANE	ND	250	STYRENE	ND	50
1,2-DIBROMOETHANE	ND	20	1,1,1,2-TETRACHLOROETHANE	ND	100
1,2-DICHLOROBENZENE	ND	50	1,1,2,2-TETRACHLOROETHANE	ND	50
1,3-DICHLOROBENZENE	ND	50	TETRACHLOROETHENE	ND	50
1,4-DICHLOROBENZENE	ND	50	TOLUENE	ND	50
t-1,4-DICHLORO-2-BUTENE	ND	50	1,2,3-TRICHLOROBENZENE	ND	50
DICHLORODIFLUOROMETHANE	ND	250	1,2,4-TRICHLOROBENZENE	ND	250
1,1-DICHLOROETHANE	ND	50	1,1,1-TRICHLOROETHANE	ND	50
1,2-DICHLOROETHANE	ND	50	1,1,2-TRICHLOROETHANE	ND	50
1,1-DICHLOROETHENE	ND	50	TRICHLOROETHENE	ND	50
cis-1,2-DICHLOROETHENE	ND	50	TRICHLORFLUOROMETHANE	ND	100
trans-1,2-DICHLOROETHENE	ND	50	1,2,3-TRICHLOROPROPANE	ND	100
1,2-DICHLOROPROPANE	ND	50	1,2,4-TRIMETHYLBENZENE	ND	50
1,3-DICHLOROPROPANE	ND	50	1,3,5-TRIMETHYLBENZENE	ND	50
2,2-DICHLOROPROPANE	ND	50	VINYL CHLORIDE	ND	40
1,1-DICHLOROPROPENE	ND	50	XYLENE (TOTAL)	ND	150

ND = NOT DETECTED, RESULT IS <LOD.

LOD = LIMIT OF DETECTION.

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: COMPLIANCE INC.
PROJECT NO: 4357
LOCATION: 208 WILLIAMS ST
MANCELONA
MI
SAMPLED BY: RA/BP - COMPLIANCE
SAMPLE MATRIX: SOIL

GTA PROJECT NO: 033121-8
GTA SAMPLE NO: 4
DATE SAMPLED: 3/31/2021
TIME SAMPLED:
DATE RECEIVED: 3/31/2021
TIME RECEIVED: 4:50 PM
SAMPLE ID: B7 @ 4'

**THIS SAMPLE WAS RECEIVED MEOH PRESERVED.

EPA 8260B VOLATILE ORGANICS

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date</u> <u>Extracted</u>	<u>Date</u> <u>Complete</u>	<u>Prep Method</u>
Benzene	ND	50.0	ug/Kg (PPB)	MR	3/31/2021	4/1/2021	EPA 5035A
Toluene	ND	50.0					
Ethylbenzene	ND	50.0					
Xylene(Total)	ND	150.0					
1,2,4-Trimethylbenzene	ND	50.0					
1,3,5-Trimethylbenzene	ND	50.0					
Methyl-t-Butyl Ether	ND	250.0					
Naphthalene	ND	250.0					
2-Methylnaphthalene	ND	250.0					
1,2-Dibromoethane	ND	20.0					
1,2-Dichloroethane	ND	50.0					

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.

ND = NOT DETECTED

LOD = LIMIT OF DETECTION



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: COMPLIANCE INC.
PROJECT NO: 4357
LOCATION: 208 WILLIAMS ST
MANCELONA
SAMPLED BY: RA/BP - COMPLIANCE
SAMPLE MATRIX: SOIL

GTA PROJECT NO: 033121-8
GTA SAMPLE NO: 6
DATE SAMPLED: 3/31/2021
TIME SAMPLED:
DATE RECEIVED: 3/31/2021
TIME RECEIVED: 4:50 PM

**THIS SAMPLE WAS RECEIVED MEOH PRESERVED.

SAMPLE ID: B11 @ 1.5'

EPA 8260B VOLATILE ORGANICS

Units= ug/Kg (PPB) Analyst= MR Date Extracted= 3/31/2021 Date Completed= 4/1/2021 Prep Method= EPA 5035A

Analyte	Concentration	LOD	Analyte	Concentration	LOD
ACETONE	ND	1,000	cis-1,3-DICHLOROPROPENE	ND	50
ALLYL CHLORIDE	ND	250	trans-1,3-DICHLOROPROPENE	ND	50
BENZENE	ND	50	DIETHYL ETHER	ND	200
BROMOBENZENE	ND	100	ETHYLBENZENE	ND	50
BROMOCHLOROMETHANE	ND	100	ETHYL METHACRYLATE	ND	250
BROMODICHLOROMETHANE	ND	50	HEXACHLOROBUTADIENE	ND	50
BROMOFORM	ND	100	HEXACHLOROETHANE	ND	250
BROMOMETHANE	ND	200	2-HEXANONE	ND	2,500
n-BUTYLBENZENE	ND	50	IDOMETHANE	ND	250
s-BUTYLBENZENE	ND	50	ISOPROPYLBENZENE	ND	50
t-BUTYLBENZENE	ND	50	ISOPROPYLTOLUENE	ND	50
CARBON DISULFIDE	ND	250	METHYL ACRYLATE	ND	250
CARBON TETRACHLORIDE	ND	50	METHYL ETHYL KETONE	ND	750
CHLOROBENZENE	ND	50	METHYL-t-BUTYL ETHER	ND	250
1-CHLOROBUTANE	ND	100	METHYLENE CHLORIDE	ND	100
CHLOROFORM	ND	50	METHYL METHACRYLATE	ND	250
CHLOROETHANE	ND	250	MIBK	ND	2,500
CHLOROMETHANE	ND	250	2-METHYLNAPHTHALENE	ND	250
2-CHLOROTOLUENE	ND	50	NAPHTHALENE	ND	250
4-CHLOROTOLUENE	ND	50	PENTACHLOROETHANE	ND	250
DIBROMOCHLOROMETHANE	ND	100	n-PROPYLBENZENE	ND	50
DIBROMOMETHANE	ND	250	STYRENE	ND	50
1,2-DIBROMOETHANE	ND	20	1,1,1,2-TETRACHLOROETHANE	ND	100
1,2-DICHLOROETHANE	ND	50	1,1,2,2-TETRACHLOROETHANE	ND	50
1,3-DICHLOROETHANE	ND	50	TETRACHLOROETHENE	ND	50
1,4-DICHLOROETHANE	ND	50	TOLUENE	ND	50
t-1,4-DICHLORO-2-BUTENE	ND	50	1,2,3-TRICHLOROETHANE	ND	50
DICHLORODIFLUOROMETHANE	ND	250	1,2,4-TRICHLOROETHANE	ND	250
1,1-DICHLOROETHANE	ND	50	1,1,1-TRICHLOROETHANE	ND	50
1,2-DICHLOROETHANE	ND	50	1,1,2-TRICHLOROETHANE	ND	50
1,1-DICHLOROETHENE	ND	50	TRICHLOROETHENE	ND	50
cis-1,2-DICHLOROETHENE	ND	50	TRICHLORFLUOROMETHANE	ND	100
trans-1,2-DICHLOROETHENE	ND	50	1,2,3-TRICHLOROPROPANE	ND	100
1,2-DICHLOROPROPANE	ND	50	1,2,4-TRIMETHYLBENZENE	ND	50
1,3-DICHLOROPROPANE	ND	50	1,3,5-TRIMETHYLBENZENE	ND	50
2,2-DICHLOROPROPANE	ND	50	VINYL CHLORIDE	ND	40
1,1-DICHLOROPROPENE	ND	50	XYLENE (TOTAL)	ND	150

ND = NOT DETECTED, RESULT IS <LOD.

LOD = LIMIT OF DETECTION.

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: COMPLIANCE INC.
PROJECT NO: 4357
LOCATION: 208 WILLIAMS ST

MANCELONA
MI
SAMPLED BY: RA/BP - COMPLIANCE

SAMPLE MATRIX: SOIL
SAMPLE ID: B1 @ 0.5'

GTA PROJECT NO: 033121-8
GTA SAMPLE NO: 1

DATE SAMPLED: 3/31/2021
TIME SAMPLED:

DATE RECEIVED: 3/31/2021
TIME RECEIVED: 4:50 PM

PNA EPA 8270D (SIM)

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date</u> <u>Extracted</u>	<u>Date</u> <u>Complete</u>	<u>Prep Method</u>
Acenaphthene	ND	330	ug/Kg (PPB)	KC/TR	4/2/2021	4/6/2021	EPA 3550B
Acenaphthylene	ND	330					
Anthracene	ND	330					
Benzo(a)anthracene	640	330					
Benzo(b)fluoranthene	1,200	330					
Benzo(k)fluoranthene	450	330					
Benzo(a)pyrene	880	330					
Benzo(ghi)perylene	490	330					
2-Chloronaphthalene	ND	330					
Chrysene	870	330					
Dibenz(ah)anthracene	ND	330					
Fluoranthene	1,600	330					
Fluorene	ND	330					
Indeno(123-cd)pyrene	480	330					
2-Methylnaphthalene	ND	330					
Naphthalene	ND	330					
Phenanthrene	680	330					
Pyrene	1,100	330					

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.

ND = NOT DETECTED

LOD = LIMIT OF DETECTION

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: COMPLIANCE INC.
PROJECT NO: 4357
LOCATION: 208 WILLIAMS ST

MANCELONA
MI
SAMPLED BY: RA/BP - COMPLIANCE

SAMPLE MATRIX: SOIL
SAMPLE ID: B4 @ 1.5'

GTA PROJECT NO: 033121-8
GTA SAMPLE NO: 2

DATE SAMPLED: 3/31/2021
TIME SAMPLED:

DATE RECEIVED: 3/31/2021
TIME RECEIVED: 4:50 PM

PNA EPA 8270D (SIM)

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date</u> <u>Extracted</u>	<u>Date</u> <u>Complete</u>	<u>Prep Method</u>
Acenaphthene	ND	330	ug/Kg (PPB)	KC/TR	4/2/2021	4/6/2021	EPA 3550B
Acenaphthylene	ND	330					
Anthracene	ND	330					
Benzo(a)anthracene	ND	330					
Benzo(b)fluoranthene	ND	330					
Benzo(k)fluoranthene	ND	330					
Benzo(a)pyrene	ND	330					
Benzo(ghi)perylene	ND	330					
2-Chloronaphthalene	ND	330					
Chrysene	ND	330					
Dibenz(ah)anthracene	ND	330					
Fluoranthene	ND	330					
Fluorene	ND	330					
Indeno(123-cd)pyrene	ND	330					
2-Methylnaphthalene	ND	330					
Naphthalene	ND	330					
Phenanthrene	ND	330					
Pyrene	ND	330					

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.

ND = NOT DETECTED

LOD = LIMIT OF DETECTION

COMPANY: COMPLIANCE INC.
PROJECT NO: 4357
LOCATION: 208 WILLIAMS ST

MANCELONA
MI
SAMPLED BY: RA/BP - COMPLIANCE

SAMPLE MATRIX: SOIL
SAMPLE ID: B6 @ 3'

GTA PROJECT NO: 033121-8
GTA SAMPLE NO: 3

DATE SAMPLED: 3/31/2021
TIME SAMPLED:

DATE RECEIVED: 3/31/2021
TIME RECEIVED: 4:50 PM

PNA EPA 8270D (SIM)

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date</u> <u>Extracted</u>	<u>Date</u> <u>Complete</u>	<u>Prep Method</u>
Acenaphthene	ND	330	ug/Kg (PPB)	KC/TR	4/2/2021	4/6/2021	EPA 3550B
Acenaphthylene	ND	330					
Anthracene	ND	330					
Benzo(a)anthracene	ND	330					
Benzo(b)fluoranthene	ND	330					
Benzo(k)fluoranthene	ND	330					
Benzo(a)pyrene	ND	330					
Benzo(ghi)perylene	ND	330					
2-Chloronaphthalene	ND	330					
Chrysene	ND	330					
Dibenz(ah)anthracene	ND	330					
Fluoranthene	ND	330					
Fluorene	ND	330					
Indeno(123-cd)pyrene	ND	330					
2-Methylnaphthalene	ND	330					
Naphthalene	ND	330					
Phenanthrene	ND	330					
Pyrene	ND	330					

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.

ND = NOT DETECTED

LOD = LIMIT OF DETECTION

COMPANY: COMPLIANCE INC.
PROJECT NO: 4357
LOCATION: 208 WILLIAMS ST

MANCELONA
MI
SAMPLED BY: RA/BP - COMPLIANCE

SAMPLE MATRIX: SOIL
SAMPLE ID: B8 @ 3'

GTA PROJECT NO: 033121-8
GTA SAMPLE NO: 5

DATE SAMPLED: 3/31/2021
TIME SAMPLED:

DATE RECEIVED: 3/31/2021
TIME RECEIVED: 4:50 PM

PNA EPA 8270D (SIM)

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date</u> <u>Extracted</u>	<u>Date</u> <u>Complete</u>	<u>Prep Method</u>
Acenaphthene	ND	330	ug/Kg (PPB)	KC/TR	4/2/2021	4/6/2021	EPA 3550B
Acenaphthylene	ND	330					
Anthracene	ND	330					
Benzo(a)anthracene	ND	330					
Benzo(b)fluoranthene	ND	330					
Benzo(k)fluoranthene	ND	330					
Benzo(a)pyrene	ND	330					
Benzo(ghi)perylene	ND	330					
2-Chloronaphthalene	ND	330					
Chrysene	ND	330					
Dibenz(ah)anthracene	ND	330					
Fluoranthene	ND	330					
Fluorene	ND	330					
Indeno(123-cd)pyrene	ND	330					
2-Methylnaphthalene	ND	330					
Naphthalene	ND	330					
Phenanthrene	ND	330					
Pyrene	ND	330					

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.

ND = NOT DETECTED

LOD = LIMIT OF DETECTION

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: COMPLIANCE INC.

NAME:

PROJECT NO: 4357

LOCATION: 208 WILLIAMS ST

MANCELONA
MI

GTA PROJECT NO: 033121-

SAMPLED BY: RA/BP - COMPLIANCE

DATE SAMPLED: 3/31/2021

TIME SAMPLED:

SAMPLE MATRIX: SOIL

DATE RECEIVED: 3/31/2021

TIME RECEIVED: 4:50 PM

MOISTURE

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>
SAMPLE ID: B1 @ 0.5'	% MOISTURE EPA 3550C	8.3	0.050	% OF SAMPLE	AS	3/31/2021
SAMPLE ID: B4 @ 1.5'	% MOISTURE EPA 3550C	7.9	0.050	% OF SAMPLE	AS	3/31/2021
SAMPLE ID: B6 @ 3'	% MOISTURE EPA 3550C	6.3	0.050	% OF SAMPLE	AS	3/31/2021
SAMPLE ID: B7 @ 4'	% MOISTURE EPA 3550C	3.6	0.050	% OF SAMPLE	AS	3/31/2021
SAMPLE ID: B8 @ 3'	% MOISTURE EPA 3550C	5.4	0.050	% OF SAMPLE	AS	3/31/2021
SAMPLE ID: B11 @ 1.5'	% MOISTURE EPA 3550C	6.6	0.050	% OF SAMPLE	AS	3/31/2021

CHAIN OF CUSTODY

PROJECT NUMBER 4357	SITE NAME/ADDRESS 208 Williams St. Manclona	COMPANY/NAME
SAMPLED BY RA/B.P.	COMPANY Compliance, Inc	GTA PROJECT # 033121-8

SAMPLE INFORMATION

#	SAMPLE ID	DATE SAMPLED	TIME	MATRIX	ANALYSIS
1	B1 @ 0.5'	3-31-21		Soil	VOC's; PNA's
2	B4 @ 1.5'	"		"	" "
3	B6 @ 3'	"		"	PNA's
4	B7 @ 4'	"		"	GAS Scan
5	B8 @ 3'	"		"	PNA's
6	B11 @ 1.5'	"		"	VOC's

BILL TO: *Compliance*

REPORT TO:

RELEASED BY	DATE/TIME	RECEIVED BY	DATE/TIME
<i>Ray Adair</i>	<i>3/31/21 1650</i>	<i>[Signature]</i>	<i>3/31/21 1650</i> <i>rec 4.0°C on ice</i>

REQUESTED TAT ☐ STANDARD ☐ 1 BUSINESS DAY ☐ 2 BUSINESS DAYS ☐ 3 BUSINESS DAYS