

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

Company: WARD LAKE ENERGY

Name:

ClientProj: 190183

GTA ProjNo: 060920-1

Site Addr: GIRVEN 1-1

Sampled By: NJ/ECT

Date Rec: 6/9/2020

Time Rec: 9:00 AM

Sample No. Sample ID
1 MW-1Date Sampled
6/5/2020

Time Sampled

Sample Matrix
WATER

ELECTRONIC SIGNATURE REPORT. This is a final report for the following pages of data for the samples specified above. All analysis was performed by the methods stated and all quality control measures required were completed. All quality control information is available upon request.

Kirk Chase

Kirk L. Chase/Chemist
Grand Traverse Analytical
830 Robinwood Court
Traverse City, MI 49686
Ph: 231-929-0905
Fx: 231-929-0894
SP: 231-590-0291
kirk@gtanalytical.com

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: WARD LAKE ENERGY

GTA PROJECT NO: 060920-1

PROJECT NO: 190183

GTA SAMPLE NO: 1

LOCATION: GIRVEN 1-1

DATE SAMPLED: 6/5/2020

TIME SAMPLED:

DATE RECEIVED: 6/9/2020

TIME RECEIVED: 9:00 AM

SAMPLED BY: MI
NJ/ECT**SAMPLE ANALYSIS****No: Analysis**

SAMPLE ID: MW-1

CHLORIDE EPA 300.0

Concentration

900

LOD

50

Units

mg/L (PPM)

Analyst

LV

Date

6/9/2020

Sample

WATER

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

s.u. = STANDARD pH UNITS REPORTED AT 25 C

