

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

Company: COMPLIANCE INC.

Name:

ClientProj: 4360

GTA ProjNo: 061220-4

Site Addr: 20 E. RILEY STREET

ZEELAND

Sampled By: RANDY GLASS/COMPLIANCE INC.

Date Rec: 6/12/2020

Time Rec: 11:45 AM

Sample No.	Sample ID	Date Sampled	Time Sampled	Sample Matrix
1	SB-1, 7'	6/11/2020	8:40 AM	SOIL
2	SB-2, 6-7'	6/11/2020	9:15 AM	SOIL
3	SB-3, 6-7'	6/11/2020	10:00 AM	SOIL
4	SB-4, 2'	6/11/2020	10:45 AM	SOIL
5	SB-5, 2'	6/11/2020	11:00 AM	SOIL
6	TMW-1	6/11/2020	9:35 AM	WATER

ELECTRONIC SIGNATURE REPORT. This is a final report for the following pages of data for the samples specified above. All analysis was performed by the methods stated and all quality control measures required were completed. All quality control information is available upon request.

Kirk Chase

Kirk L. Chase/Chemist
Grand Traverse Analytical
830 Robinwood Court
Traverse City, MI 49686
Ph: 231-929-0905
Fx: 231-929-0894
SP: 231-590-0291



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: COMPLIANCE INC.
PROJECT NO: 4360
LOCATION: 20 E. RILEY STREET
SAMPLED BY: ZEELAND
RANDY GLASS/COMPLIANCE INC.
SAMPLE MATRIX: SOIL

GTA PROJECT NO: 061220-4
GTA SAMPLE NO: 1
DATE SAMPLED: 6/11/2020
TIME SAMPLED: 8:40 AM
DATE RECEIVED: 6/12/2020
TIME RECEIVED: 11:45 AM

**THIS SAMPLE WAS RECEIVED MEOH PRESERVED.

SAMPLE ID: SB-1, 7'

EPA 8260B VOLATILE ORGANICS

Units= ug/Kg (PPB)	Analyst= MR	Date	6/11/2020	Date Completed= 6/13/2020	Prep	EPA 5035A
Analyte	Concentration	LOD	Analyte	Concentration	LOD	
ACETONE	ND	1,000	cis-1,3-DICHLOROPROPENE	ND	50	
ALLYL CHLORIDE	ND	250	trans-1,3-DICHLOROPROPENE	ND	50	
BENZENE	ND	50	DIETHYL ETHER	ND	200	
BROMOBENZENE	ND	100	ETHYLBENZENE	ND	50	
BROMOCHLOROMETHANE	ND	100	ETHYL METHACRYLATE	ND	250	
BROMODICHLOROMETHANE	ND	50	HEXACHLOROBUTADIENE	ND	50	
BROMOFORM	ND	100	HEXACHLOROETHANE	ND	250	
BROMOMETHANE	ND	200	2-HEXANONE	ND	2,500	
n-BUTYLBENZENE	ND	50	IDOMETHANE	ND	250	
s-BUTYLBENZENE	ND	50	ISOPROPYLBENZENE	ND	50	
t-BUTYLBENZENE	ND	50	ISOPROPYLTOLUENE	ND	50	
CARBON DISULFIDE	ND	250	METHYL ACRYLATE	ND	250	
CARBON TETRACHLORIDE	ND	50	METHYL ETHYL KETONE	ND	750	
CHLOROBENZENE	ND	50	METHYL-t-BUTYL ETHER	ND	250	
1-CHLOROBUTANE	ND	100	METHYLENE CHLORIDE	ND	100	
CHLOROFORM	ND	50	METHYL METHACRYLATE	ND	250	
CHLOROETHANE	ND	250	MIBK	ND	2,500	
CHLOROMETHANE	ND	250	2-METHYLNAPHTHALENE	ND	250	
2-CHLOROTOLUENE	ND	50	NAPHTHALENE	ND	250	
4-CHLOROTOLUENE	ND	50	PENTACHLOROETHANE	ND	250	
DIBROMOCHLOROMETHANE	ND	100	n-PROPYLBENZENE	ND	50	
DIBROMOMETHANE	ND	250	STYRENE	ND	50	
1,2-DIBROMOETHANE	ND	20	1,1,1,2-TETRACHLOROETHANE	ND	100	
1,2-DICHLOROBENZENE	ND	50	1,1,2,2-TETRACHLOROETHANE	ND	50	
1,3-DICHLOROBENZENE	ND	50	TETRACHLOROETHENE	ND	50	
1,4-DICHLOROBENZENE	ND	50	TOLUENE	ND	50	
t-1,4-DICHLORO-2-BUTENE	ND	50	1,2,3-TRICHLOROBENZENE	ND	50	
DICHLORODIFLUOROMETHANE	ND	250	1,2,4-TRICHLOROBENZENE	ND	250	
1,1-DICHLOROETHANE	ND	50	1,1,1-TRICHLOROETHANE	ND	50	
1,2-DICHLOROETHANE	ND	50	1,1,2-TRICHLOROETHANE	ND	50	
1,1-DICHLOROETHENE	ND	50	TRICHLOROETHENE	ND	50	
cis-1,2-DICHLOROETHENE	ND	50	TRICHLORFLUOROMETHANE	ND	100	
trans-1,2-DICHLOROETHENE	ND	50	1,2,3-TRICHLOROPROPANE	ND	100	
1,2-DICHLOROPROPANE	ND	50	1,2,4-TRIMETHYLBENZENE	ND	50	
1,3-DICHLOROPROPANE	ND	50	1,3,5-TRIMETHYLBENZENE	ND	50	
2,2-DICHLOROPROPANE	ND	50	VINYL CHLORIDE	ND	40	
1,1-DICHLOROPROPENE	ND	50	XYLENE (TOTAL)	ND	150	

ND = NOT DETECTED, RESULT IS <LOD.

LOD = LIMIT OF DETECTION.



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: COMPLIANCE INC.
PROJECT NO: 4360
LOCATION: 20 E. RILEY STREET
ZEELAND
SAMPLED BY: RANDY GLASS/COMPLIANCE INC.
SAMPLE MATRIX: SOIL

GTA PROJECT NO: 061220-4
GTA SAMPLE NO: 2
DATE SAMPLED: 6/11/2020
TIME SAMPLED: 9:15 AM
DATE RECEIVED: 6/12/2020
TIME RECEIVED: 11:45 AM

**THIS SAMPLE WAS RECEIVED MEOH PRESERVED.

SAMPLE ID: SB-2, 6-7'

EPA 8260B VOLATILE ORGANICS

Units= ug/Kg (PPB)	Analyst= MR	Date	6/11/2020	Date Completed= 6/13/2020	Prep	EPA 5035A
Analyte	Concentration	LOD	Analyte	Concentration	LOD	
ACETONE	ND	1,000	cis-1,3-DICHLOROPROPENE	ND	50	
ALLYL CHLORIDE	ND	250	trans-1,3-DICHLOROPROPENE	ND	50	
BENZENE	ND	50	DIETHYL ETHER	ND	200	
BROMOBENZENE	ND	100	ETHYLBENZENE	ND	50	
BROMOCHLOROMETHANE	ND	100	ETHYL METHACRYLATE	ND	250	
BROMODICHLOROMETHANE	ND	50	HEXACHLOROBUTADIENE	ND	50	
BROMOFORM	ND	100	HEXACHLOROETHANE	ND	250	
BROMOMETHANE	ND	200	2-HEXANONE	ND	2,500	
n-BUTYLBENZENE	ND	50	IDOMETHANE	ND	250	
s-BUTYLBENZENE	ND	50	ISOPROPYLBENZENE	ND	50	
t-BUTYLBENZENE	ND	50	ISOPROPYLTOLUENE	ND	50	
CARBON DISULFIDE	ND	250	METHYL ACRYLATE	ND	250	
CARBON TETRACHLORIDE	ND	50	METHYL ETHYL KETONE	ND	750	
CHLOROBENZENE	ND	50	METHYL-t-BUTYL ETHER	ND	250	
1-CHLOROBUTANE	ND	100	METHYLENE CHLORIDE	ND	100	
CHLOROFORM	ND	50	METHYL METHACRYLATE	ND	250	
CHLOROETHANE	ND	250	MIBK	ND	2,500	
CHLOROMETHANE	ND	250	2-METHYLNAPHTHALENE	ND	250	
2-CHLOROTOLUENE	ND	50	NAPHTHALENE	ND	250	
4-CHLOROTOLUENE	ND	50	PENTACHLOROETHANE	ND	250	
DIBROMOCHLOROMETHANE	ND	100	n-PROPYLBENZENE	ND	50	
DIBROMOMETHANE	ND	250	STYRENE	ND	50	
1,2-DIBROMOETHANE	ND	20	1,1,1,2-TETRACHLOROETHANE	ND	100	
1,2-DICHLOROBENZENE	ND	50	1,1,2,2-TETRACHLOROETHANE	ND	50	
1,3-DICHLOROBENZENE	ND	50	TETRACHLOROETHENE	ND	50	
1,4-DICHLOROBENZENE	ND	50	TOLUENE	ND	50	
t-1,4-DICHLORO-2-BUTENE	ND	50	1,2,3-TRICHLOROBENZENE	ND	50	
DICHLORODIFLUOROMETHANE	ND	250	1,2,4-TRICHLOROBENZENE	ND	250	
1,1-DICHLOROETHANE	ND	50	1,1,1-TRICHLOROETHANE	ND	50	
1,2-DICHLOROETHANE	ND	50	1,1,2-TRICHLOROETHANE	ND	50	
1,1-DICHLOROETHENE	ND	50	TRICHLOROETHENE	ND	50	
cis-1,2-DICHLOROETHENE	ND	50	TRICHLORFLUOROMETHANE	ND	100	
trans-1,2-DICHLOROETHENE	ND	50	1,2,3-TRICHLOROPROPANE	ND	100	
1,2-DICHLOROPROPANE	ND	50	1,2,4-TRIMETHYLBENZENE	ND	50	
1,3-DICHLOROPROPANE	ND	50	1,3,5-TRIMETHYLBENZENE	ND	50	
2,2-DICHLOROPROPANE	ND	50	VINYL CHLORIDE	ND	40	
1,1-DICHLOROPROPENE	ND	50	XYLENE (TOTAL)	ND	150	

ND = NOT DETECTED, RESULT IS <LOD.

LOD = LIMIT OF DETECTION.



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: COMPLIANCE INC.
PROJECT NO: 4360
LOCATION: 20 E. RILEY STREET
ZEELAND
SAMPLED BY: RANDY GLASS/COMPLIANCE INC.
SAMPLE MATRIX: SOIL

GTA PROJECT NO: 061220-4
GTA SAMPLE NO: 3
DATE SAMPLED: 6/11/2020
TIME SAMPLED: 10:00 AM
DATE RECEIVED: 6/12/2020
TIME RECEIVED: 11:45 AM

**THIS SAMPLE WAS RECEIVED MEOH PRESERVED.

SAMPLE ID: SB-3, 6-7'

EPA 8260B VOLATILE ORGANICS

Units= ug/Kg (PPB)	Analyst= MR	Date	6/11/2020	Date Completed= 6/13/2020	Prep	EPA 5035A
Analyte	Concentration	LOD	Analyte	Concentration	LOD	
ACETONE	ND	1,000	cis-1,3-DICHLOROPROPENE	ND	50	
ALLYL CHLORIDE	ND	250	trans-1,3-DICHLOROPROPENE	ND	50	
BENZENE	ND	50	DIETHYL ETHER	ND	200	
BROMOBENZENE	ND	100	ETHYLBENZENE	ND	50	
BROMOCHLOROMETHANE	ND	100	ETHYL METHACRYLATE	ND	250	
BROMODICHLOROMETHANE	ND	50	HEXACHLOROBUTADIENE	ND	50	
BROMOFORM	ND	100	HEXACHLOROETHANE	ND	250	
BROMOMETHANE	ND	200	2-HEXANONE	ND	2,500	
n-BUTYLBENZENE	ND	50	IDOMETHANE	ND	250	
s-BUTYLBENZENE	ND	50	ISOPROPYLBENZENE	ND	50	
t-BUTYLBENZENE	ND	50	ISOPROPYLTOLUENE	ND	50	
CARBON DISULFIDE	ND	250	METHYL ACRYLATE	ND	250	
CARBON TETRACHLORIDE	ND	50	METHYL ETHYL KETONE	ND	750	
CHLOROBENZENE	ND	50	METHYL-t-BUTYL ETHER	ND	250	
1-CHLOROBUTANE	ND	100	METHYLENE CHLORIDE	ND	100	
CHLOROFORM	ND	50	METHYL METHACRYLATE	ND	250	
CHLOROETHANE	ND	250	MIBK	ND	2,500	
CHLOROMETHANE	ND	250	2-METHYLNAPHTHALENE	ND	250	
2-CHLOROTOLUENE	ND	50	NAPHTHALENE	ND	250	
4-CHLOROTOLUENE	ND	50	PENTACHLOROETHANE	ND	250	
DIBROMOCHLOROMETHANE	ND	100	n-PROPYLBENZENE	ND	50	
DIBROMOMETHANE	ND	250	STYRENE	ND	50	
1,2-DIBROMOETHANE	ND	20	1,1,1,2-TETRACHLOROETHANE	ND	100	
1,2-DICHLOROBENZENE	ND	50	1,1,2,2-TETRACHLOROETHANE	ND	50	
1,3-DICHLOROBENZENE	ND	50	TETRACHLOROETHENE	ND	50	
1,4-DICHLOROBENZENE	ND	50	TOLUENE	ND	50	
t-1,4-DICHLORO-2-BUTENE	ND	50	1,2,3-TRICHLOROBENZENE	ND	50	
DICHLORODIFLUOROMETHANE	ND	250	1,2,4-TRICHLOROBENZENE	ND	250	
1,1-DICHLOROETHANE	ND	50	1,1,1-TRICHLOROETHANE	ND	50	
1,2-DICHLOROETHANE	ND	50	1,1,2-TRICHLOROETHANE	ND	50	
1,1-DICHLOROETHENE	ND	50	TRICHLOROETHENE	ND	50	
cis-1,2-DICHLOROETHENE	ND	50	TRICHLORFLUOROMETHANE	ND	100	
trans-1,2-DICHLOROETHENE	ND	50	1,2,3-TRICHLOROPROPANE	ND	100	
1,2-DICHLOROPROPANE	ND	50	1,2,4-TRIMETHYLBENZENE	ND	50	
1,3-DICHLOROPROPANE	ND	50	1,3,5-TRIMETHYLBENZENE	ND	50	
2,2-DICHLOROPROPANE	ND	50	VINYL CHLORIDE	ND	40	
1,1-DICHLOROPROPENE	ND	50	XYLENE (TOTAL)	ND	150	

ND = NOT DETECTED, RESULT IS <LOD.

LOD = LIMIT OF DETECTION.



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: COMPLIANCE INC.
PROJECT NO: 4360
LOCATION: 20 E. RILEY STREET
ZEELAND
SAMPLED BY: RANDY GLASS/COMPLIANCE INC.
SAMPLE MATRIX: SOIL

GTA PROJECT NO: 061220-4
GTA SAMPLE NO: 4
DATE SAMPLED: 6/11/2020
TIME SAMPLED: 10:45 AM
DATE RECEIVED: 6/12/2020
TIME RECEIVED: 11:45 AM

**THIS SAMPLE WAS RECEIVED MEOH PRESERVED.

SAMPLE ID: SB-4, 2'

EPA 8260B VOLATILE ORGANICS

Units= ug/Kg (PPB)	Analyst= MR	Date	6/11/2020	Date Completed= 6/13/2020	Prep	EPA 5035A
Analyte	Concentration	LOD	Analyte	Concentration	LOD	
ACETONE	ND	1,000	cis-1,3-DICHLOROPROPENE	ND	50	
ALLYL CHLORIDE	ND	250	trans-1,3-DICHLOROPROPENE	ND	50	
BENZENE	ND	50	DIETHYL ETHER	ND	200	
BROMOBENZENE	ND	100	ETHYLBENZENE	ND	50	
BROMOCHLOROMETHANE	ND	100	ETHYL METHACRYLATE	ND	250	
BROMODICHLOROMETHANE	ND	50	HEXACHLOROBUTADIENE	ND	50	
BROMOFORM	ND	100	HEXACHLOROETHANE	ND	250	
BROMOMETHANE	ND	200	2-HEXANONE	ND	2,500	
n-BUTYLBENZENE	ND	50	IDOMETHANE	ND	250	
s-BUTYLBENZENE	ND	50	ISOPROPYLBENZENE	ND	50	
t-BUTYLBENZENE	ND	50	ISOPROPYLTOLUENE	ND	50	
CARBON DISULFIDE	ND	250	METHYL ACRYLATE	ND	250	
CARBON TETRACHLORIDE	ND	50	METHYL ETHYL KETONE	ND	750	
CHLOROBENZENE	ND	50	METHYL-t-BUTYL ETHER	ND	250	
1-CHLOROBUTANE	ND	100	METHYLENE CHLORIDE	ND	100	
CHLOROFORM	ND	50	METHYL METHACRYLATE	ND	250	
CHLOROETHANE	ND	250	MIBK	ND	2,500	
CHLOROMETHANE	ND	250	2-METHYLNAPHTHALENE	ND	250	
2-CHLOROTOLUENE	ND	50	NAPHTHALENE	ND	250	
4-CHLOROTOLUENE	ND	50	PENTACHLOROETHANE	ND	250	
DIBROMOCHLOROMETHANE	ND	100	n-PROPYLBENZENE	ND	50	
DIBROMOMETHANE	ND	250	STYRENE	ND	50	
1,2-DIBROMOETHANE	ND	20	1,1,1,2-TETRACHLOROETHANE	ND	100	
1,2-DICHLOROBENZENE	ND	50	1,1,2,2-TETRACHLOROETHANE	ND	50	
1,3-DICHLOROBENZENE	ND	50	TETRACHLOROETHENE	ND	50	
1,4-DICHLOROBENZENE	ND	50	TOLUENE	ND	50	
t-1,4-DICHLORO-2-BUTENE	ND	50	1,2,3-TRICHLOROBENZENE	ND	50	
DICHLORODIFLUOROMETHANE	ND	250	1,2,4-TRICHLOROBENZENE	ND	250	
1,1-DICHLOROETHANE	ND	50	1,1,1-TRICHLOROETHANE	ND	50	
1,2-DICHLOROETHANE	ND	50	1,1,2-TRICHLOROETHANE	ND	50	
1,1-DICHLOROETHENE	ND	50	TRICHLOROETHENE	ND	50	
cis-1,2-DICHLOROETHENE	ND	50	TRICHLORFLUOROMETHANE	ND	100	
trans-1,2-DICHLOROETHENE	ND	50	1,2,3-TRICHLOROPROPANE	ND	100	
1,2-DICHLOROPROPANE	ND	50	1,2,4-TRIMETHYLBENZENE	ND	50	
1,3-DICHLOROPROPANE	ND	50	1,3,5-TRIMETHYLBENZENE	ND	50	
2,2-DICHLOROPROPANE	ND	50	VINYL CHLORIDE	ND	40	
1,1-DICHLOROPROPENE	ND	50	XYLENE (TOTAL)	ND	150	

ND = NOT DETECTED, RESULT IS <LOD.

LOD = LIMIT OF DETECTION.



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: COMPLIANCE INC.
PROJECT NO: 4360
LOCATION: 20 E. RILEY STREET
ZEELAND
SAMPLED BY: RANDY GLASS/COMPLIANCE INC.
SAMPLE MATRIX: SOIL

GTA PROJECT NO: 061220-4
GTA SAMPLE NO: 5
DATE SAMPLED: 6/11/2020
TIME SAMPLED: 11:00 AM
DATE RECEIVED: 6/12/2020
TIME RECEIVED: 11:45 AM

**THIS SAMPLE WAS RECEIVED MEOH PRESERVED.

SAMPLE ID: SB-5, 2'

EPA 8260B VOLATILE ORGANICS

Units= ug/Kg (PPB)	Analyst= MR	Date	6/11/2020	Date Completed= 6/13/2020	Prep	EPA 5035A
Analyte	Concentration	LOD	Analyte	Concentration	LOD	
ACETONE	ND	1,000	cis-1,3-DICHLOROPROPENE	ND	50	
ALLYL CHLORIDE	ND	250	trans-1,3-DICHLOROPROPENE	ND	50	
BENZENE	ND	50	DIETHYL ETHER	ND	200	
BROMOBENZENE	ND	100	ETHYLBENZENE	ND	50	
BROMOCHLOROMETHANE	ND	100	ETHYL METHACRYLATE	ND	250	
BROMODICHLOROMETHANE	ND	50	HEXACHLOROBUTADIENE	ND	50	
BROMOFORM	ND	100	HEXACHLOROETHANE	ND	250	
BROMOMETHANE	ND	200	2-HEXANONE	ND	2,500	
n-BUTYLBENZENE	ND	50	IDOMETHANE	ND	250	
s-BUTYLBENZENE	ND	50	ISOPROPYLBENZENE	ND	50	
t-BUTYLBENZENE	ND	50	ISOPROPYLTOLUENE	ND	50	
CARBON DISULFIDE	ND	250	METHYL ACRYLATE	ND	250	
CARBON TETRACHLORIDE	ND	50	METHYL ETHYL KETONE	ND	750	
CHLOROBENZENE	ND	50	METHYL-t-BUTYL ETHER	ND	250	
1-CHLOROBUTANE	ND	100	METHYLENE CHLORIDE	ND	100	
CHLOROFORM	ND	50	METHYL METHACRYLATE	ND	250	
CHLOROETHANE	ND	250	MIBK	ND	2,500	
CHLOROMETHANE	ND	250	2-METHYLNAPHTHALENE	ND	250	
2-CHLOROTOLUENE	ND	50	NAPHTHALENE	ND	250	
4-CHLOROTOLUENE	ND	50	PENTACHLOROETHANE	ND	250	
DIBROMOCHLOROMETHANE	ND	100	n-PROPYLBENZENE	ND	50	
DIBROMOMETHANE	ND	250	STYRENE	ND	50	
1,2-DIBROMOETHANE	ND	20	1,1,1,2-TETRACHLOROETHANE	ND	100	
1,2-DICHLOROBENZENE	ND	50	1,1,2,2-TETRACHLOROETHANE	ND	50	
1,3-DICHLOROBENZENE	ND	50	TETRACHLOROETHENE	ND	50	
1,4-DICHLOROBENZENE	ND	50	TOLUENE	ND	50	
t-1,4-DICHLORO-2-BUTENE	ND	50	1,2,3-TRICHLOROBENZENE	ND	50	
DICHLORODIFLUOROMETHANE	ND	250	1,2,4-TRICHLOROBENZENE	ND	250	
1,1-DICHLOROETHANE	ND	50	1,1,1-TRICHLOROETHANE	ND	50	
1,2-DICHLOROETHANE	ND	50	1,1,2-TRICHLOROETHANE	ND	50	
1,1-DICHLOROETHENE	ND	50	TRICHLOROETHENE	ND	50	
cis-1,2-DICHLOROETHENE	ND	50	TRICHLORFLUOROMETHANE	ND	100	
trans-1,2-DICHLOROETHENE	ND	50	1,2,3-TRICHLOROPROPANE	ND	100	
1,2-DICHLOROPROPANE	ND	50	1,2,4-TRIMETHYLBENZENE	ND	50	
1,3-DICHLOROPROPANE	ND	50	1,3,5-TRIMETHYLBENZENE	ND	50	
2,2-DICHLOROPROPANE	ND	50	VINYL CHLORIDE	ND	40	
1,1-DICHLOROPROPENE	ND	50	XYLENE (TOTAL)	ND	150	

ND = NOT DETECTED, RESULT IS <LOD.

LOD = LIMIT OF DETECTION.

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: COMPLIANCE INC. GTA PROJECT NO: 061220-4
PROJECT NO: 4360 GTA SAMPLE NO: 6
LOCATION: 20 E. RILEY STREET

ZEELAND
MI
SAMPLED BY: RANDY GLASS/COMPLIANCE INC. DATE SAMPLED: 6/11/2020
TIME SAMPLED: 9:35 AM

DATE RECEIVED: 6/12/2020
TIME RECEIVED: 11:45 AM

SAMPLE MATRIX: WATER
SAMPLE ID: TMW-1

PNA EPA 8270D (SIM)

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date</u> <u>Extracted</u>	<u>Date</u> <u>Complete</u>	<u>Prep Method</u>
Acenaphthene	ND	5.0	ug/L (PPB)	KC/MR	6/15/2020	6/16/2020	EPA 3511
Acenaphthylene	ND	5.0					
Anthracene	ND	5.0					
Benzo(a)anthracene	ND	1.0					
Benzo(b)fluoranthene	ND	1.0					
Benzo(k)fluoranthene	ND	1.0					
Benzo(a)pyrene	ND	1.0					
Benzo(ghi)perylene	ND	2.0					
2-Chloronaphthalene	ND	5.0					
Chrysene	ND	1.0					
Dibenz(ah)anthracene	ND	2.0					
Fluoranthene	ND	1.0					
Fluorene	ND	5.0					
Indeno(123-cd)pyrene	ND	2.0					
2-Methylnaphthalene	ND	5.0					
Naphthalene	ND	5.0					
Phenanthrene	ND	2.0					
Pyrene	ND	5.0					

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.

ND = NOT DETECTED

LOD = LIMIT OF DETECTION

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: COMPLIANCE INC. GTA PROJECT NO: 061220-4
PROJECT NO: 4360 GTA SAMPLE NO: 1
LOCATION: 20 E. RILEY STREET
ZEELAND
MI
DATE SAMPLED: 6/11/2020
TIME SAMPLED: 8:40 AM
DATE RECEIVED: 6/12/2020
TIME RECEIVED: 11:45 AM
SAMPLED BY: RANDY GLASS/COMPLIANCE INC. SAMPLE MATRIX: SOIL
SAMPLE ID: SB-1, 7'

METALS

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Digestion Method</u>
CADMIUM TOTAL EPA 6020A	ND	0.28	mg/Kg (PPM)	MR/TR	6/18/2020	EPA 3050B
CHROMIUM TOTAL EPA 6020A	5.5	0.28	mg/Kg (PPM)	MR/TR	6/18/2020	EPA 3050B
LEAD TOTAL EPA 6020A	2.2	0.28	mg/Kg (PPM)	MR/TR	6/18/2020	EPA 3050B

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION

DISS = DISSOLVED

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: COMPLIANCE INC. GTA PROJECT NO: 061220-4
GTA SAMPLE NO: 2
PROJECT NO: 4360
LOCATION: 20 E. RILEY STREET
DATE SAMPLED: 6/11/2020
TIME SAMPLED: 9:15 AM
ZEELAND
DATE RECEIVED: 6/12/2020
MI
TIME RECEIVED: 11:45 AM
SAMPLED BY: RANDY GLASS/COMPLIANCE INC. SAMPLE MATRIX: SOIL
SAMPLE ID: SB-2, 6-7'

METALS

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Digestion Method</u>
CADMIUM TOTAL EPA 6020A	ND	0.28	mg/Kg (PPM)	MR/TR	6/18/2020	EPA 3050B
CHROMIUM TOTAL EPA 6020A	9.2	0.28	mg/Kg (PPM)	MR/TR	6/18/2020	EPA 3050B
LEAD TOTAL EPA 6020A	11	0.28	mg/Kg (PPM)	MR/TR	6/18/2020	EPA 3050B

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

DISS = DISSOLVED

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: COMPLIANCE INC. GTA PROJECT NO: 061220-4
GTA SAMPLE NO: 3
PROJECT NO: 4360
LOCATION: 20 E. RILEY STREET
DATE SAMPLED: 6/11/2020
TIME SAMPLED: 10:00 AM
ZEELAND
DATE RECEIVED: 6/12/2020
MI
TIME RECEIVED: 11:45 AM
SAMPLED BY: RANDY GLASS/COMPLIANCE INC. SAMPLE MATRIX: SOIL
SAMPLE ID: SB-3, 6-7'

METALS

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Digestion Method</u>
CADMIUM TOTAL EPA 6020A	ND	0.28	mg/Kg (PPM)	MR/TR	6/18/2020	EPA 3050B
CHROMIUM TOTAL EPA 6020A	9.8	0.28	mg/Kg (PPM)	MR/TR	6/18/2020	EPA 3050B
LEAD TOTAL EPA 6020A	6.7	0.28	mg/Kg (PPM)	MR/TR	6/18/2020	EPA 3050B

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION

DISS = DISSOLVED

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: COMPLIANCE INC. GTA PROJECT NO: 061220-4
GTA SAMPLE NO: 5
PROJECT NO: 4360
LOCATION: 20 E. RILEY STREET
DATE SAMPLED: 6/11/2020
TIME SAMPLED: 11:00 AM
ZEELAND
MI
DATE RECEIVED: 6/12/2020
TIME RECEIVED: 11:45 AM
SAMPLED BY: RANDY GLASS/COMPLIANCE INC. SAMPLE MATRIX: SOIL
SAMPLE ID: SB-5, 2'

METALS

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Digestion Method</u>
CADMIUM TOTAL EPA 6020A	ND	0.28	mg/Kg (PPM)	MR/TR	6/18/2020	EPA 3050B
CHROMIUM TOTAL EPA 6020A	8.2	0.28	mg/Kg (PPM)	MR/TR	6/18/2020	EPA 3050B
LEAD TOTAL EPA 6020A	31	0.28	mg/Kg (PPM)	MR/TR	6/18/2020	EPA 3050B

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION

DISS = DISSOLVED

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: COMPLIANCE INC.

NAME:

PROJECT NO: 4360

LOCATION: 20 E. RILEY STREET

ZEELAND

MI

GTA PROJECT NO: 061220-4

SAMPLED BY: RANDY GLASS/COMPLIANCE INC.

DATE SAMPLED: 6/11/2020

TIME SAMPLED: 8:40 AM

SAMPLE MATRIX: SOIL

DATE RECEIVED: 6/12/2020

TIME RECEIVED: 11:45 AM

MOISTURE

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date</u> <u>Complete</u>
SAMPLE ID: SB-1, 7'	% MOISTURE EPA 3550C	13	0.050	% OF SAMPLE	AS	6/12/2020
SAMPLE ID: SB-2, 6-7'	% MOISTURE EPA 3550C	16	0.050	% OF SAMPLE	AS	6/12/2020
SAMPLE ID: SB-3, 6-7'	% MOISTURE EPA 3550C	14	0.050	% OF SAMPLE	AS	6/12/2020
SAMPLE ID: SB-4, 2'	% MOISTURE EPA 3550C	12	0.050	% OF SAMPLE	AS	6/12/2020
SAMPLE ID: SB-5, 2'	% MOISTURE EPA 3550C	12	0.050	% OF SAMPLE	AS	6/12/2020

