

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

Company: COMPLIANCE INC.

Name:

ClientProj: 4375

GTA ProjNo: 061620-10

Site Addr: SOUTHDOWN CAR WASH

832 ROBBINS RD

GRAND HAVEN

Sampled By: RANDY GLASS/COMPLIANCE INC.

Date Rec: 6/16/2020

Time Rec: 12:35 PM

Sample No.	Sample ID	Date Sampled	Time Sampled	Sample Matrix
1	SB-6, 4'	6/11/2020	1:20 PM	SOIL
2	SB-7, 3'	6/11/2020	1:30 PM	SOIL
3	SB-8, 6'	6/11/2020	1:40 PM	SOIL
4	SB-9, 6'	6/11/2020	2:00 PM	SOIL
5	SB-10, 6'	6/11/2020	2:25 PM	SOIL
6	SB-11, 5'	6/11/2020	2:50 PM	SOIL
7	SB-12, 6'	6/11/2020	3:20 PM	SOIL
8	SB-13, 5'	6/11/2020	4:37 PM	SOIL
9	MW-6	6/11/2020	3:20 PM	WATER
10	MW-7	6/11/2020	4:15 PM	WATER
11	TMW-8 16-21'	6/11/2020	5:40 PM	WATER
12	TMW-8 10-15'	6/11/2020	6:00 PM	WATER
13	MW-8D	6/11/2020	6:30 PM	WATER
14	MW-8	6/11/2020	6:25 PM	WATER

ELECTRONIC SIGNATURE REPORT. This is a final report for the following pages of data for the samples specified above. All analysis was performed by the methods stated and all quality control measures required were completed. All quality control information is available upon request.

Kirk Chase

Kirk L. Chase/Chemist
Grand Traverse Analytical
830 Robinwood Court
Traverse City, MI 49686
Ph: 231-929-0905
Fx: 231-929-0894
SP: 231-590-0291
kirk@gtanalytical.com



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: COMPLIANCE INC.
PROJECT NO: 4375
LOCATION: SOUTHDOWN CAR WASH
832 ROBBINS RD
GRAND HAVEN
SAMPLED BY: RANDY GLASS/COMPLIANCE INC.
SAMPLE MATRIX: SOIL

GTA PROJECT NO: 061620-10
GTA SAMPLE NO: 1
DATE SAMPLED: 6/11/2020
TIME SAMPLED: 1:20 PM
DATE RECEIVED: 6/16/2020
TIME RECEIVED: 12:35 PM

**THIS SAMPLE WAS RECEIVED MEOH PRESERVED.

SAMPLE ID: SB-6, 4'

EPA 8260B VOLATILE ORGANICS

Units= ug/Kg (PPB)	Analyst= MR	Date	6/11/2020	Date Completed= 6/17/2020	Prep	EPA 5035A
Analyte	Concentration	LOD	Analyte	Concentration	LOD	
ACETONE	ND	1,000	cis-1,3-DICHLOROPROPENE	ND	50	
ALLYL CHLORIDE	ND	250	trans-1,3-DICHLOROPROPENE	ND	50	
BENZENE	ND	50	DIETHYL ETHER	ND	200	
BROMOBENZENE	ND	100	ETHYLBENZENE	ND	50	
BROMOCHLOROMETHANE	ND	100	ETHYL METHACRYLATE	ND	250	
BROMODICHLOROMETHANE	ND	50	HEXACHLOROBUTADIENE	ND	50	
BROMOFORM	ND	100	HEXACHLOROETHANE	ND	250	
BROMOMETHANE	ND	200	2-HEXANONE	ND	2,500	
n-BUTYLBENZENE	ND	50	IDOMETHANE	ND	250	
s-BUTYLBENZENE	ND	50	ISOPROPYLBENZENE	ND	50	
t-BUTYLBENZENE	ND	50	ISOPROPYLTOLUENE	ND	50	
CARBON DISULFIDE	ND	250	METHYL ACRYLATE	ND	250	
CARBON TETRACHLORIDE	ND	50	METHYL ETHYL KETONE	ND	750	
CHLOROBENZENE	ND	50	METHYL-t-BUTYL ETHER	ND	250	
1-CHLOROBUTANE	ND	100	METHYLENE CHLORIDE	ND	100	
CHLOROFORM	ND	50	METHYL METHACRYLATE	ND	250	
CHLOROETHANE	ND	250	MIBK	ND	2,500	
CHLOROMETHANE	ND	250	2-METHYLNAPHTHALENE	ND	250	
2-CHLOROTOLUENE	ND	50	NAPHTHALENE	ND	250	
4-CHLOROTOLUENE	ND	50	PENTACHLOROETHANE	ND	250	
DIBROMOCHLOROMETHANE	ND	100	n-PROPYLBENZENE	ND	50	
DIBROMOMETHANE	ND	250	STYRENE	ND	50	
1,2-DIBROMOETHANE	ND	20	1,1,1,2-TETRACHLOROETHANE	ND	100	
1,2-DICHLOROETHANE	ND	50	1,1,2,2-TETRACHLOROETHANE	ND	50	
1,3-DICHLOROETHANE	ND	50	TETRACHLOROETHENE	ND	50	
1,4-DICHLOROETHANE	ND	50	TOLUENE	ND	50	
t-1,4-DICHLORO-2-BUTENE	ND	50	1,2,3-TRICHLOROETHANE	ND	50	
DICHLORODIFLUOROMETHANE	ND	250	1,2,4-TRICHLOROETHANE	ND	250	
1,1-DICHLOROETHANE	ND	50	1,1,1-TRICHLOROETHANE	ND	50	
1,2-DICHLOROETHANE	ND	50	1,1,2-TRICHLOROETHANE	ND	50	
1,1-DICHLOROETHENE	ND	50	TRICHLOROETHENE	ND	50	
cis-1,2-DICHLOROETHENE	ND	50	TRICHLORFLUOROMETHANE	ND	100	
trans-1,2-DICHLOROETHENE	ND	50	1,2,3-TRICHLOROPROPANE	ND	100	
1,2-DICHLOROPROPANE	ND	50	1,2,4-TRIMETHYLBENZENE	ND	50	
1,3-DICHLOROPROPANE	ND	50	1,3,5-TRIMETHYLBENZENE	ND	50	
2,2-DICHLOROPROPANE	ND	50	VINYL CHLORIDE	ND	40	
1,1-DICHLOROPROPENE	ND	50	XYLENE (TOTAL)	ND	150	

ND = NOT DETECTED, RESULT IS <LOD.

LOD = LIMIT OF DETECTION.



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: COMPLIANCE INC.
PROJECT NO: 4375
LOCATION: SOUTHDOWN CAR WASH
832 ROBBINS RD
GRAND HAVEN
SAMPLED BY: RANDY GLASS/COMPLIANCE INC.
SAMPLE MATRIX: SOIL

GTA PROJECT NO: 061620-10
GTA SAMPLE NO: 2
DATE SAMPLED: 6/11/2020
TIME SAMPLED: 1:30 PM
DATE RECEIVED: 6/16/2020
TIME RECEIVED: 12:35 PM

**THIS SAMPLE WAS RECEIVED MEOH PRESERVED.

SAMPLE ID: SB-7, 3'

EPA 8260B VOLATILE ORGANICS

Units= ug/Kg (PPB)	Analyst= MR	Date	6/11/2020	Date Completed= 6/17/2020	Prep	EPA 5035A
Analyte	Concentration	LOD	Analyte	Concentration	LOD	
ACETONE	ND	1,000	cis-1,3-DICHLOROPROPENE	ND	50	
ALLYL CHLORIDE	ND	250	trans-1,3-DICHLOROPROPENE	ND	50	
BENZENE	ND	50	DIETHYL ETHER	ND	200	
BROMOBENZENE	ND	100	ETHYLBENZENE	ND	50	
BROMOCHLOROMETHANE	ND	100	ETHYL METHACRYLATE	ND	250	
BROMODICHLOROMETHANE	ND	50	HEXACHLOROBUTADIENE	ND	50	
BROMOFORM	ND	100	HEXACHLOROETHANE	ND	250	
BROMOMETHANE	ND	200	2-HEXANONE	ND	2,500	
n-BUTYLBENZENE	ND	50	IDOMETHANE	ND	250	
s-BUTYLBENZENE	ND	50	ISOPROPYLBENZENE	ND	50	
t-BUTYLBENZENE	ND	50	ISOPROPYLTOLUENE	ND	50	
CARBON DISULFIDE	ND	250	METHYL ACRYLATE	ND	250	
CARBON TETRACHLORIDE	ND	50	METHYL ETHYL KETONE	ND	750	
CHLOROBENZENE	ND	50	METHYL-t-BUTYL ETHER	ND	250	
1-CHLOROBUTANE	ND	100	METHYLENE CHLORIDE	ND	100	
CHLOROFORM	ND	50	METHYL METHACRYLATE	ND	250	
CHLOROETHANE	ND	250	MIBK	ND	2,500	
CHLOROMETHANE	ND	250	2-METHYLNAPHTHALENE	ND	250	
2-CHLOROTOLUENE	ND	50	NAPHTHALENE	ND	250	
4-CHLOROTOLUENE	ND	50	PENTACHLOROETHANE	ND	250	
DIBROMOCHLOROMETHANE	ND	100	n-PROPYLBENZENE	ND	50	
DIBROMOMETHANE	ND	250	STYRENE	ND	50	
1,2-DIBROMOETHANE	ND	20	1,1,1,2-TETRACHLOROETHANE	ND	100	
1,2-DICHLOROBENZENE	ND	50	1,1,2,2-TETRACHLOROETHANE	ND	50	
1,3-DICHLOROBENZENE	ND	50	TETRACHLOROETHENE	ND	50	
1,4-DICHLOROBENZENE	ND	50	TOLUENE	ND	50	
t-1,4-DICHLORO-2-BUTENE	ND	50	1,2,3-TRICHLOROBENZENE	ND	50	
DICHLORODIFLUOROMETHANE	ND	250	1,2,4-TRICHLOROBENZENE	ND	250	
1,1-DICHLOROETHANE	ND	50	1,1,1-TRICHLOROETHANE	ND	50	
1,2-DICHLOROETHANE	ND	50	1,1,2-TRICHLOROETHANE	ND	50	
1,1-DICHLOROETHENE	ND	50	TRICHLOROETHENE	ND	50	
cis-1,2-DICHLOROETHENE	ND	50	TRICHLORFLUOROMETHANE	ND	100	
trans-1,2-DICHLOROETHENE	ND	50	1,2,3-TRICHLOROPROPANE	ND	100	
1,2-DICHLOROPROPANE	ND	50	1,2,4-TRIMETHYLBENZENE	ND	50	
1,3-DICHLOROPROPANE	ND	50	1,3,5-TRIMETHYLBENZENE	ND	50	
2,2-DICHLOROPROPANE	ND	50	VINYL CHLORIDE	ND	40	
1,1-DICHLOROPROPENE	ND	50	XYLENE (TOTAL)	ND	150	

ND = NOT DETECTED, RESULT IS <LOD.

LOD = LIMIT OF DETECTION.



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: COMPLIANCE INC.
PROJECT NO: 4375
LOCATION: SOUTHDOWN CAR WASH
832 ROBBINS RD
GRAND HAVEN
SAMPLED BY: RANDY GLASS/COMPLIANCE INC.
SAMPLE MATRIX: SOIL

GTA PROJECT NO: 061620-10
GTA SAMPLE NO: 3
DATE SAMPLED: 6/11/2020
TIME SAMPLED: 1:40 PM
DATE RECEIVED: 6/16/2020
TIME RECEIVED: 12:35 PM

**THIS SAMPLE WAS RECEIVED MEOH PRESERVED.

SAMPLE ID: SB-8, 6'

EPA 8260B VOLATILE ORGANICS

Units= ug/Kg (PPB)	Analyst= MR	Date	6/11/2020	Date Completed= 6/17/2020	Prep	EPA 5035A
Analyte	Concentration	LOD	Analyte	Concentration	LOD	
ACETONE	ND	1,000	cis-1,3-DICHLOROPROPENE	ND	50	
ALLYL CHLORIDE	ND	250	trans-1,3-DICHLOROPROPENE	ND	50	
BENZENE	ND	50	DIETHYL ETHER	ND	200	
BROMOBENZENE	ND	100	ETHYLBENZENE	ND	50	
BROMOCHLOROMETHANE	ND	100	ETHYL METHACRYLATE	ND	250	
BROMODICHLOROMETHANE	ND	50	HEXACHLOROBUTADIENE	ND	50	
BROMOFORM	ND	100	HEXACHLOROETHANE	ND	250	
BROMOMETHANE	ND	200	2-HEXANONE	ND	2,500	
n-BUTYLBENZENE	ND	50	IDOMETHANE	ND	250	
s-BUTYLBENZENE	ND	50	ISOPROPYLBENZENE	ND	50	
t-BUTYLBENZENE	ND	50	ISOPROPYLTOLUENE	ND	50	
CARBON DISULFIDE	ND	250	METHYL ACRYLATE	ND	250	
CARBON TETRACHLORIDE	ND	50	METHYL ETHYL KETONE	ND	750	
CHLOROBENZENE	ND	50	METHYL-t-BUTYL ETHER	ND	250	
1-CHLOROBUTANE	ND	100	METHYLENE CHLORIDE	ND	100	
CHLOROFORM	ND	50	METHYL METHACRYLATE	ND	250	
CHLOROETHANE	ND	250	MIBK	ND	2,500	
CHLOROMETHANE	ND	250	2-METHYLNAPHTHALENE	ND	250	
2-CHLOROTOLUENE	ND	50	NAPHTHALENE	ND	250	
4-CHLOROTOLUENE	ND	50	PENTACHLOROETHANE	ND	250	
DIBROMOCHLOROMETHANE	ND	100	n-PROPYLBENZENE	ND	50	
DIBROMOMETHANE	ND	250	STYRENE	ND	50	
1,2-DIBROMOETHANE	ND	20	1,1,1,2-TETRACHLOROETHANE	ND	100	
1,2-DICHLOROBENZENE	ND	50	1,1,2,2-TETRACHLOROETHANE	ND	50	
1,3-DICHLOROBENZENE	ND	50	TETRACHLOROETHENE	ND	50	
1,4-DICHLOROBENZENE	ND	50	TOLUENE	ND	50	
t-1,4-DICHLORO-2-BUTENE	ND	50	1,2,3-TRICHLOROBENZENE	ND	50	
DICHLORODIFLUOROMETHANE	ND	250	1,2,4-TRICHLOROBENZENE	ND	250	
1,1-DICHLOROETHANE	ND	50	1,1,1-TRICHLOROETHANE	ND	50	
1,2-DICHLOROETHANE	ND	50	1,1,2-TRICHLOROETHANE	ND	50	
1,1-DICHLOROETHENE	ND	50	TRICHLOROETHENE	ND	50	
cis-1,2-DICHLOROETHENE	ND	50	TRICHLORFLUOROMETHANE	ND	100	
trans-1,2-DICHLOROETHENE	ND	50	1,2,3-TRICHLOROPROPANE	ND	100	
1,2-DICHLOROPROPANE	ND	50	1,2,4-TRIMETHYLBENZENE	ND	50	
1,3-DICHLOROPROPANE	ND	50	1,3,5-TRIMETHYLBENZENE	ND	50	
2,2-DICHLOROPROPANE	ND	50	VINYL CHLORIDE	ND	40	
1,1-DICHLOROPROPENE	ND	50	XYLENE (TOTAL)	ND	150	

ND = NOT DETECTED, RESULT IS <LOD.

LOD = LIMIT OF DETECTION.



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: COMPLIANCE INC.
PROJECT NO: 4375
LOCATION: SOUTHDOWN CAR WASH
832 ROBBINS RD
GRAND HAVEN
SAMPLED BY: RANDY GLASS/COMPLIANCE INC.
SAMPLE MATRIX: SOIL

GTA PROJECT NO: 061620-10
GTA SAMPLE NO: 4
DATE SAMPLED: 6/11/2020
TIME SAMPLED: 2:00 PM
DATE RECEIVED: 6/16/2020
TIME RECEIVED: 12:35 PM

**THIS SAMPLE WAS RECEIVED MEOH PRESERVED.

SAMPLE ID: SB-9, 6'

EPA 8260B VOLATILE ORGANICS

Units= ug/Kg (PPB)	Analyst= MR	Date	6/11/2020	Date Completed= 6/17/2020	Prep	EPA 5035A
Analyte	Concentration	LOD	Analyte	Concentration	LOD	
ACETONE	ND	1,000	cis-1,3-DICHLOROPROPENE	ND	50	
ALLYL CHLORIDE	ND	250	trans-1,3-DICHLOROPROPENE	ND	50	
BENZENE	ND	50	DIETHYL ETHER	ND	200	
BROMOBENZENE	ND	100	ETHYLBENZENE	ND	50	
BROMOCHLOROMETHANE	ND	100	ETHYL METHACRYLATE	ND	250	
BROMODICHLOROMETHANE	ND	50	HEXACHLOROBUTADIENE	ND	50	
BROMOFORM	ND	100	HEXACHLOROETHANE	ND	250	
BROMOMETHANE	ND	200	2-HEXANONE	ND	2,500	
n-BUTYLBENZENE	ND	50	IDOMETHANE	ND	250	
s-BUTYLBENZENE	ND	50	ISOPROPYLBENZENE	ND	50	
t-BUTYLBENZENE	ND	50	ISOPROPYLTOLUENE	ND	50	
CARBON DISULFIDE	ND	250	METHYL ACRYLATE	ND	250	
CARBON TETRACHLORIDE	ND	50	METHYL ETHYL KETONE	ND	750	
CHLOROBENZENE	ND	50	METHYL-t-BUTYL ETHER	ND	250	
1-CHLOROBUTANE	ND	100	METHYLENE CHLORIDE	ND	100	
CHLOROFORM	ND	50	METHYL METHACRYLATE	ND	250	
CHLOROETHANE	ND	250	MIBK	ND	2,500	
CHLOROMETHANE	ND	250	2-METHYLNAPHTHALENE	ND	250	
2-CHLOROTOLUENE	ND	50	NAPHTHALENE	ND	250	
4-CHLOROTOLUENE	ND	50	PENTACHLOROETHANE	ND	250	
DIBROMOCHLOROMETHANE	ND	100	n-PROPYLBENZENE	ND	50	
DIBROMOMETHANE	ND	250	STYRENE	ND	50	
1,2-DIBROMOETHANE	ND	20	1,1,1,2-TETRACHLOROETHANE	ND	100	
1,2-DICHLOROBENZENE	ND	50	1,1,2,2-TETRACHLOROETHANE	ND	50	
1,3-DICHLOROBENZENE	ND	50	TETRACHLOROETHENE	ND	50	
1,4-DICHLOROBENZENE	ND	50	TOLUENE	ND	50	
t-1,4-DICHLORO-2-BUTENE	ND	50	1,2,3-TRICHLOROBENZENE	ND	50	
DICHLORODIFLUOROMETHANE	ND	250	1,2,4-TRICHLOROBENZENE	ND	250	
1,1-DICHLOROETHANE	ND	50	1,1,1-TRICHLOROETHANE	ND	50	
1,2-DICHLOROETHANE	ND	50	1,1,2-TRICHLOROETHANE	ND	50	
1,1-DICHLOROETHENE	ND	50	TRICHLOROETHENE	ND	50	
cis-1,2-DICHLOROETHENE	ND	50	TRICHLORFLUOROMETHANE	ND	100	
trans-1,2-DICHLOROETHENE	ND	50	1,2,3-TRICHLOROPROPANE	ND	100	
1,2-DICHLOROPROPANE	ND	50	1,2,4-TRIMETHYLBENZENE	ND	50	
1,3-DICHLOROPROPANE	ND	50	1,3,5-TRIMETHYLBENZENE	ND	50	
2,2-DICHLOROPROPANE	ND	50	VINYL CHLORIDE	ND	40	
1,1-DICHLOROPROPENE	ND	50	XYLENE (TOTAL)	ND	150	

ND = NOT DETECTED, RESULT IS <LOD.

LOD = LIMIT OF DETECTION.



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: COMPLIANCE INC.
PROJECT NO: 4375
LOCATION: SOUTHDOWN CAR WASH
832 ROBBINS RD
GRAND HAVEN
SAMPLED BY: RANDY GLASS/COMPLIANCE INC.
SAMPLE MATRIX: SOIL

GTA PROJECT NO: 061620-10
GTA SAMPLE NO: 5
DATE SAMPLED: 6/11/2020
TIME SAMPLED: 2:25 PM
DATE RECEIVED: 6/16/2020
TIME RECEIVED: 12:35 PM

**THIS SAMPLE WAS RECEIVED MEOH PRESERVED.

SAMPLE ID: SB-10, 6'

EPA 8260B VOLATILE ORGANICS

Units= ug/Kg (PPB)	Analyst= MR	Date	6/11/2020	Date Completed= 6/17/2020	Prep	EPA 5035A
Analyte	Concentration	LOD	Analyte	Concentration	LOD	
ACETONE	ND	1,000	cis-1,3-DICHLOROPROPENE	ND	50	
ALLYL CHLORIDE	ND	250	trans-1,3-DICHLOROPROPENE	ND	50	
BENZENE	ND	50	DIETHYL ETHER	ND	200	
BROMOBENZENE	ND	100	ETHYLBENZENE	ND	50	
BROMOCHLOROMETHANE	ND	100	ETHYL METHACRYLATE	ND	250	
BROMODICHLOROMETHANE	ND	50	HEXACHLOROBUTADIENE	ND	50	
BROMOFORM	ND	100	HEXACHLOROETHANE	ND	250	
BROMOMETHANE	ND	200	2-HEXANONE	ND	2,500	
n-BUTYLBENZENE	ND	50	IDOMETHANE	ND	250	
s-BUTYLBENZENE	ND	50	ISOPROPYLBENZENE	ND	50	
t-BUTYLBENZENE	ND	50	ISOPROPYLTOLUENE	ND	50	
CARBON DISULFIDE	ND	250	METHYL ACRYLATE	ND	250	
CARBON TETRACHLORIDE	ND	50	METHYL ETHYL KETONE	ND	750	
CHLOROBENZENE	ND	50	METHYL-t-BUTYL ETHER	ND	250	
1-CHLOROBUTANE	ND	100	METHYLENE CHLORIDE	ND	100	
CHLOROFORM	ND	50	METHYL METHACRYLATE	ND	250	
CHLOROETHANE	ND	250	MIBK	ND	2,500	
CHLOROMETHANE	ND	250	2-METHYLNAPHTHALENE	ND	250	
2-CHLOROTOLUENE	ND	50	NAPHTHALENE	ND	250	
4-CHLOROTOLUENE	ND	50	PENTACHLOROETHANE	ND	250	
DIBROMOCHLOROMETHANE	ND	100	n-PROPYLBENZENE	ND	50	
DIBROMOMETHANE	ND	250	STYRENE	ND	50	
1,2-DIBROMOETHANE	ND	20	1,1,1,2-TETRACHLOROETHANE	ND	100	
1,2-DICHLOROBENZENE	ND	50	1,1,2,2-TETRACHLOROETHANE	ND	50	
1,3-DICHLOROBENZENE	ND	50	TETRACHLOROETHENE	ND	50	
1,4-DICHLOROBENZENE	ND	50	TOLUENE	ND	50	
t-1,4-DICHLORO-2-BUTENE	ND	50	1,2,3-TRICHLOROBENZENE	ND	50	
DICHLORODIFLUOROMETHANE	ND	250	1,2,4-TRICHLOROBENZENE	ND	250	
1,1-DICHLOROETHANE	ND	50	1,1,1-TRICHLOROETHANE	ND	50	
1,2-DICHLOROETHANE	ND	50	1,1,2-TRICHLOROETHANE	ND	50	
1,1-DICHLOROETHENE	ND	50	TRICHLOROETHENE	ND	50	
cis-1,2-DICHLOROETHENE	ND	50	TRICHLORFLUOROMETHANE	ND	100	
trans-1,2-DICHLOROETHENE	ND	50	1,2,3-TRICHLOROPROPANE	ND	100	
1,2-DICHLOROPROPANE	ND	50	1,2,4-TRIMETHYLBENZENE	ND	50	
1,3-DICHLOROPROPANE	ND	50	1,3,5-TRIMETHYLBENZENE	ND	50	
2,2-DICHLOROPROPANE	ND	50	VINYL CHLORIDE	ND	40	
1,1-DICHLOROPROPENE	ND	50	XYLENE (TOTAL)	ND	150	

ND = NOT DETECTED, RESULT IS <LOD.

LOD = LIMIT OF DETECTION.



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: COMPLIANCE INC.
PROJECT NO: 4375
LOCATION: SOUTHDOWN CAR WASH
832 ROBBINS RD
GRAND HAVEN
SAMPLED BY: RANDY GLASS/COMPLIANCE INC.
SAMPLE MATRIX: SOIL

GTA PROJECT NO: 061620-10
GTA SAMPLE NO: 6
DATE SAMPLED: 6/11/2020
TIME SAMPLED: 2:50 PM
DATE RECEIVED: 6/16/2020
TIME RECEIVED: 12:35 PM

**THIS SAMPLE WAS RECEIVED MEOH PRESERVED.

SAMPLE ID: SB-11, 5'

EPA 8260B VOLATILE ORGANICS

Units= ug/Kg (PPB)	Analyst= MR	Date	6/11/2020	Date Completed= 6/17/2020	Prep	EPA 5035A
Analyte	Concentration	LOD	Analyte	Concentration	LOD	
ACETONE	ND	1,000	cis-1,3-DICHLOROPROPENE	ND	50	
ALLYL CHLORIDE	ND	250	trans-1,3-DICHLOROPROPENE	ND	50	
BENZENE	ND	50	DIETHYL ETHER	ND	200	
BROMOBENZENE	ND	100	ETHYLBENZENE	ND	50	
BROMOCHLOROMETHANE	ND	100	ETHYL METHACRYLATE	ND	250	
BROMODICHLOROMETHANE	ND	50	HEXACHLOROBUTADIENE	ND	50	
BROMOFORM	ND	100	HEXACHLOROETHANE	ND	250	
BROMOMETHANE	ND	200	2-HEXANONE	ND	2,500	
n-BUTYLBENZENE	ND	50	IDOMETHANE	ND	250	
s-BUTYLBENZENE	ND	50	ISOPROPYLBENZENE	ND	50	
t-BUTYLBENZENE	ND	50	ISOPROPYLTOLUENE	ND	50	
CARBON DISULFIDE	ND	250	METHYL ACRYLATE	ND	250	
CARBON TETRACHLORIDE	ND	50	METHYL ETHYL KETONE	ND	750	
CHLOROBENZENE	ND	50	METHYL-t-BUTYL ETHER	ND	250	
1-CHLOROBUTANE	ND	100	METHYLENE CHLORIDE	ND	100	
CHLOROFORM	ND	50	METHYL METHACRYLATE	ND	250	
CHLOROETHANE	ND	250	MIBK	ND	2,500	
CHLOROMETHANE	ND	250	2-METHYLNAPHTHALENE	ND	250	
2-CHLOROTOLUENE	ND	50	NAPHTHALENE	ND	250	
4-CHLOROTOLUENE	ND	50	PENTACHLOROETHANE	ND	250	
DIBROMOCHLOROMETHANE	ND	100	n-PROPYLBENZENE	ND	50	
DIBROMOMETHANE	ND	250	STYRENE	ND	50	
1,2-DIBROMOETHANE	ND	20	1,1,1,2-TETRACHLOROETHANE	ND	100	
1,2-DICHLOROBENZENE	ND	50	1,1,2,2-TETRACHLOROETHANE	ND	50	
1,3-DICHLOROBENZENE	ND	50	TETRACHLOROETHENE	ND	50	
1,4-DICHLOROBENZENE	ND	50	TOLUENE	ND	50	
t-1,4-DICHLORO-2-BUTENE	ND	50	1,2,3-TRICHLOROBENZENE	ND	50	
DICHLORODIFLUOROMETHANE	ND	250	1,2,4-TRICHLOROBENZENE	ND	250	
1,1-DICHLOROETHANE	ND	50	1,1,1-TRICHLOROETHANE	ND	50	
1,2-DICHLOROETHANE	ND	50	1,1,2-TRICHLOROETHANE	ND	50	
1,1-DICHLOROETHENE	ND	50	TRICHLOROETHENE	ND	50	
cis-1,2-DICHLOROETHENE	ND	50	TRICHLORFLUOROMETHANE	ND	100	
trans-1,2-DICHLOROETHENE	ND	50	1,2,3-TRICHLOROPROPANE	ND	100	
1,2-DICHLOROPROPANE	ND	50	1,2,4-TRIMETHYLBENZENE	ND	50	
1,3-DICHLOROPROPANE	ND	50	1,3,5-TRIMETHYLBENZENE	ND	50	
2,2-DICHLOROPROPANE	ND	50	VINYL CHLORIDE	ND	40	
1,1-DICHLOROPROPENE	ND	50	XYLENE (TOTAL)	ND	150	

ND = NOT DETECTED, RESULT IS <LOD.

LOD = LIMIT OF DETECTION.



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: COMPLIANCE INC.
PROJECT NO: 4375
LOCATION: SOUTHDOWN CAR WASH
832 ROBBINS RD
GRAND HAVEN
SAMPLED BY: RANDY GLASS/COMPLIANCE INC.
SAMPLE MATRIX: SOIL

GTA PROJECT NO: 061620-10
GTA SAMPLE NO: 7
DATE SAMPLED: 6/11/2020
TIME SAMPLED: 3:20 PM
DATE RECEIVED: 6/16/2020
TIME RECEIVED: 12:35 PM

**THIS SAMPLE WAS RECEIVED MEOH PRESERVED.

SAMPLE ID: SB-12, 6'

EPA 8260B VOLATILE ORGANICS

Units= ug/Kg (PPB)	Analyst= MR	Date	6/11/2020	Date Completed= 6/17/2020	Prep	EPA 5035A
Analyte	Concentration	LOD	Analyte	Concentration	LOD	
ACETONE	ND	1,000	cis-1,3-DICHLOROPROPENE	ND	50	
ALLYL CHLORIDE	ND	250	trans-1,3-DICHLOROPROPENE	ND	50	
BENZENE	ND	50	DIETHYL ETHER	ND	200	
BROMOBENZENE	ND	100	ETHYLBENZENE	ND	50	
BROMOCHLOROMETHANE	ND	100	ETHYL METHACRYLATE	ND	250	
BROMODICHLOROMETHANE	ND	50	HEXACHLOROBUTADIENE	ND	50	
BROMOFORM	ND	100	HEXACHLOROETHANE	ND	250	
BROMOMETHANE	ND	200	2-HEXANONE	ND	2,500	
n-BUTYLBENZENE	ND	50	IDOMETHANE	ND	250	
s-BUTYLBENZENE	ND	50	ISOPROPYLBENZENE	ND	50	
t-BUTYLBENZENE	ND	50	ISOPROPYLTOLUENE	ND	50	
CARBON DISULFIDE	ND	250	METHYL ACRYLATE	ND	250	
CARBON TETRACHLORIDE	ND	50	METHYL ETHYL KETONE	ND	750	
CHLOROBENZENE	ND	50	METHYL-t-BUTYL ETHER	ND	250	
1-CHLOROBUTANE	ND	100	METHYLENE CHLORIDE	ND	100	
CHLOROFORM	ND	50	METHYL METHACRYLATE	ND	250	
CHLOROETHANE	ND	250	MIBK	ND	2,500	
CHLOROMETHANE	ND	250	2-METHYLNAPHTHALENE	ND	250	
2-CHLOROTOLUENE	ND	50	NAPHTHALENE	ND	250	
4-CHLOROTOLUENE	ND	50	PENTACHLOROETHANE	ND	250	
DIBROMOCHLOROMETHANE	ND	100	n-PROPYLBENZENE	ND	50	
DIBROMOMETHANE	ND	250	STYRENE	ND	50	
1,2-DIBROMOETHANE	ND	20	1,1,1,2-TETRACHLOROETHANE	ND	100	
1,2-DICHLOROBENZENE	ND	50	1,1,2,2-TETRACHLOROETHANE	ND	50	
1,3-DICHLOROBENZENE	ND	50	TETRACHLOROETHENE	ND	50	
1,4-DICHLOROBENZENE	ND	50	TOLUENE	ND	50	
t-1,4-DICHLORO-2-BUTENE	ND	50	1,2,3-TRICHLOROBENZENE	ND	50	
DICHLORODIFLUOROMETHANE	ND	250	1,2,4-TRICHLOROBENZENE	ND	250	
1,1-DICHLOROETHANE	ND	50	1,1,1-TRICHLOROETHANE	ND	50	
1,2-DICHLOROETHANE	ND	50	1,1,2-TRICHLOROETHANE	ND	50	
1,1-DICHLOROETHENE	ND	50	TRICHLOROETHENE	ND	50	
cis-1,2-DICHLOROETHENE	ND	50	TRICHLORFLUOROMETHANE	ND	100	
trans-1,2-DICHLOROETHENE	ND	50	1,2,3-TRICHLOROPROPANE	ND	100	
1,2-DICHLOROPROPANE	ND	50	1,2,4-TRIMETHYLBENZENE	ND	50	
1,3-DICHLOROPROPANE	ND	50	1,3,5-TRIMETHYLBENZENE	ND	50	
2,2-DICHLOROPROPANE	ND	50	VINYL CHLORIDE	ND	40	
1,1-DICHLOROPROPENE	ND	50	XYLENE (TOTAL)	ND	150	

ND = NOT DETECTED, RESULT IS <LOD.

LOD = LIMIT OF DETECTION.



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: COMPLIANCE INC.
PROJECT NO: 4375
LOCATION: SOUTHDOWN CAR WASH
832 ROBBINS RD
GRAND HAVEN
SAMPLED BY: RANDY GLASS/COMPLIANCE INC.
SAMPLE MATRIX: SOIL

GTA PROJECT NO: 061620-10
GTA SAMPLE NO: 8
DATE SAMPLED: 6/11/2020
TIME SAMPLED: 4:37 PM
DATE RECEIVED: 6/16/2020
TIME RECEIVED: 12:35 PM

**THIS SAMPLE WAS RECEIVED MEOH PRESERVED.

SAMPLE ID: SB-13, 5'

EPA 8260B VOLATILE ORGANICS

Units= ug/Kg (PPB)	Analyst= MR	Date	6/11/2020	Date Completed= 6/17/2020	Prep	EPA 5035A
Analyte	Concentration	LOD	Analyte	Concentration	LOD	
ACETONE	ND	1,000	cis-1,3-DICHLOROPROPENE	ND	50	
ALLYL CHLORIDE	ND	250	trans-1,3-DICHLOROPROPENE	ND	50	
BENZENE	ND	50	DIETHYL ETHER	ND	200	
BROMOBENZENE	ND	100	ETHYLBENZENE	1,800	50	
BROMOCHLOROMETHANE	ND	100	ETHYL METHACRYLATE	ND	250	
BROMODICHLOROMETHANE	ND	50	HEXACHLOROBUTADIENE	ND	50	
BROMOFORM	ND	100	HEXACHLOROETHANE	ND	250	
BROMOMETHANE	ND	200	2-HEXANONE	ND	2,500	
n-BUTYLBENZENE	13,000	50	IDOMETHANE	ND	250	
s-BUTYLBENZENE	2,300	50	ISOPROPYLBENZENE	980	50	
t-BUTYLBENZENE	ND	50	ISOPROPYLTOLUENE	4,100	50	
CARBON DISULFIDE	ND	250	METHYL ACRYLATE	ND	250	
CARBON TETRACHLORIDE	ND	50	METHYL ETHYL KETONE	ND	750	
CHLOROBENZENE	ND	50	METHYL-t-BUTYL ETHER	ND	250	
1-CHLOROBUTANE	ND	100	METHYLENE CHLORIDE	ND	100	
CHLOROFORM	ND	50	METHYL METHACRYLATE	ND	250	
CHLOROETHANE	ND	250	MIBK	ND	2,500	
CHLOROMETHANE	ND	250	2-METHYLNAPHTHALENE	13,000	300	
2-CHLOROTOLUENE	ND	50	NAPHTHALENE	3,100	250	
4-CHLOROTOLUENE	ND	50	PENTACHLOROETHANE	ND	250	
DIBROMOCHLOROMETHANE	ND	100	n-PROPYLBENZENE	3,900	50	
DIBROMOMETHANE	ND	250	STYRENE	ND	50	
1,2-DIBROMOETHANE	ND	20	1,1,1,2-TETRACHLOROETHANE	ND	100	
1,2-DICHLOROBENZENE	ND	50	1,1,2,2-TETRACHLOROETHANE	ND	50	
1,3-DICHLOROBENZENE	ND	50	TETRACHLOROETHENE	ND	50	
1,4-DICHLOROBENZENE	ND	50	TOLUENE	ND	50	
t-1,4-DICHLORO-2-BUTENE	ND	50	1,2,3-TRICHLOROBENZENE	ND	50	
DICHLORODIFLUOROMETHANE	ND	250	1,2,4-TRICHLOROBENZENE	ND	250	
1,1-DICHLOROETHANE	ND	50	1,1,1-TRICHLOROETHANE	ND	50	
1,2-DICHLOROETHANE	ND	50	1,1,2-TRICHLOROETHANE	ND	50	
1,1-DICHLOROETHENE	ND	50	TRICHLOROETHENE	ND	50	
cis-1,2-DICHLOROETHENE	ND	50	TRICHLORFLUOROMETHANE	ND	100	
trans-1,2-DICHLOROETHENE	ND	50	1,2,3-TRICHLOROPROPANE	ND	100	
1,2-DICHLOROPROPANE	ND	50	1,2,4-TRIMETHYLBENZENE	50,000	120	
1,3-DICHLOROPROPANE	ND	50	1,3,5-TRIMETHYLBENZENE	25,000	120	
2,2-DICHLOROPROPANE	ND	50	VINYL CHLORIDE	ND	40	
1,1-DICHLOROPROPENE	ND	50	XYLENE (TOTAL)	20,000	360	

ND = NOT DETECTED, RESULT IS <LOD.

LOD = LIMIT OF DETECTION.



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: COMPLIANCE INC.
PROJECT NO: 4375
LOCATION: SOUTHDOWN CAR WASH
832 ROBBINS RD
GRAND HAVEN
SAMPLED BY: RANDY GLASS/COMPLIANCE INC.

GTA PROJECT NO: 061620-10
GTA SAMPLE NO: 9
DATE SAMPLED: 6/11/2020
TIME SAMPLED: 3:20 PM
DATE RECEIVED: 6/16/2020
TIME RECEIVED: 12:35 PM

SAMPLE MATRIX: WATER

SAMPLE ID: MW-6

EPA 8260B VOLATILE ORGANICS

Units= ug/L (PPB)

Analyst= MR

Date

Date Completed= 6/17/2020

Prep

EPA 5030B

Analyte	Concentration	LOD
ACETONE	ND	25
ALLYL CHLORIDE	ND	10
BENZENE	ND	1.0
BROMOBENZENE	ND	1.0
BROMOCHLOROMETHANE	ND	1.0
BROMODICHLOROMETHANE	ND	1.0
BROMOFORM	ND	1.0
BROMOMETHANE	ND	1.0
n-BUTYLBENZENE	ND	1.0
s-BUTYLBENZENE	ND	1.0
t-BUTYLBENZENE	ND	1.0
CARBON DISULFIDE	ND	5.0
CARBON TETRACHLORIDE	ND	1.0
CHLOROBEZENE	ND	1.0
1-CHLOROBUTANE	ND	1.0
CHLOROFORM	ND	1.0
CHLOROETHANE	ND	1.0
CHLOROMETHANE	ND	1.0
2-CHLOROTOLUENE	ND	1.0
4-CHLOROTOLUENE	ND	1.0
DIBROMOCHLOROMETHANE	ND	1.0
DIBROMOMETHANE	ND	1.0
1,2-DIBROMOETHANE	ND	1.0
1,2-DICHLOROBENZENE	ND	1.0
1,3-DICHLOROBENZENE	ND	1.0
1,4-DICHLOROBENZENE	ND	1.0
t-1,4-DICHLORO-2-BUTENE	ND	10
DICHLORODIFLUOROMETHANE	ND	1.0
1,1-DICHLOROETHANE	ND	1.0
1,2-DICHLOROETHANE	ND	1.0
1,1-DICHLOROETHENE	ND	1.0
cis-1,2-DICHLOROETHENE	ND	1.0
trans-1,2-DICHLOROETHENE	ND	1.0
1,2-DICHLOROPROPANE	ND	1.0
1,3-DICHLOROPROPANE	ND	1.0
2,2-DICHLOROPROPANE	ND	1.0
1,1-DICHLOROPROPENE	ND	1.0

Analyte	Concentration	LOD
cis-1,3-DICHLOROPROPENE	ND	1.0
trans-1,3-DICHLOROPROPENE	ND	1.0
DIETHYL ETHER	ND	10
ETHYLBENZENE	ND	1.0
ETHYL METHACRYLATE	ND	10
HEXACHLOROBUTADIENE	ND	1.0
HEXACHLOROETHANE	ND	10
2-HEXANONE	ND	10
IDOMETHANE	ND	10
ISOPROPYLBENZENE	ND	1.0
ISOPROPYLTOLUENE	ND	1.0
METHYL ACRYLATE	ND	10
METHYL ETHYL KETONE	ND	10
METHYL-t-BUTYL ETHER	ND	5.0
METHYLENE CHLORIDE	ND	1.0
METHYL METHACRYLATE	ND	10
MIBK	ND	10
2-METHYLNAPHTHALENE	ND	5.0
NAPHTHALENE	ND	5.0
PENTACHLOROETHANE	ND	10
n-PROPYLBENZENE	ND	1.0
STYRENE	ND	1.0
1,1,1,2-TETRACHLOROETHANE	ND	1.0
1,1,2,2-TETRACHLOROETHANE	ND	1.0
TETRACHLOROETHENE	ND	1.0
TOLUENE	ND	1.0
1,2,3-TRICHLOROBENZENE	ND	1.0
1,2,4-TRICHLOROBENZENE	ND	1.0
1,1,1-TRICHLOROETHANE	ND	1.0
1,1,2-TRICHLOROETHANE	ND	1.0
TRICHLOROETHENE	ND	1.0
TRICHLORFLUOROMETHANE	ND	1.0
1,2,3-TRICHLOROPROPANE	ND	1.0
1,2,4-TRIMETHYLBENZENE	ND	1.0
1,3,5-TRIMETHYLBENZENE	ND	1.0
VINYL CHLORIDE	ND	1.0
XYLENE (TOTAL)	ND	3.0

ND = NOT DETECTED, RESULT IS <LOD.

LOD = LIMIT OF DETECTION.



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: COMPLIANCE INC.
PROJECT NO: 4375
LOCATION: SOUTHDOWN CAR WASH
832 ROBBINS RD
GRAND HAVEN
SAMPLED BY: RANDY GLASS/COMPLIANCE INC.

GTA PROJECT NO: 061620-10
GTA SAMPLE NO: 10
DATE SAMPLED: 6/11/2020
TIME SAMPLED: 4:15 PM
DATE RECEIVED: 6/16/2020
TIME RECEIVED: 12:35 PM

SAMPLE MATRIX: WATER

SAMPLE ID: MW-7

EPA 8260B VOLATILE ORGANICS

Units= ug/L (PPB)

Analyst= MR

Date

Date Completed= 6/17/2020

Prep

EPA 5030B

Analyte	Concentration	LOD
ACETONE	ND	25
ALLYL CHLORIDE	ND	10
BENZENE	ND	1.0
BROMOBENZENE	ND	1.0
BROMOCHLOROMETHANE	ND	1.0
BROMODICHLOROMETHANE	ND	1.0
BROMOFORM	ND	1.0
BROMOMETHANE	ND	1.0
n-BUTYLBENZENE	ND	1.0
s-BUTYLBENZENE	ND	1.0
t-BUTYLBENZENE	ND	1.0
CARBON DISULFIDE	ND	5.0
CARBON TETRACHLORIDE	ND	1.0
CHLOROBENZENE	ND	1.0
1-CHLOROBUTANE	ND	1.0
CHLOROFORM	ND	1.0
CHLOROETHANE	ND	1.0
CHLOROMETHANE	ND	1.0
2-CHLOROTOLUENE	ND	1.0
4-CHLOROTOLUENE	ND	1.0
DIBROMOCHLOROMETHANE	ND	1.0
DIBROMOMETHANE	ND	1.0
1,2-DIBROMOETHANE	ND	1.0
1,2-DICHLOROBENZENE	ND	1.0
1,3-DICHLOROBENZENE	ND	1.0
1,4-DICHLOROBENZENE	ND	1.0
t-1,4-DICHLORO-2-BUTENE	ND	10
DICHLORODIFLUOROMETHANE	ND	1.0
1,1-DICHLOROETHANE	ND	1.0
1,2-DICHLOROETHANE	ND	1.0
1,1-DICHLOROETHENE	ND	1.0
cis-1,2-DICHLOROETHENE	ND	1.0
trans-1,2-DICHLOROETHENE	ND	1.0
1,2-DICHLOROPROPANE	ND	1.0
1,3-DICHLOROPROPANE	ND	1.0
2,2-DICHLOROPROPANE	ND	1.0
1,1-DICHLOROPROPENE	ND	1.0

Analyte	Concentration	LOD
cis-1,3-DICHLOROPROPENE	ND	1.0
trans-1,3-DICHLOROPROPENE	ND	1.0
DIETHYL ETHER	ND	10
ETHYLBENZENE	ND	1.0
ETHYL METHACRYLATE	ND	10
HEXACHLOROBUTADIENE	ND	1.0
HEXACHLOROETHANE	ND	10
2-HEXANONE	ND	10
IDOMETHANE	ND	10
ISOPROPYLBENZENE	ND	1.0
ISOPROPYLTOLUENE	ND	1.0
METHYL ACRYLATE	ND	10
METHYL ETHYL KETONE	ND	10
METHYL-t-BUTYL ETHER	ND	5.0
METHYLENE CHLORIDE	ND	1.0
METHYL METHACRYLATE	ND	10
MIBK	ND	10
2-METHYLNAPHTHALENE	ND	5.0
NAPHTHALENE	ND	5.0
PENTACHLOROETHANE	ND	10
n-PROPYLBENZENE	ND	1.0
STYRENE	ND	1.0
1,1,1,2-TETRACHLOROETHANE	ND	1.0
1,1,2,2-TETRACHLOROETHANE	ND	1.0
TETRACHLOROETHENE	ND	1.0
TOLUENE	ND	1.0
1,2,3-TRICHLOROBENZENE	ND	1.0
1,2,4-TRICHLOROBENZENE	ND	1.0
1,1,1-TRICHLOROETHANE	ND	1.0
1,1,2-TRICHLOROETHANE	ND	1.0
TRICHLOROETHENE	ND	1.0
TRICHLORFLUOROMETHANE	ND	1.0
1,2,3-TRICHLOROPROPANE	ND	1.0
1,2,4-TRIMETHYLBENZENE	ND	1.0
1,3,5-TRIMETHYLBENZENE	ND	1.0
VINYL CHLORIDE	ND	1.0
XYLENE (TOTAL)	ND	3.0

ND = NOT DETECTED, RESULT IS <LOD.

LOD = LIMIT OF DETECTION.



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: COMPLIANCE INC.
PROJECT NO: 4375
LOCATION: SOUTHDOWN CAR WASH
832 ROBBINS RD
GRAND HAVEN
SAMPLED BY: RANDY GLASS/COMPLIANCE INC.

GTA PROJECT NO: 061620-10
GTA SAMPLE NO: 11
DATE SAMPLED: 6/11/2020
TIME SAMPLED: 5:40 PM
DATE RECEIVED: 6/16/2020
TIME RECEIVED: 12:35 PM

SAMPLE MATRIX: WATER
SAMPLE ID: TMW-8 16-21'

EPA 8260B VOLATILE ORGANICS

Units= ug/L (PPB)

Analyst= MR

Date

Date Completed= 6/17/2020

Prep

EPA 5030B

Analyte	Concentration	LOD
ACETONE	ND	25
ALLYL CHLORIDE	ND	10
BENZENE	ND	1.0
BROMOBENZENE	ND	1.0
BROMOCHLOROMETHANE	ND	1.0
BROMODICHLOROMETHANE	ND	1.0
BROMOFORM	ND	1.0
BROMOMETHANE	ND	1.0
n-BUTYLBENZENE	ND	1.0
s-BUTYLBENZENE	ND	1.0
t-BUTYLBENZENE	ND	1.0
CARBON DISULFIDE	ND	5.0
CARBON TETRACHLORIDE	ND	1.0
CHLOROBENZENE	ND	1.0
1-CHLOROBUTANE	ND	1.0
CHLOROFORM	ND	1.0
CHLOROETHANE	ND	1.0
CHLOROMETHANE	ND	1.0
2-CHLOROTOLUENE	ND	1.0
4-CHLOROTOLUENE	ND	1.0
DIBROMOCHLOROMETHANE	ND	1.0
DIBROMOMETHANE	ND	1.0
1,2-DIBROMOETHANE	ND	1.0
1,2-DICHLOROBENZENE	ND	1.0
1,3-DICHLOROBENZENE	ND	1.0
1,4-DICHLOROBENZENE	ND	1.0
t-1,4-DICHLORO-2-BUTENE	ND	10
DICHLORODIFLUOROMETHANE	ND	1.0
1,1-DICHLOROETHANE	ND	1.0
1,2-DICHLOROETHANE	ND	1.0
1,1-DICHLOROETHENE	ND	1.0
cis-1,2-DICHLOROETHENE	ND	1.0
trans-1,2-DICHLOROETHENE	ND	1.0
1,2-DICHLOROPROPANE	ND	1.0
1,3-DICHLOROPROPANE	ND	1.0
2,2-DICHLOROPROPANE	ND	1.0
1,1-DICHLOROPROPENE	ND	1.0

Analyte	Concentration	LOD
cis-1,3-DICHLOROPROPENE	ND	1.0
trans-1,3-DICHLOROPROPENE	ND	1.0
DIETHYL ETHER	ND	10
ETHYLBENZENE	ND	1.0
ETHYL METHACRYLATE	ND	10
HEXACHLOROBUTADIENE	ND	1.0
HEXACHLOROETHANE	ND	10
2-HEXANONE	ND	10
IDOMETHANE	ND	10
ISOPROPYLBENZENE	ND	1.0
ISOPROPYLTOLUENE	ND	1.0
METHYL ACRYLATE	ND	10
METHYL ETHYL KETONE	ND	10
METHYL-t-BUTYL ETHER	ND	5.0
METHYLENE CHLORIDE	ND	1.0
METHYL METHACRYLATE	ND	10
MIBK	ND	10
2-METHYLNAPHTHALENE	ND	5.0
NAPHTHALENE	ND	5.0
PENTACHLOROETHANE	ND	10
n-PROPYLBENZENE	ND	1.0
STYRENE	ND	1.0
1,1,1,2-TETRACHLOROETHANE	ND	1.0
1,1,2,2-TETRACHLOROETHANE	ND	1.0
TETRACHLOROETHENE	ND	1.0
TOLUENE	ND	1.0
1,2,3-TRICHLOROBENZENE	ND	1.0
1,2,4-TRICHLOROBENZENE	ND	1.0
1,1,1-TRICHLOROETHANE	ND	1.0
1,1,2-TRICHLOROETHANE	ND	1.0
TRICHLOROETHENE	ND	1.0
TRICHLORFLUOROMETHANE	ND	1.0
1,2,3-TRICHLOROPROPANE	ND	1.0
1,2,4-TRIMETHYLBENZENE	ND	1.0
1,3,5-TRIMETHYLBENZENE	ND	1.0
VINYL CHLORIDE	ND	1.0
XYLENE (TOTAL)	ND	3.0

ND = NOT DETECTED, RESULT IS <LOD.

LOD = LIMIT OF DETECTION.



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: COMPLIANCE INC.
PROJECT NO: 4375
LOCATION: SOUTHDOWN CAR WASH
832 ROBBINS RD
GRAND HAVEN
SAMPLED BY: RANDY GLASS/COMPLIANCE INC.

GTA PROJECT NO: 061620-10
GTA SAMPLE NO: 12
DATE SAMPLED: 6/11/2020
TIME SAMPLED: 6:00 PM
DATE RECEIVED: 6/16/2020
TIME RECEIVED: 12:35 PM

SAMPLE MATRIX: WATER
SAMPLE ID: TMW-8 10-15'

EPA 8260B VOLATILE ORGANICS

Units= ug/L (PPB)

Analyst= MR

Date

Date Completed= 6/17/2020

Prep

EPA 5030B

Analyte	Concentration	LOD
ACETONE	ND	25
ALLYL CHLORIDE	ND	10
BENZENE	ND	1.0
BROMOBENZENE	ND	1.0
BROMOCHLOROMETHANE	ND	1.0
BROMODICHLOROMETHANE	ND	1.0
BROMOFORM	ND	1.0
BROMOMETHANE	ND	1.0
n-BUTYLBENZENE	ND	1.0
s-BUTYLBENZENE	ND	1.0
t-BUTYLBENZENE	ND	1.0
CARBON DISULFIDE	ND	5.0
CARBON TETRACHLORIDE	ND	1.0
CHLOROBENZENE	ND	1.0
1-CHLOROBUTANE	ND	1.0
CHLOROFORM	ND	1.0
CHLOROETHANE	ND	1.0
CHLOROMETHANE	ND	1.0
2-CHLOROTOLUENE	ND	1.0
4-CHLOROTOLUENE	ND	1.0
DIBROMOCHLOROMETHANE	ND	1.0
DIBROMOMETHANE	ND	1.0
1,2-DIBROMOETHANE	ND	1.0
1,2-DICHLOROBENZENE	ND	1.0
1,3-DICHLOROBENZENE	ND	1.0
1,4-DICHLOROBENZENE	ND	1.0
t-1,4-DICHLORO-2-BUTENE	ND	10
DICHLORODIFLUOROMETHANE	ND	1.0
1,1-DICHLOROETHANE	ND	1.0
1,2-DICHLOROETHANE	ND	1.0
1,1-DICHLOROETHENE	ND	1.0
cis-1,2-DICHLOROETHENE	ND	1.0
trans-1,2-DICHLOROETHENE	ND	1.0
1,2-DICHLOROPROPANE	ND	1.0
1,3-DICHLOROPROPANE	ND	1.0
2,2-DICHLOROPROPANE	ND	1.0
1,1-DICHLOROPROPENE	ND	1.0

Analyte	Concentration	LOD
cis-1,3-DICHLOROPROPENE	ND	1.0
trans-1,3-DICHLOROPROPENE	ND	1.0
DIETHYL ETHER	ND	10
ETHYLBENZENE	ND	1.0
ETHYL METHACRYLATE	ND	10
HEXACHLOROBUTADIENE	ND	1.0
HEXACHLOROETHANE	ND	10
2-HEXANONE	ND	10
IDOMETHANE	ND	10
ISOPROPYLBENZENE	ND	1.0
ISOPROPYLTOLUENE	ND	1.0
METHYL ACRYLATE	ND	10
METHYL ETHYL KETONE	ND	10
METHYL-t-BUTYL ETHER	ND	5.0
METHYLENE CHLORIDE	ND	1.0
METHYL METHACRYLATE	ND	10
MIBK	ND	10
2-METHYLNAPHTHALENE	ND	5.0
NAPHTHALENE	ND	5.0
PENTACHLOROETHANE	ND	10
n-PROPYLBENZENE	ND	1.0
STYRENE	ND	1.0
1,1,1,2-TETRACHLOROETHANE	ND	1.0
1,1,2,2-TETRACHLOROETHANE	ND	1.0
TETRACHLOROETHENE	ND	1.0
TOLUENE	ND	1.0
1,2,3-TRICHLOROBENZENE	ND	1.0
1,2,4-TRICHLOROBENZENE	ND	1.0
1,1,1-TRICHLOROETHANE	ND	1.0
1,1,2-TRICHLOROETHANE	ND	1.0
TRICHLOROETHENE	ND	1.0
TRICHLORFLUOROMETHANE	ND	1.0
1,2,3-TRICHLOROPROPANE	ND	1.0
1,2,4-TRIMETHYLBENZENE	ND	1.0
1,3,5-TRIMETHYLBENZENE	ND	1.0
VINYL CHLORIDE	ND	1.0
XYLENE (TOTAL)	ND	3.0

ND = NOT DETECTED, RESULT IS <LOD.

LOD = LIMIT OF DETECTION.



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: COMPLIANCE INC.
PROJECT NO: 4375
LOCATION: SOUTHDOWN CAR WASH
832 ROBBINS RD
GRAND HAVEN
SAMPLED BY: RANDY GLASS/COMPLIANCE INC.

GTA PROJECT NO: 061620-10
GTA SAMPLE NO: 13
DATE SAMPLED: 6/11/2020
TIME SAMPLED: 6:30 PM
DATE RECEIVED: 6/16/2020
TIME RECEIVED: 12:35 PM

SAMPLE MATRIX: WATER

SAMPLE ID: MW-8D

EPA 8260B VOLATILE ORGANICS

Units= ug/L (PPB)

Analyst= MR

Date

Date Completed= 6/18/2020

Prep

EPA 5030B

Analyte	Concentration	LOD
ACETONE	ND	25
ALLYL CHLORIDE	ND	10
BENZENE	ND	1.0
BROMOBENZENE	ND	1.0
BROMOCHLOROMETHANE	ND	1.0
BROMODICHLOROMETHANE	ND	1.0
BROMOFORM	ND	1.0
BROMOMETHANE	ND	1.0
n-BUTYLBENZENE	ND	1.0
s-BUTYLBENZENE	ND	1.0
t-BUTYLBENZENE	ND	1.0
CARBON DISULFIDE	ND	5.0
CARBON TETRACHLORIDE	ND	1.0
CHLOROBENZENE	ND	1.0
1-CHLOROBUTANE	ND	1.0
CHLOROFORM	ND	1.0
CHLOROETHANE	ND	1.0
CHLOROMETHANE	ND	1.0
2-CHLOROTOLUENE	ND	1.0
4-CHLOROTOLUENE	ND	1.0
DIBROMOCHLOROMETHANE	ND	1.0
DIBROMOMETHANE	ND	1.0
1,2-DIBROMOETHANE	ND	1.0
1,2-DICHLOROBENZENE	ND	1.0
1,3-DICHLOROBENZENE	ND	1.0
1,4-DICHLOROBENZENE	ND	1.0
t-1,4-DICHLORO-2-BUTENE	ND	10
DICHLORODIFLUOROMETHANE	ND	1.0
1,1-DICHLOROETHANE	ND	1.0
1,2-DICHLOROETHANE	ND	1.0
1,1-DICHLOROETHENE	ND	1.0
cis-1,2-DICHLOROETHENE	2.2	1.0
trans-1,2-DICHLOROETHENE	ND	1.0
1,2-DICHLOROPROPANE	ND	1.0
1,3-DICHLOROPROPANE	ND	1.0
2,2-DICHLOROPROPANE	ND	1.0
1,1-DICHLOROPROPENE	ND	1.0

Analyte	Concentration	LOD
cis-1,3-DICHLOROPROPENE	ND	1.0
trans-1,3-DICHLOROPROPENE	ND	1.0
DIETHYL ETHER	ND	10
ETHYLBENZENE	ND	1.0
ETHYL METHACRYLATE	ND	10
HEXACHLOROBUTADIENE	ND	1.0
HEXACHLOROETHANE	ND	10
2-HEXANONE	ND	10
IDOMETHANE	ND	10
ISOPROPYLBENZENE	ND	1.0
ISOPROPYLTOLUENE	ND	1.0
METHYL ACRYLATE	ND	10
METHYL ETHYL KETONE	ND	10
METHYL-t-BUTYL ETHER	ND	5.0
METHYLENE CHLORIDE	ND	1.0
METHYL METHACRYLATE	ND	10
MIBK	ND	10
2-METHYLNAPHTHALENE	ND	5.0
NAPHTHALENE	ND	5.0
PENTACHLOROETHANE	ND	10
n-PROPYLBENZENE	ND	1.0
STYRENE	ND	1.0
1,1,1,2-TETRACHLOROETHANE	ND	1.0
1,1,2,2-TETRACHLOROETHANE	ND	1.0
TETRACHLOROETHENE	ND	1.0
TOLUENE	ND	1.0
1,2,3-TRICHLOROBENZENE	ND	1.0
1,2,4-TRICHLOROBENZENE	ND	1.0
1,1,1-TRICHLOROETHANE	ND	1.0
1,1,2-TRICHLOROETHANE	ND	1.0
TRICHLOROETHENE	ND	1.0
TRICHLORFLUOROMETHANE	ND	1.0
1,2,3-TRICHLOROPROPANE	ND	1.0
1,2,4-TRIMETHYLBENZENE	ND	1.0
1,3,5-TRIMETHYLBENZENE	ND	1.0
VINYL CHLORIDE	3.3	1.0
XYLENE (TOTAL)	ND	3.0

ND = NOT DETECTED, RESULT IS <LOD.

LOD = LIMIT OF DETECTION.



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: COMPLIANCE INC.
PROJECT NO: 4375
LOCATION: SOUTHDOWN CAR WASH
832 ROBBINS RD
GRAND HAVEN
SAMPLED BY: RANDY GLASS/COMPLIANCE INC.

GTA PROJECT NO: 061620-10
GTA SAMPLE NO: 14
DATE SAMPLED: 6/11/2020
TIME SAMPLED: 6:25 PM
DATE RECEIVED: 6/16/2020
TIME RECEIVED: 12:35 PM

SAMPLE MATRIX: WATER

SAMPLE ID: MW-8

EPA 8260B VOLATILE ORGANICS

Units= ug/L (PPB)

Analyst= MR

Date

Date Completed= 6/17/2020

Prep

EPA 5030B

Analyte	Concentration	LOD
ACETONE	ND	25
ALLYL CHLORIDE	ND	10
BENZENE	3.3	1.0
BROMOBENZENE	ND	1.0
BROMOCHLOROMETHANE	ND	1.0
BROMODICHLOROMETHANE	ND	1.0
BROMOFORM	ND	1.0
BROMOMETHANE	ND	1.0
n-BUTYLBENZENE	18	1.0
s-BUTYLBENZENE	6.8	1.0
t-BUTYLBENZENE	ND	1.0
CARBON DISULFIDE	ND	5.0
CARBON TETRACHLORIDE	ND	1.0
CHLOROBENZENE	ND	1.0
1-CHLOROBUTANE	ND	1.0
CHLOROFORM	ND	1.0
CHLOROETHANE	ND	1.0
CHLOROMETHANE	ND	1.0
2-CHLOROTOLUENE	ND	1.0
4-CHLOROTOLUENE	ND	1.0
DIBROMOCHLOROMETHANE	ND	1.0
DIBROMOMETHANE	ND	1.0
1,2-DIBROMOETHANE	ND	1.0
1,2-DICHLOROBENZENE	ND	1.0
1,3-DICHLOROBENZENE	ND	1.0
1,4-DICHLOROBENZENE	ND	1.0
t-1,4-DICHLORO-2-BUTENE	ND	10
DICHLORODIFLUOROMETHANE	ND	1.0
1,1-DICHLOROETHANE	ND	1.0
1,2-DICHLOROETHANE	ND	1.0
1,1-DICHLOROETHENE	ND	1.0
cis-1,2-DICHLOROETHENE	ND	1.0
trans-1,2-DICHLOROETHENE	ND	1.0
1,2-DICHLOROPROPANE	ND	1.0
1,3-DICHLOROPROPANE	ND	1.0
2,2-DICHLOROPROPANE	ND	1.0
1,1-DICHLOROPROPENE	ND	1.0

Analyte	Concentration	LOD
cis-1,3-DICHLOROPROPENE	ND	1.0
trans-1,3-DICHLOROPROPENE	ND	1.0
DIETHYL ETHER	ND	10
ETHYLBENZENE	26	1.0
ETHYL METHACRYLATE	ND	10
HEXACHLOROBUTADIENE	ND	1.0
HEXACHLOROETHANE	ND	10
2-HEXANONE	ND	10
IDOMETHANE	ND	10
ISOPROPYLBENZENE	6.3	1.0
ISOPROPYLTOLUENE	5.2	1.0
METHYL ACRYLATE	ND	10
METHYL ETHYL KETONE	ND	10
METHYL-t-BUTYL ETHER	ND	5.0
METHYLENE CHLORIDE	ND	1.0
METHYL METHACRYLATE	ND	10
MIBK	ND	10
2-METHYLNAPHTHALENE	35	5.0
NAPHTHALENE	32	5.0
PENTACHLOROETHANE	ND	10
n-PROPYLBENZENE	15	1.0
STYRENE	ND	1.0
1,1,1,2-TETRACHLOROETHANE	ND	1.0
1,1,2,2-TETRACHLOROETHANE	ND	1.0
TETRACHLOROETHENE	ND	1.0
TOLUENE	4.5	1.0
1,2,3-TRICHLOROBENZENE	ND	1.0
1,2,4-TRICHLOROBENZENE	ND	1.0
1,1,1-TRICHLOROETHANE	ND	1.0
1,1,2-TRICHLOROETHANE	ND	1.0
TRICHLOROETHENE	ND	1.0
TRICHLORFLUOROMETHANE	ND	1.0
1,2,3-TRICHLOROPROPANE	ND	1.0
1,2,4-TRIMETHYLBENZENE	160	1.0
1,3,5-TRIMETHYLBENZENE	53	1.0
VINYL CHLORIDE	ND	1.0
XYLENE (TOTAL)	160	3.0

ND = NOT DETECTED, RESULT IS <LOD.

LOD = LIMIT OF DETECTION.

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: COMPLIANCE INC.

GTA PROJECT NO: 061620-

NAME:

SAMPLED BY: RANDY GLASS/COMPLIANCE INC.

PROJECT NO: 4375

DATE SAMPLED: 6/11/2020

TIME SAMPLED: 1:20 PM

LOCATION: SOUTHDOWN CAR WASH
832 ROBBINS RD
GRAND HAVEN
MI

SAMPLE MATRIX: SOIL

DATE RECEIVED: 6/16/2020

TIME RECEIVED: 12:35 PM

MOISTURE

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Complete</u>
SAMPLE ID: SB-6, 4'	% MOISTURE EPA 3550C	12	0.050	% OF SAMPLE	AS	6/16/2020
SAMPLE ID: SB-7, 3'	% MOISTURE EPA 3550C	3.5	0.050	% OF SAMPLE	AS	6/16/2020
SAMPLE ID: SB-8, 6'	% MOISTURE EPA 3550C	12	0.050	% OF SAMPLE	AS	6/16/2020
SAMPLE ID: SB-9, 6'	% MOISTURE EPA 3550C	19	0.050	% OF SAMPLE	AS	6/16/2020
SAMPLE ID: SB-10, 6'	% MOISTURE EPA 3550C	11	0.050	% OF SAMPLE	AS	6/16/2020
SAMPLE ID: SB-11, 5'	% MOISTURE EPA 3550C	10	0.050	% OF SAMPLE	AS	6/16/2020
SAMPLE ID: SB-12, 6'	% MOISTURE EPA 3550C	15	0.050	% OF SAMPLE	AS	6/16/2020
SAMPLE ID: SB-13, 5'	% MOISTURE EPA 3550C	11	0.050	% OF SAMPLE	AS	6/16/2020

CHAIN OF CUSTODY

PROJECT NUMBER 4375	SITE NAME/ADDRESS SOUTH TOWN CAR WASH 832 Robbins Rd, Grand Haven, MI	COMPANY/NAME
SAMPLED BY Randy Glass	COMPANY Compliance, Inc	GTA PROJECT # 06/16/20-10

SAMPLE INFORMATION

#	SAMPLE ID	DATE SAMPLED	TIME	MATRIX	ANALYSIS
1	SB-6, 4'	6/11/20	1320	SOIL	FULL VOCs 8260
2	SB-7, 3'		1330		
3	SB-8, 6'		1340		
4	SB-9, 6'		1400		
5	SB-10, 6'		1425		
6	SB-11, 5'		1450		
7	SB-12, 6'		1520		
8	SB-13, 5'		1637	✓	
9	MW-6		1520	WATER	
10	MW-7		1615		
11	TMW-8 16-21'		1740		
12	TMW-8 10-15'		1800		
13	MW-8d		1830		
14	MW-8	✓	1825	✓	✓

BILL TO: **Compliance, Inc.**

REPORT TO:
Raj Andraasi

see 3.29c on file

RELEASED BY	DATE/TIME	RECEIVED BY	DATE/TIME
<i>Randall/Blair</i>	<i>6/11/20 5pm</i>	<i>Cold Storage</i>	<i>6/11/20 5pm</i>
<i>Cold Storage</i>	<i>6/15/20 5pm</i>	<i>Randall/Blair</i>	<i>6/15/20 5pm</i>
<i>Randall/Blair</i>	<i>6/15/20 5pm</i>	<i>K. M.</i>	<i>6/16/20 12:35p</i>
REQUESTED TAT ☒ STANDARD ☐ 1 BUSINESS DAY ☐ 2 BUSINESS DAYS ☐ 3 BUSINESS DAYS			