



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

Company: LAMBDA ENERGY RESOURCES, LLC
Name:
ClientProj: 20-121

Site Addr: KALKASKA 26 "G"

GTA ProjNo: 122024-5

Sampled By: ANDREW PUFFPAFF/OMPC

Date Rec: 12/20/2024

Time Rec: 12:32 PM

Sample No.	Sample ID	Date Sampled	Time Sampled	Sample Matrix
1	MW-2	12/20/2024	10:30 AM	WATER

ELECTRONIC SIGNATURE REPORT. This is a final report for the following pages of data for the samples specified above. All analysis was performed by the methods stated and all quality control measures required were completed. All quality control information is available upon request.

Kirk Chase

Kirk L. Chase/Chemist
Grand Traverse Analytical
830 Robinwood Court
Traverse City, MI 49686
Ph: 231-929-0905
Fx: 231-929-0894
SP: 231-590-0291
kirk@gtanalytical.com



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: LAMBDA ENERGY RESOURCES, LLC

GTA PROJECT NO: 122024-5

PROJECT NO: 20-121

GTA SAMPLE NO: 1

LOCATION: KALKASKA 26 "G"

DATE SAMPLED: 12/20/2024

TIME SAMPLED: 10:30 AM

DATE RECEIVED: 12/20/2024

TIME RECEIVED: 12:32 PM

MI

SAMPLE MATRIX: WATER

SAMPLE ID: MW-2

SAMPLED BY: ANDREW PUFFPAFF/OMPC

EPA 8260B VOLATILE ORGANICS

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Extracted</u>	<u>Date Complete</u>	<u>Prep Method</u>
Benzene	ND	1.0	ug/L (PPB)	MR		12/23/2024	EPA 5030B
Toluene	ND	1.0					
Ethylbenzene	ND	1.0					
Xylene(Total)	ND	3.0					

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

COMPANY: LAMBDA ENERGY RESOURCES, LLC
 PROJECT NO: 20-121
 LOCATION: KALKASKA 26 "G"

GTA PROJECT NO: 122024-5
 GTA SAMPLE NO: 1
 DATE SAMPLED: 12/20/2024
 TIME SAMPLED: 10:30 AM
 DATE RECEIVED: 12/20/2024
 TIME RECEIVED: 12:32 PM

MI
 SAMPLED BY: ANDREW PUFFPAFF/OMPC

SAMPLE ANALYSIS

<u>No:</u> <u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
SAMPLE ID: MW-2	ND	10	mg/L (PPM)	KC	12/28/2024	WATER
CHLORIDE EPA 300.0						
CONDUCTIVITY SM2510-B	270	1.0	uS/cm@25C	TR	12/23/2024	WATER

ND = NOT DETECTED, RESULT < LOD
 LOD = LIMIT OF DETECTION
 s.u. = STANDARD pH UNITS REPORTED AT 25 C
 DISS = DISSOLVED

