



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

Company: LAMBDA ENERGY RESOURCES, LLC
Name:
ClientProj: 20-121
GTA ProjNo: 060724-9

Site Addr: KALKASKA 26 "G"

Sampled By: WPM/OMPC
Date Rec: 6/7/2024
Time Rec: 3:10 PM

Sample No.	Sample ID	Date Sampled	Time Sampled	Sample Matrix
1	MW-2	6/5/2024	1:45 PM	WATER
2	MW-4	6/5/2024	1:55 PM	WATER
3	MW-7	6/5/2024	4:30 PM	WATER
4	MW-8	6/5/2024	12:00 PM	WATER
5	MW-8D	6/5/2024	1:10 PM	WATER
6	MW-11	6/5/2024	12:20 PM	WATER
7	MW-12	6/5/2024	2:40 PM	WATER
8	MW-13	6/5/2024	3:35 PM	WATER
9	MW-9	6/5/2024	2:10 PM	WATER

ELECTRONIC SIGNATURE REPORT. This is a final report for the following pages of data for the samples specified above. All analysis was performed by the methods stated and all quality control measures required were completed. All quality control information is available upon request.

Kirk Chase

Kirk L. Chase/Chemist
Grand Traverse Analytical
830 Robinwood Court
Traverse City, MI 49686
Ph: 231-929-0905
Fx: 231-929-0894
SP: 231-590-0291
kirk@gtanalytical.com



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: LAMBDA ENERGY RESOURCES, LLC
PROJECT NO: 20-121
LOCATION: KALKASKA 26 "G"
MI
SAMPLE MATRIX: WATER
SAMPLE ID: MW-2

GTA PROJECT NO: 060724-9
GTA SAMPLE NO: 1
DATE SAMPLED: 6/5/2024
TIME SAMPLED: 1:45 PM
DATE RECEIVED: 6/7/2024
TIME RECEIVED: 3:10 PM
SAMPLED BY: WPM/OMPC

EPA 8260B VOLATILE ORGANICS

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date</u> <u>Extracted</u>	<u>Date</u> <u>Completed</u>	<u>Prep Method</u>
Benzene	ND	1.0	ug/L (PPB)	MR		6/10/2024	EPA 5030B
Toluene	ND	1.0					
Ethylbenzene	ND	1.0					
Xylene(Total)	ND	3.0					

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.
ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: LAMBDA ENERGY RESOURCES, LLC
PROJECT NO: 20-121
LOCATION: KALKASKA 26 "G"
MI
SAMPLE MATRIX: WATER
SAMPLE ID: MW-4

GTA PROJECT NO: 060724-9
GTA SAMPLE NO: 2
DATE SAMPLED: 6/5/2024
TIME SAMPLED: 1:55 PM
DATE RECEIVED: 6/7/2024
TIME RECEIVED: 3:10 PM
SAMPLED BY: WPM/OMPC

EPA 8260B VOLATILE ORGANICS

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date</u> <u>Extracted</u>	<u>Date</u> <u>Completed</u>	<u>Prep Method</u>
Benzene	ND	1.0	ug/L (PPB)	MR		6/10/2024	EPA 5030B
Toluene	ND	1.0					
Ethylbenzene	ND	1.0					
Xylene(Total)	ND	3.0					

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: LAMBDA ENERGY RESOURCES, LLC
 PROJECT NO: 20-121
 LOCATION: KALKASKA 26 "G"
 MI
 SAMPLE MATRIX: WATER
 SAMPLE ID: MW-7

GTA PROJECT NO: 060724-9
 GTA SAMPLE NO: 3
 DATE SAMPLED: 6/5/2024
 TIME SAMPLED: 4:30 PM
 DATE RECEIVED: 6/7/2024
 TIME RECEIVED: 3:10 PM

SAMPLED BY: WPM/OMPC

EPA 8260B VOLATILE ORGANICS

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Extracted</u>	<u>Date Completed</u>	<u>Prep Method</u>
Benzene	ND	1.0	ug/L (PPB)	MR		6/10/2024	EPA 5030B
Toluene	ND	1.0					
Ethylbenzene	ND	1.0					
Xylene(Total)	7.4	3.0					

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.
 ND = NOT DETECTED, RESULT < LOD
 LOD = LIMIT OF DETECTION



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: LAMBDA ENERGY RESOURCES, LLC
 PROJECT NO: 20-121
 LOCATION: KALKASKA 26 "G"
 MI
 SAMPLE MATRIX: WATER
 SAMPLE ID: MW-8

GTA PROJECT NO: 060724-9
 GTA SAMPLE NO: 4
 DATE SAMPLED: 6/5/2024
 TIME SAMPLED: 12:00 PM
 DATE RECEIVED: 6/7/2024
 TIME RECEIVED: 3:10 PM

SAMPLED BY: WPM/OMPC

EPA 8260B VOLATILE ORGANICS

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Extracted</u>	<u>Date Completed</u>	<u>Prep Method</u>
Benzene	ND	1.0	ug/L (PPB)	MR		6/10/2024	EPA 5030B
Toluene	ND	1.0					
Ethylbenzene	ND	1.0					
Xylene(Total)	ND	3.0					

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.
 ND = NOT DETECTED, RESULT < LOD
 LOD = LIMIT OF DETECTION

COMPANY: LAMBDA ENERGY RESOURCES, LLC
 PROJECT NO: 20-121
 LOCATION: KALKASKA 26 "G"
 MI
 SAMPLE MATRIX: WATER
 SAMPLE ID: MW-8D

GTA PROJECT NO: 060724-9
 GTA SAMPLE NO: 5
 DATE SAMPLED: 6/5/2024
 TIME SAMPLED: 1:10 PM
 DATE RECEIVED: 6/7/2024
 TIME RECEIVED: 3:10 PM

SAMPLED BY: WPM/OMPC

EPA 8260B VOLATILE ORGANICS

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date</u> <u>Extracted</u>	<u>Date</u> <u>Completed</u>	<u>Prep Method</u>
Benzene	ND	1.0	ug/L (PPB)	MR		6/10/2024	EPA 5030B
Toluene	ND	1.0					
Ethylbenzene	ND	1.0					
Xylene(Total)	ND	3.0					

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.
 ND = NOT DETECTED, RESULT < LOD
 LOD = LIMIT OF DETECTION



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: LAMBDA ENERGY RESOURCES, LLC
 PROJECT NO: 20-121
 LOCATION: KALKASKA 26 "G"
 MI
 SAMPLE MATRIX: WATER
 SAMPLE ID: MW-11

GTA PROJECT NO: 060724-9
 GTA SAMPLE NO: 6
 DATE SAMPLED: 6/5/2024
 TIME SAMPLED: 12:20 PM
 DATE RECEIVED: 6/7/2024
 TIME RECEIVED: 3:10 PM

SAMPLED BY: WPM/OMPC

EPA 8260B VOLATILE ORGANICS

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Extracted</u>	<u>Date Completed</u>	<u>Prep Method</u>
Benzene	ND	1.0	ug/L (PPB)	MR		6/10/2024	EPA 5030B
Toluene	ND	1.0					
Ethylbenzene	ND	1.0					
Xylene(Total)	ND	3.0					

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.
 ND = NOT DETECTED, RESULT < LOD
 LOD = LIMIT OF DETECTION



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: LAMBDA ENERGY RESOURCES, LLC
 PROJECT NO: 20-121
 LOCATION: KALKASKA 26 "G"
 MI
 SAMPLE MATRIX: WATER
 SAMPLE ID: MW-12

GTA PROJECT NO: 060724-9
 GTA SAMPLE NO: 7
 DATE SAMPLED: 6/5/2024
 TIME SAMPLED: 2:40 PM
 DATE RECEIVED: 6/7/2024
 TIME RECEIVED: 3:10 PM

SAMPLED BY: WPM/OMPC

EPA 8260B VOLATILE ORGANICS

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Extracted</u>	<u>Date Completed</u>	<u>Prep Method</u>
Benzene	ND	1.0	ug/L (PPB)	MR		6/10/2024	EPA 5030B
Toluene	ND	1.0					
Ethylbenzene	1.5	1.0					
Xylene(Total)	160	3.0					
1,2,4-Trimethylbenzene	67	1.0					
1,3,5-Trimethylbenzene	35	1.0					
Naphthalene	ND	5.0					
2-Methylnaphthalene	ND	5.0					

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.
 ND = NOT DETECTED, RESULT < LOD
 LOD = LIMIT OF DETECTION



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: LAMBDA ENERGY RESOURCES, LLC
 PROJECT NO: 20-121
 LOCATION: KALKASKA 26 "G"
 MI
 SAMPLE MATRIX: WATER
 SAMPLE ID: MW-13

GTA PROJECT NO: 060724-9
 GTA SAMPLE NO: 8
 DATE SAMPLED: 6/5/2024
 TIME SAMPLED: 3:35 PM
 DATE RECEIVED: 6/7/2024
 TIME RECEIVED: 3:10 PM

SAMPLED BY: WPM/OMPC

EPA 8260B VOLATILE ORGANICS

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Extracted</u>	<u>Date Completed</u>	<u>Prep Method</u>
Benzene	ND	1.0	ug/L (PPB)	MR		6/10/2024	EPA 5030B
Toluene	ND	1.0					
Ethylbenzene	8.1	1.0					
Xylene(Total)	300	3.0					
1,2,4-Trimethylbenzene	120	1.0					
1,3,5-Trimethylbenzene	47	1.0					
Naphthalene	ND	5.0					
2-Methylnaphthalene	ND	5.0					

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.
 ND = NOT DETECTED, RESULT < LOD
 LOD = LIMIT OF DETECTION

COMPANY: LAMBDA ENERGY RESOURCES, LLC
 PROJECT NO: 20-121
 LOCATION: KALKASKA 26 "G"
 MI
 SAMPLE MATRIX: WATER
 SAMPLE ID: MW-9

GTA PROJECT NO: 060724-9
 GTA SAMPLE NO: 9
 DATE SAMPLED: 6/5/2024
 TIME SAMPLED: 2:10 PM
 DATE RECEIVED: 6/7/2024
 TIME RECEIVED: 3:10 PM

SAMPLED BY: WPM/OMPC

EPA 8260B VOLATILE ORGANICS

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Extracted</u>	<u>Date Completed</u>	<u>Prep Method</u>
Benzene	ND	1.0	ug/L (PPB)	MR		6/10/2024	EPA 5030B
Toluene	ND	1.0					
Ethylbenzene	ND	1.0					
Xylene(Total)	ND	3.0					

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.
 ND = NOT DETECTED, RESULT < LOD
 LOD = LIMIT OF DETECTION



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: LAMBDA ENERGY RESOURCES, LLC
PROJECT NO: 20-121
LOCATION: KALKASKA 26 "G"

GTA PROJECT NO: 060724-9
GTA SAMPLE NO: 1
DATE SAMPLED: 6/5/2024
TIME SAMPLED: 1:45 PM
DATE RECEIVED: 6/7/2024
TIME RECEIVED: 3:10 PM

MI
SAMPLED BY: WPM/OMPC

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
	SAMPLE ID: MW-2						
	CHLORIDE EPA 300.0	ND	10	mg/L (PPM)	KC/TR	6/17/2024	WATER
	CONDUCTIVITY SM2510-B	310	1.0	uS/cm@25C	TR	6/17/2024	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C
DISS = DISSOLVED



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: LAMBDA ENERGY RESOURCES, LLC
PROJECT NO: 20-121
LOCATION: KALKASKA 26 "G"

GTA PROJECT NO: 060724-9
GTA SAMPLE NO: 2
DATE SAMPLED: 6/5/2024
TIME SAMPLED: 1:55 PM
DATE RECEIVED: 6/7/2024
TIME RECEIVED: 3:10 PM

SAMPLED BY: MI
WPM/OMPC

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
SAMPLE ID: MW-4							
CHLORIDE EPA 300.0		ND	10	mg/L (PPM)	KC/TR	6/17/2024	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: LAMBDA ENERGY RESOURCES, LLC
 PROJECT NO: 20-121
 LOCATION: KALKASKA 26 "G"

GTA PROJECT NO: 060724-9
 GTA SAMPLE NO: 3
 DATE SAMPLED: 6/5/2024
 TIME SAMPLED: 4:30 PM
 DATE RECEIVED: 6/7/2024
 TIME RECEIVED: 3:10 PM

SAMPLED BY: MI
 WPM/OMPC

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
SAMPLE ID: MW-7	CHLORIDE EPA 300.0	ND	10	mg/L (PPM)	KC/TR	6/17/2024	WATER

ND = NOT DETECTED, RESULT < LOD
 LOD = LIMIT OF DETECTION
 s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: LAMBDA ENERGY RESOURCES, LLC
 PROJECT NO: 20-121
 LOCATION: KALKASKA 26 "G"

GTA PROJECT NO: 060724-9
 GTA SAMPLE NO: 4
 DATE SAMPLED: 6/5/2024
 TIME SAMPLED: 12:00 PM
 DATE RECEIVED: 6/7/2024
 TIME RECEIVED: 3:10 PM

SAMPLED BY: MI
 WPM/OMPC

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
SAMPLE ID: MW-8	CHLORIDE EPA 300.0	ND	10	mg/L (PPM)	KC/TR	6/17/2024	WATER

ND = NOT DETECTED, RESULT < LOD
 LOD = LIMIT OF DETECTION
 s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: LAMBDA ENERGY RESOURCES, LLC

PROJECT NO: 20-121

LOCATION: KALKASKA 26 "G"

GTA PROJECT NO: 060724-9

GTA SAMPLE NO: 5

DATE SAMPLED: 6/5/2024

TIME SAMPLED: 1:10 PM

DATE RECEIVED: 6/7/2024

TIME RECEIVED: 3:10 PM

MI

SAMPLED BY: WPM/OMPC

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
SAMPLE ID: MW-8D	CHLORIDE EPA 300.0	ND	10	mg/L (PPM)	KC/TR	6/17/2024	WATER

ND = NOT DETECTED, RESULT < LOD
 LOD = LIMIT OF DETECTION
 s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: LAMBDA ENERGY RESOURCES, LLC

PROJECT NO: 20-121

LOCATION: KALKASKA 26 "G"

GTA PROJECT NO: 060724-9

GTA SAMPLE NO: 6

DATE SAMPLED: 6/5/2024

TIME SAMPLED: 12:20 PM

DATE RECEIVED: 6/7/2024

TIME RECEIVED: 3:10 PM

MI

SAMPLED BY: WPM/OMPC

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
SAMPLE ID: MW-11	CHLORIDE EPA 300.0	ND	10	mg/L (PPM)	KC/TR	6/17/2024	WATER

ND = NOT DETECTED, RESULT < LOD
 LOD = LIMIT OF DETECTION
 s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: LAMBDA ENERGY RESOURCES, LLC
 PROJECT NO: 20-121
 LOCATION: KALKASKA 26 "G"

GTA PROJECT NO: 060724-9
 GTA SAMPLE NO: 7
 DATE SAMPLED: 6/5/2024
 TIME SAMPLED: 2:40 PM
 DATE RECEIVED: 6/7/2024
 TIME RECEIVED: 3:10 PM

SAMPLED BY: MI
 WPM/OMPC

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
SAMPLE ID: MW-12	CHLORIDE EPA 300.0	ND	10	mg/L (PPM)	KC/TR	6/17/2024	WATER

ND = NOT DETECTED, RESULT < LOD
 LOD = LIMIT OF DETECTION
 s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: LAMBDA ENERGY RESOURCES, LLC
 PROJECT NO: 20-121
 LOCATION: KALKASKA 26 "G"

GTA PROJECT NO: 060724-9
 GTA SAMPLE NO: 8
 DATE SAMPLED: 6/5/2024
 TIME SAMPLED: 3:35 PM
 DATE RECEIVED: 6/7/2024
 TIME RECEIVED: 3:10 PM

SAMPLED BY: MI
 WPM/OMPC

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
SAMPLE ID: MW-13	CHLORIDE EPA 300.0	ND	10	mg/L (PPM)	KC/TR	6/17/2024	WATER

ND = NOT DETECTED, RESULT < LOD
 LOD = LIMIT OF DETECTION
 s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: LAMBDA ENERGY RESOURCES, LLC

PROJECT NO: 20-121

LOCATION: KALKASKA 26 "G"

GTA PROJECT NO: 060724-9

GTA SAMPLE NO: 9

DATE SAMPLED: 6/5/2024

TIME SAMPLED: 2:10 PM

DATE RECEIVED: 6/7/2024

TIME RECEIVED: 3:10 PM

MI

SAMPLED BY: WPM/OMPC

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
SAMPLE ID: MW-9	CHLORIDE EPA 300.0	ND	10	mg/L (PPM)	KC/TR	6/17/2024	WATER

ND = NOT DETECTED, RESULT < LOD
 LOD = LIMIT OF DETECTION
 s.u. = STANDARD pH UNITS REPORTED AT 25 C

CHAIN OF CUSTODY

PROJECT NUMBER 20-121	SITE NAME/ADDRESS Kalkaska 26 "Go"	COMPANY/NAME Lambda
SAMPLED BY WPM	COMPANY DMPC	GTA PROJECT # 060724-9

SAMPLE INFORMATION

#	SAMPLE ID	DATE SAMPLED	TIME	MATRIX	ANALYSIS
1	MW-2	6/5/24	1345	H ₂ O	BTEX, Chlorides + Conductivity
2	MW-4		1355		
	MW-6				
3	MW-7		1630		
4	MW-8		1700 1600		
5	MW-8d		1310		
6	MW-11		1220		
7	MW-12		1440		
8	MW-13		1535		
9	MW-9	1410			

BILL TO:	TempRec: <input type="checkbox"/> 20°C	On Ice? <input checked="" type="checkbox"/> Y <input type="checkbox"/> N	REPORT TO: Dan Barton
----------	---	--	---------------------------------

RELEASED BY [Signature]	DATE/TIME 6/7/24 1510	RECEIVED BY [Signature]	DATE/TIME 6/7/24 1510
-----------------------------------	---------------------------------	-----------------------------------	---------------------------------

REQUESTED TAT STANDARD 1 BUSINESS DAY 2 BUSINESS DAYS 3 BUSINESS DAYS