

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

Company: LAMBDA ENERGY RESOURCES, LLC

Name:

ClientProj: 20-121

GTA ProjNo: 061422-7

Site Addr: KALKASKA 26 "G"

Sampled By: WPM/OMPC

Date Rec: 6/14/2022

Time Rec: 3:20 PM

Sample No.	Sample ID	Date Sampled	Time Sampled	Sample Matrix
1	MW-2	6/13/2022	2:05 PM	WATER
2	MW-4	6/13/2022	1:55 PM	WATER
3	MW-6	6/13/2022	1:25 PM	WATER
4	MW-7	6/13/2022	1:40 PM	WATER
5	MW-8	6/13/2022	12:40 PM	WATER
6	MW-8D	6/13/2022	12:00 PM	WATER
7	MW-11	6/13/2022	12:15 PM	WATER
8	MW-12	6/13/2022	12:30 PM	WATER
9	MW-13	6/13/2022	12:55 PM	WATER

ELECTRONIC SIGNATURE REPORT. This is a final report for the following pages of data for the samples specified above. All analysis was performed by the methods stated and all quality control measures required were completed. All quality control information is available upon request.

Kirk Chase

Kirk L. Chase/Chemist
Grand Traverse Analytical
830 Robinwood Court
Traverse City, MI 49686
Ph: 231-929-0905
Fx: 231-929-0894
SP: 231-590-0291
kirk@gtanalytical.com



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY:	LAMBDA ENERGY RESOURCES, LLC	GTA PROJECT NO:	061422-7
PROJECT NO:	20-121	GTA SAMPLE NO:	1
LOCATION:	KALKASKA 26 "G"	DATE SAMPLED:	6/13/2022
		TIME SAMPLED:	2:05 PM
		DATE RECEIVED:	6/14/2022
	MI	TIME RECEIVED:	3:20 PM
SAMPLE MATRIX:	WATER		
SAMPLE ID:	MW-2	SAMPLED BY:	WPM/OMPC

EPA 8260B VOLATILE ORGANICS

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date</u> <u>Extracted</u>	<u>Date</u> <u>Complete</u>	<u>Prep Method</u>
Benzene	ND	1.0	ug/L (PPB)	MR		6/17/2022	EPA 5030B
Toluene	ND	1.0					
Ethylbenzene	ND	1.0					
Xylene(Total)	ND	3.0					

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: LAMBDA ENERGY RESOURCES, LLC
PROJECT NO: 20-121
LOCATION: KALKASKA 26 "G"
MI
SAMPLE MATRIX: WATER
SAMPLE ID: MW-4

GTA PROJECT NO: 061422-7
GTA SAMPLE NO: 2
DATE SAMPLED: 6/13/2022
TIME SAMPLED: 1:55 PM
DATE RECEIVED: 6/14/2022
TIME RECEIVED: 3:20 PM
SAMPLED BY: WPM/OMPC

EPA 8260B VOLATILE ORGANICS

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Extracted</u>	<u>Date Complete</u>	<u>Prep Method</u>
Benzene	ND	1.0	ug/L (PPB)	MR		6/17/2022	EPA 5030B
Toluene	ND	1.0					
Ethylbenzene	ND	1.0					
Xylene(Total)	ND	3.0					

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: LAMBDA ENERGY RESOURCES, LLC
PROJECT NO: 20-121
LOCATION: KALKASKA 26 "G"
MI
SAMPLE MATRIX: WATER
SAMPLE ID: MW-6

GTA PROJECT NO: 061422-7
GTA SAMPLE NO: 3
DATE SAMPLED: 6/13/2022
TIME SAMPLED: 1:25 PM
DATE RECEIVED: 6/14/2022
TIME RECEIVED: 3:20 PM
SAMPLED BY: WPM/OMPC

EPA 8260B VOLATILE ORGANICS

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Extracted</u>	<u>Date Complete</u>	<u>Prep Method</u>
Benzene	ND	1.0	ug/L (PPB)	MR		6/17/2022	EPA 5030B
Toluene	ND	1.0					
Ethylbenzene	ND	1.0					
Xylene(Total)	ND	3.0					

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: LAMBDA ENERGY RESOURCES, LLC
PROJECT NO: 20-121
LOCATION: KALKASKA 26 "G"
MI
SAMPLE MATRIX: WATER
SAMPLE ID: MW-7

GTA PROJECT NO: 061422-7
GTA SAMPLE NO: 4
DATE SAMPLED: 6/13/2022
TIME SAMPLED: 1:40 PM
DATE RECEIVED: 6/14/2022
TIME RECEIVED: 3:20 PM
SAMPLED BY: WPM/OMPC

EPA 8260B VOLATILE ORGANICS

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Extracted</u>	<u>Date Complete</u>	<u>Prep Method</u>
Benzene	1.8	1.0	ug/L (PPB)	MR		6/17/2022	EPA 5030B
Toluene	ND	1.0					
Ethylbenzene	2.9	1.0					
Xylene(Total)	35	3.0					

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: LAMBDA ENERGY RESOURCES, LLC
PROJECT NO: 20-121
LOCATION: KALKASKA 26 "G"
MI
SAMPLE MATRIX: WATER
SAMPLE ID: MW-8

GTA PROJECT NO: 061422-7
GTA SAMPLE NO: 5
DATE SAMPLED: 6/13/2022
TIME SAMPLED: 12:40 PM
DATE RECEIVED: 6/14/2022
TIME RECEIVED: 3:20 PM
SAMPLED BY: WPM/OMPC

EPA 8260B VOLATILE ORGANICS

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date</u> <u>Extracted</u>	<u>Date</u> <u>Complete</u>	<u>Prep Method</u>
Benzene	ND	1.0	ug/L (PPB)	MR		6/17/2022	EPA 5030B
Toluene	ND	1.0					
Ethylbenzene	ND	1.0					
Xylene(Total)	ND	3.0					

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: LAMBDA ENERGY RESOURCES, LLC
PROJECT NO: 20-121
LOCATION: KALKASKA 26 "G"
MI
SAMPLE MATRIX: WATER
SAMPLE ID: MW-8D

GTA PROJECT NO: 061422-7
GTA SAMPLE NO: 6
DATE SAMPLED: 6/13/2022
TIME SAMPLED: 12:00 PM
DATE RECEIVED: 6/14/2022
TIME RECEIVED: 3:20 PM
SAMPLED BY: WPM/OMPC

EPA 8260B VOLATILE ORGANICS

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Extracted</u>	<u>Date Complete</u>	<u>Prep Method</u>
Benzene	ND	1.0	ug/L (PPB)	MR		6/17/2022	EPA 5030B
Toluene	ND	1.0					
Ethylbenzene	ND	1.0					
Xylene(Total)	ND	3.0					

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: LAMBDA ENERGY RESOURCES, LLC
PROJECT NO: 20-121
LOCATION: KALKASKA 26 "G"
MI
SAMPLE MATRIX: WATER
SAMPLE ID: MW-11

GTA PROJECT NO: 061422-7
GTA SAMPLE NO: 7
DATE SAMPLED: 6/13/2022
TIME SAMPLED: 12:15 PM
DATE RECEIVED: 6/14/2022
TIME RECEIVED: 3:20 PM
SAMPLED BY: WPM/OMPC

EPA 8260B VOLATILE ORGANICS

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date</u> <u>Extracted</u>	<u>Date</u> <u>Complete</u>	<u>Prep Method</u>
Benzene	ND	1.0	ug/L (PPB)	MR		6/17/2022	EPA 5030B
Toluene	ND	1.0					
Ethylbenzene	ND	1.0					
Xylene(Total)	ND	3.0					

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: LAMBDA ENERGY RESOURCES, LLC
PROJECT NO: 20-121
LOCATION: KALKASKA 26 "G"
MI
SAMPLE MATRIX: WATER
SAMPLE ID: MW-12

GTA PROJECT NO: 061422-7
GTA SAMPLE NO: 8
DATE SAMPLED: 6/13/2022
TIME SAMPLED: 12:30 PM
DATE RECEIVED: 6/14/2022
TIME RECEIVED: 3:20 PM
SAMPLED BY: WPM/OMPC

EPA 8260B VOLATILE ORGANICS

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Extracted</u>	<u>Date Complete</u>	<u>Prep Method</u>
Benzene	ND	1.0	ug/L (PPB)	MR		6/17/2022	EPA 5030B
Toluene	ND	1.0					
Ethylbenzene	23	1.0					
Xylene(Total)	1,200	30					
1,2,4-Trimethylbenzene	230	10					
1,3,5-Trimethylbenzene	120	10					
Naphthalene	ND	5.0					
2-Methylnaphthalene	ND	5.0					

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: LAMBDA ENERGY RESOURCES, LLC
PROJECT NO: 20-121
LOCATION: KALKASKA 26 "G"
MI
SAMPLE MATRIX: WATER
SAMPLE ID: MW-13

GTA PROJECT NO: 061422-7
GTA SAMPLE NO: 9
DATE SAMPLED: 6/13/2022
TIME SAMPLED: 12:55 PM
DATE RECEIVED: 6/14/2022
TIME RECEIVED: 3:20 PM
SAMPLED BY: WPM/OMPC

EPA 8260B VOLATILE ORGANICS

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date</u> <u>Extracted</u>	<u>Date</u> <u>Complete</u>	<u>Prep Method</u>
Benzene	ND	1.0	ug/L (PPB)	MR		6/17/2022	EPA 5030B
Toluene	ND	1.0					
Ethylbenzene	9.9	1.0					
Xylene(Total)	340	3.0					

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: LAMBDA ENERGY RESOURCES, LLC

PROJECT NO: 20-121

LOCATION: KALKASKA 26 "G"

GTA PROJECT NO: 061422-7

GTA SAMPLE NO: 1

DATE SAMPLED: 6/13/2022

TIME SAMPLED: 2:05 PM

DATE RECEIVED: 6/14/2022

TIME RECEIVED: 3:20 PM

SAMPLED BY: MI
WPM/OMPC**SAMPLE ANALYSIS**

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
	SAMPLE ID: MW-2						
	CHLORIDE EPA 300.0	ND	10	mg/L (PPM)	KC	6/17/2022	WATER
	CONDUCTIVITY SM2510-B	270	1.0	uS/cm@25C	AS	6/16/2022	WATER

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

s.u. = STANDARD pH UNITS REPORTED AT 25 C

DISS = DISSOLVED

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: LAMBDA ENERGY RESOURCES, LLC

GTA PROJECT NO: 061422-7

PROJECT NO: 20-121

GTA SAMPLE NO: 2

LOCATION: KALKASKA 26 "G"

DATE SAMPLED: 6/13/2022

TIME SAMPLED: 1:55 PM

DATE RECEIVED: 6/14/2022

TIME RECEIVED: 3:20 PM

SAMPLED BY: MI
WPM/OMPC**SAMPLE ANALYSIS****No: Analysis**

SAMPLE ID: MW-4

CHLORIDE EPA 300.0

Concentration

ND

LOD

10

Units

mg/L (PPM)

Analyst

KC

Date Completed

6/17/2022

Sample

WATER

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

s.u. = STANDARD pH UNITS REPORTED AT 25 C

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: LAMBDA ENERGY RESOURCES, LLC

GTA PROJECT NO: 061422-7

PROJECT NO: 20-121

GTA SAMPLE NO: 3

LOCATION: KALKASKA 26 "G"

DATE SAMPLED: 6/13/2022

TIME SAMPLED: 1:25 PM

DATE RECEIVED: 6/14/2022

TIME RECEIVED: 3:20 PM

SAMPLED BY: MI
WPM/OMPC**SAMPLE ANALYSIS****No: Analysis**

SAMPLE ID: MW-6

CHLORIDE EPA 300.0

Concentration

ND

LOD

10

Units

mg/L (PPM)

Analyst

KC

Date Completed

6/17/2022

Sample

WATER

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: LAMBDA ENERGY RESOURCES, LLC

GTA PROJECT NO: 061422-7

PROJECT NO: 20-121

GTA SAMPLE NO: 4

LOCATION: KALKASKA 26 "G"

DATE SAMPLED: 6/13/2022

TIME SAMPLED: 1:40 PM

DATE RECEIVED: 6/14/2022

TIME RECEIVED: 3:20 PM

MI

SAMPLED BY: WPM/OMPC

SAMPLE ANALYSIS

No: Analysis

SAMPLE ID: MW-7

CHLORIDE EPA 300.0

Concentration

LOD

Units

Analyst

Date Completed

Sample

ND

10

mg/L (PPM)

KC

6/17/2022

WATER

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

s.u. = STANDARD pH UNITS REPORTED AT 25 C

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: LAMBDA ENERGY RESOURCES, LLC

GTA PROJECT NO: 061422-7

PROJECT NO: 20-121

GTA SAMPLE NO: 5

LOCATION: KALKASKA 26 "G"

DATE SAMPLED: 6/13/2022

TIME SAMPLED: 12:40 PM

DATE RECEIVED: 6/14/2022

TIME RECEIVED: 3:20 PM

SAMPLED BY: MI
WPM/OMPC**SAMPLE ANALYSIS****No: Analysis**

SAMPLE ID: MW-8

CHLORIDE EPA 300.0

Concentration

ND

LOD

10

Units

mg/L (PPM)

Analyst

KC

Date Completed

6/17/2022

Sample

WATER

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

s.u. = STANDARD pH UNITS REPORTED AT 25 C



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: LAMBDA ENERGY RESOURCES, LLC

GTA PROJECT NO: 061422-7

PROJECT NO: 20-121

GTA SAMPLE NO: 6

LOCATION: KALKASKA 26 "G"

DATE SAMPLED: 6/13/2022

TIME SAMPLED: 12:00 PM

DATE RECEIVED: 6/14/2022

TIME RECEIVED: 3:20 PM

MI

SAMPLED BY: WPM/OMPC

SAMPLE ANALYSIS

No: Analysis

SAMPLE ID: MW-8D

CHLORIDE EPA 300.0

Concentration

15

LOD

10

Units

mg/L (PPM)

Analyst

KC

Date Completed

6/17/2022

Sample

WATER

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

s.u. = STANDARD pH UNITS REPORTED AT 25 C

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: LAMBDA ENERGY RESOURCES, LLC

GTA PROJECT NO: 061422-7

PROJECT NO: 20-121

GTA SAMPLE NO: 7

LOCATION: KALKASKA 26 "G"

DATE SAMPLED: 6/13/2022

TIME SAMPLED: 12:15 PM

DATE RECEIVED: 6/14/2022

TIME RECEIVED: 3:20 PM

SAMPLED BY: MI
WPM/OMPC**SAMPLE ANALYSIS****No: Analysis**

SAMPLE ID: MW-11

CHLORIDE EPA 300.0

Concentration

ND

LOD

10

Units

mg/L (PPM)

Analyst

KC

Date Completed

6/17/2022

Sample

WATER

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

s.u. = STANDARD pH UNITS REPORTED AT 25 C

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: LAMBDA ENERGY RESOURCES, LLC

PROJECT NO: 20-121

LOCATION: KALKASKA 26 "G"

GTA PROJECT NO: 061422-7

GTA SAMPLE NO: 8

DATE SAMPLED: 6/13/2022

TIME SAMPLED: 12:30 PM

DATE RECEIVED: 6/14/2022

TIME RECEIVED: 3:20 PM

SAMPLED BY: MI
WPM/OMPC**SAMPLE ANALYSIS****No: Analysis**

SAMPLE ID: MW-12

CHLORIDE EPA 300.0

Concentration

ND

LOD

10

Units

mg/L (PPM)

Analyst

KC

Date Completed

6/17/2022

Sample

WATER

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: LAMBDA ENERGY RESOURCES, LLC

GTA PROJECT NO: 061422-7

PROJECT NO: 20-121

GTA SAMPLE NO: 9

LOCATION: KALKASKA 26 "G"

DATE SAMPLED: 6/13/2022

TIME SAMPLED: 12:55 PM

DATE RECEIVED: 6/14/2022

TIME RECEIVED: 3:20 PM

SAMPLED BY: MI
WPM/OMPC

SAMPLE ANALYSIS

No: Analysis

SAMPLE ID: MW-13

CHLORIDE EPA 300.0

Concentration

LOD

Units

Analyst

Date Completed

Sample

ND

10

mg/L (PPM)

KC

6/17/2022

WATER

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

s.u. = STANDARD pH UNITS REPORTED AT 25 C

INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

CHAIN OF CUSTODY

PROJECT NUMBER 20-121	SITE NAME/ADDRESS Kalkaska 26 "E"	COMPANY/NAME Lambda
SAMPLED BY WPM	COMPANY OMPC	GTA PROJECT # 061422-7

SAMPLE INFORMATION

#	SAMPLE ID	DATE SAMPLED	TIME	MATRIX	ANALYSIS
1	MW-2	6-13-22	1405	H ₂ O	BTEX, Chlorides + Conductivity
2	MW-4		1355		BTEX, Chlorides
3	MW-6		1325		
4	MW-7		1340		
5	MW-8		1240		
6	MW-8D		1200		
7	MW-11		1215		
8	MW-12		1230		HIPs, Chlorides
9	MW-13		1255		BTEX, Chlorides

BILL TO:	TempRec: ☐ Y ☐ N On Ice? ☒ ☐ 1. 0°C	REPORT TO: Dan Barton
----------	---	---------------------------------

RELEASED BY [Signature]	DATE/TIME 6-14-22 1520	RECEIVED BY [Signature]	DATE/TIME 6/14/22 1520

REQUESTED TAT ☒ STANDARD ☐ 1 BUSINESS DAY ☐ 2 BUSINESS DAYS ☐ 3 BUSINESS DAYS