

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

Company: WHITE PINE PRODUCTION
Name:
ClientProj: 20-134A
GTA ProjNo: 050725-8

Site Addr: SBC OHF

Sampled By: ANDREW PUFFPAFF/OMPC
Date Rec: 5/7/2025
Time Rec: 3:42 PM

Sample No. Sample ID
1 MW-4

Date Sampled Time Sampled Sample Matrix
5/7/2025 WATER

ELECTRONIC SIGNATURE REPORT. This is a final report for the following pages of data for the samples specified above. All analysis was performed by the methods stated and all quality control measures required were completed. All quality control information is available upon request.

Kirk Chase

Kirk L. Chase/Chemist
Grand Traverse Analytical
830 Robinwood Court
Traverse City, MI 49686
Ph: 231-929-0905
Fx: 231-929-0894
SP: 231-590-0291
kirk@gtanalytical.com



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: WHITE PINE PRODUCTION
PROJECT NO: 20-134A
LOCATION: SBC OHF
MI
SAMPLE MATRIX: WATER
SAMPLE ID: MW-4
GTA PROJECT NO: 050725-8
GTA SAMPLE NO: 1
DATE SAMPLED: 5/7/2025
TIME SAMPLED:
DATE RECEIVED: 5/7/2025
TIME RECEIVED: 3:42 PM
SAMPLED BY: ANDREW PUFFPAFF/OMPC

EPA 8260B VOLATILE ORGANICS

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Extracted</u>	<u>Date Complete</u>	<u>Prep Method</u>
Benzene	ND	1.0	ug/L (PPB)	MR		5/12/2025	EPA 5030B
Toluene	ND	1.0					
Ethylbenzene	ND	1.0					
Xylene(Total)	ND	3.0					

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.
ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: WHITE PINE PRODUCTION

PROJECT NO: 20-134A
LOCATION: SBC OHF

GTA PROJECT NO: 050725-8

GTA SAMPLE NO: 1

DATE SAMPLED: 5/7/2025

TIME SAMPLED:

DATE RECEIVED: 5/7/2025

TIME RECEIVED: 3:42 PM

MI
SAMPLED BY: ANDREW PUFFPAFF/OMPC**SAMPLE ANALYSIS****No: Analysis**

SAMPLE ID: MW-4

CHLORIDE EPA 300.0

CONDUCTIVITY SM2510-B

<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
ND	10	mg/L (PPM)	KC/TR.	5/12/2025	WATER
510	1.0	uS/cm@25C	TR	5/12/2025	WATER

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

s.u. = STANDARD pH UNITS REPORTED AT 25 C

DISS = DISSOLVED

www.gtanalytical.com

[illegible]**3 BUSINESS DAYS**