



**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

[www.gtanalytical.com](http://www.gtanalytical.com)

Company: LAMBDA ENERGY RESOURCES, LLC  
Name:  
ClientProj: 20-196  
GTA ProjNo: 060724-8

Site Addr: KALKASKA 24

Sampled By: WPM/OMPC  
Date Rec: 6/7/2024  
Time Rec: 3:10 PM

Sample No.	Sample ID	Date Sampled	Time Sampled	Sample Matrix
1	MW-24	6/5/2024	11:00 AM	WATER

ELECTRONIC SIGNATURE REPORT. This is a final report for the following pages of data for the samples specified above. All analysis was performed by the methods stated and all quality control measures required were completed. All quality control information is available upon request.

*Kirk Chase*

Kirk L. Chase/Chemist  
Grand Traverse Analytical  
830 Robinwood Court  
Traverse City, MI 49686  
Ph: 231-929-0905  
Fx: 231-929-0894  
SP: 231-590-0291  
[kirk@gtanalytical.com](mailto:kirk@gtanalytical.com)



**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: LAMBDA ENERGY RESOURCES, LLC  
PROJECT NO: 20-196  
LOCATION: KALKASKA 24  
MI  
SAMPLE MATRIX: WATER  
SAMPLE ID: MW-24

GTA PROJECT NO: 060724-8  
GTA SAMPLE NO: 1  
DATE SAMPLED: 6/5/2024  
TIME SAMPLED: 11:00 AM  
DATE RECEIVED: 6/7/2024  
TIME RECEIVED: 3:10 PM  
SAMPLED BY: WPM/OMPC

**EPA 8260B VOLATILE ORGANICS**

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date</u> <u>Extracted</u>	<u>Date</u> <u>Completed</u>	<u>Prep Method</u>
Benzene	ND	1.0	ug/L (PPB)	MR		6/10/2024	EPA 5030B
Toluene	ND	1.0					
Ethylbenzene	ND	1.0					
Xylene(Total)	ND	3.0					

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

COMPANY: LAMBDA ENERGY RESOURCES, LLC  
 PROJECT NO: 20-196  
 LOCATION: KALKASKA 24

GTA PROJECT NO: 060724-8  
 GTA SAMPLE NO: 1  
 DATE SAMPLED: 6/5/2024  
 TIME SAMPLED: 11:00 AM  
 DATE RECEIVED: 6/7/2024  
 TIME RECEIVED: 3:10 PM

MI  
 SAMPLED BY: WPM/OMPC

**SAMPLE ANALYSIS**

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
	SAMPLE ID: MW-24						
	CHLORIDE EPA 300.0	ND	10	mg/L (PPM)	KC/TR	6/16/2024	WATER
	CONDUCTIVITY SM2510-B	300	1.0	uS/cm@25C	TR	6/12/2024	WATER

ND = NOT DETECTED, RESULT < LOD  
 LOD = LIMIT OF DETECTION  
 s.u. = STANDARD pH UNITS REPORTED AT 25 C  
 DISS = DISSOLVED

