

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

Company: REM
Name:
ClientProj: 190011
GTA ProjNo: 071420-1

Site Addr: ANDERSON 7-3

Sampled By: JSL/ECT
Date Rec: 7/14/2020
Time Rec: 8:15 AM

Sample No.	Sample ID	Date Sampled	Time Sampled	Sample Matrix
1	F-2	7/13/2020		SOIL
2	F-6	7/13/2020		SOIL
3	F-7	7/13/2020		SOIL
4	F-11	7/13/2020		SOIL
5	F-5-7'	7/13/2020		SOIL
6	F-5-9'	7/13/2020		SOIL
7	SW-2	7/13/2020		SOIL
8	SW-5	7/13/2020		SOIL
9	SW-6	7/13/2020		SOIL
10	SW-8	7/13/2020		SOIL
11	SW-9	7/13/2020		SOIL

ELECTRONIC SIGNATURE REPORT. This is a final report for the following pages of data for the samples specified above. All analysis was performed by the methods stated and all quality control measures required were completed. All quality control information is available upon request.

Kirk Chase

Kirk L. Chase/Chemist
Grand Traverse Analytical
830 Robinwood Court
Traverse City, MI 49686
Ph: 231-929-0905
Fx: 231-929-0894
SP: 231-590-0291
kirk@gtanalytical.com

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: REM
PROJECT NO: 190011
LOCATION: ANDERSON 7-3

GTA PROJECT NO: 071420-1
GTA SAMPLE NO: 1

DATE SAMPLED: 7/13/2020
TIME SAMPLED:
DATE RECEIVED: 7/14/2020
TIME RECEIVED: 8:15 AM

MI
SAMPLED BY: JSL/ECT

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date</u>	<u>Sample</u>
SAMPLE ID: F-2							
CHLORIDE EPA 300.0		ND	110	mg/Kg (PPM)	KC/MR	7/14/2020	SOIL

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: REM
PROJECT NO: 190011
LOCATION: ANDERSON 7-3

GTA PROJECT NO: 071420-1
GTA SAMPLE NO: 2

DATE SAMPLED: 7/13/2020
TIME SAMPLED:
DATE RECEIVED: 7/14/2020
TIME RECEIVED: 8:15 AM

MI
SAMPLED BY: JSL/ECT

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date</u>	<u>Sample</u>
	SAMPLE ID: F-6						
	CHLORIDE EPA 300.0	370	110	mg/Kg (PPM)	KC/MR	7/14/2020	SOIL

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: REM
PROJECT NO: 190011
LOCATION: ANDERSON 7-3
MI
SAMPLED BY: JSL/ECT

GTA PROJECT NO: 071420-1
GTA SAMPLE NO: 3
DATE SAMPLED: 7/13/2020
TIME SAMPLED:
DATE RECEIVED: 7/14/2020
TIME RECEIVED: 8:15 AM

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date</u>	<u>Sample</u>
SAMPLE ID: F-7							
CHLORIDE EPA 300.0		ND	100	mg/Kg (PPM)	KC/MR	7/14/2020	SOIL

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY:	REM	GTA PROJECT NO:	071420-1
PROJECT NO:	190011	GTA SAMPLE NO:	4
LOCATION:	ANDERSON 7-3	DATE SAMPLED:	7/13/2020
		TIME SAMPLED:	
		DATE RECEIVED:	7/14/2020
		TIME RECEIVED:	8:15 AM
	MI		
SAMPLED BY:	JSL/ECT		

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date</u>	<u>Sample</u>
SAMPLE ID: F-11							
CHLORIDE EPA 300.0		ND	120	mg/Kg (PPM)	KC/MR	7/14/2020	SOIL

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: REM
PROJECT NO: 190011
LOCATION: ANDERSON 7-3

GTA PROJECT NO: 071420-1
GTA SAMPLE NO: 5

DATE SAMPLED: 7/13/2020
TIME SAMPLED:
DATE RECEIVED: 7/14/2020
TIME RECEIVED: 8:15 AM

MI
SAMPLED BY: JSL/ECT

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date</u>	<u>Sample</u>
	SAMPLE ID: F-5-7'						
	CHLORIDE EPA 300.0	1,800	120	mg/Kg (PPM)	KC/MR	7/14/2020	SOIL

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY:	REM	GTA PROJECT NO:	071420-1
PROJECT NO:	190011	GTA SAMPLE NO:	6
LOCATION:	ANDERSON 7-3	DATE SAMPLED:	7/13/2020
		TIME SAMPLED:	
		DATE RECEIVED:	7/14/2020
		TIME RECEIVED:	8:15 AM
	MI		
SAMPLED BY:	JSL/ECT		

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date</u>	<u>Sample</u>
SAMPLE ID: F-5-9'							
CHLORIDE EPA 300.0		1,100	120	mg/Kg (PPM)	KC/MR	7/14/2020	SOIL

ND = NOT DETECTED, RESULT < LOD
 LOD = LIMIT OF DETECTION
 s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: REM
PROJECT NO: 190011
LOCATION: ANDERSON 7-3

GTA PROJECT NO: 071420-1
GTA SAMPLE NO: 7

DATE SAMPLED: 7/13/2020
TIME SAMPLED:
DATE RECEIVED: 7/14/2020
TIME RECEIVED: 8:15 AM

MI
SAMPLED BY: JSL/ECT

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date</u>	<u>Sample</u>
	SAMPLE ID: SW-2						
	CHLORIDE EPA 300.0	110	100	mg/Kg (PPM)	KC/MR	7/14/2020	SOIL

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: REM
PROJECT NO: 190011
LOCATION: ANDERSON 7-3

GTA PROJECT NO: 071420-1
GTA SAMPLE NO: 8

DATE SAMPLED: 7/13/2020
TIME SAMPLED:
DATE RECEIVED: 7/14/2020
TIME RECEIVED: 8:15 AM

SAMPLED BY: MI
JSL/ECT

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date</u>	<u>Sample</u>
SAMPLE ID: SW-5							
CHLORIDE EPA 300.0		380	100	mg/Kg (PPM)	KC/MR	7/14/2020	SOIL

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: REM
PROJECT NO: 190011
LOCATION: ANDERSON 7-3

GTA PROJECT NO: 071420-1
GTA SAMPLE NO: 9

DATE SAMPLED: 7/13/2020
TIME SAMPLED:
DATE RECEIVED: 7/14/2020
TIME RECEIVED: 8:15 AM

MI
SAMPLED BY: JSL/ECT

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date</u>	<u>Sample</u>
	SAMPLE ID: SW-6						
	CHLORIDE EPA 300.0	ND	100	mg/Kg (PPM)	KC/MR	7/14/2020	SOIL

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: REM
PROJECT NO: 190011
LOCATION: ANDERSON 7-3

GTA PROJECT NO: 071420-1
GTA SAMPLE NO: 10

DATE SAMPLED: 7/13/2020
TIME SAMPLED:
DATE RECEIVED: 7/14/2020
TIME RECEIVED: 8:15 AM

MI
SAMPLED BY: JSL/ECT

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date</u>	<u>Sample</u>
	SAMPLE ID: SW-8 CHLORIDE EPA 300.0	ND	100	mg/Kg (PPM)	KC/MR	7/14/2020	SOIL

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: REM
PROJECT NO: 190011
LOCATION: ANDERSON 7-3

GTA PROJECT NO: 071420-1
GTA SAMPLE NO: 11

DATE SAMPLED: 7/13/2020
TIME SAMPLED:
DATE RECEIVED: 7/14/2020
TIME RECEIVED: 8:15 AM

MI
SAMPLED BY: JSL/ECT

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date</u>	<u>Sample</u>
	SAMPLE ID: SW-9 CHLORIDE EPA 300.0	ND	100	mg/Kg (PPM)	KC/MR	7/14/2020	SOIL

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: REM
NAME:
PROJECT NO: 190011

GTA PROJECT NO: 071420-1
SAMPLED BY: JSL/ECT

DATE SAMPLED: 7/13/2020
TIME SAMPLED:

SAMPLE MATRIX: SOIL

LOCATION: ANDERSON 7-3

MI

DATE RECEIVED: 7/14/2020
TIME RECEIVED: 8:15 AM

MOISTURE

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Complete</u>
SAMPLE ID: F-2	% MOISTURE EPA 3550C	9.5	0.050	% OF SAMPLE	AS	7/14/2020
SAMPLE ID: F-6	% MOISTURE EPA 3550C	12	0.050	% OF SAMPLE	AS	7/14/2020
SAMPLE ID: F-7	% MOISTURE EPA 3550C	7.9	0.050	% OF SAMPLE	AS	7/14/2020
SAMPLE ID: F-11	% MOISTURE EPA 3550C	12	0.050	% OF SAMPLE	AS	7/14/2020
SAMPLE ID: F-5-7'	% MOISTURE EPA 3550C	13	0.050	% OF SAMPLE	AS	7/14/2020
SAMPLE ID: F-5-9'	% MOISTURE EPA 3550C	15	0.050	% OF SAMPLE	AS	7/14/2020
SAMPLE ID: SW-2	% MOISTURE EPA 3550C	6.1	0.050	% OF SAMPLE	AS	7/14/2020
SAMPLE ID: SW-5	% MOISTURE EPA 3550C	5.3	0.050	% OF SAMPLE	AS	7/14/2020
SAMPLE ID: SW-6	% MOISTURE EPA 3550C	5.8	0.050	% OF SAMPLE	AS	7/14/2020
SAMPLE ID: SW-8	% MOISTURE EPA 3550C	4.1	0.050	% OF SAMPLE	AS	7/14/2020
SAMPLE ID: SW-9	% MOISTURE EPA 3550C	3.6	0.050	% OF SAMPLE	AS	7/14/2020

