

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

Company: RIVERSIDE
Name:
ClientProj:

Site Addr: GRID IRON A2-34

GTA ProjNo: 071720-6

Sampled By: NJ/ECT

Date Rec: 7/17/2020

Time Rec: 10:40 AM

Sample No.	Sample ID	Date Sampled	Time Sampled	Sample Matrix
1	NORTH SIDE WALL	7/16/2020		SOIL
2	NORTH SIDE WALL #2	7/16/2020		SOIL
3	SOUTH SIDE WALL	7/16/2020		SOIL
4	EAST SIDE WALL	7/16/2020		SOIL
5	WEST SIDE WALL	7/16/2020		SOIL
6	F-1	7/16/2020		SOIL
7	F-2	7/16/2020		SOIL
8	F-3	7/16/2020		SOIL
9	F-4	7/16/2020		SOIL
10	F-5	7/16/2020		SOIL
11	F-6	7/16/2020		SOIL
12	F-7	7/16/2020		SOIL
13	F-8	7/16/2020		SOIL
14	F-9	7/16/2020		SOIL

ELECTRONIC SIGNATURE REPORT. This is a final report for the following pages of data for the samples specified above. All analysis was performed by the methods stated and all quality control measures required were completed. All quality control information is available upon request.

Kirk Chase

Kirk L. Chase/Chemist
Grand Traverse Analytical
830 Robinwood Court
Traverse City, MI 49686
Ph: 231-929-0905
Fx: 231-929-0894
SP: 231-590-0291
kirk@gtanalytical.com

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: RIVERSIDE
PROJECT NO:
LOCATION: GRID IRON A2-34
MI
SAMPLE MATRIX: SOIL
SAMPLE ID: NORTH SIDE WALL

GTA PROJECT NO: 071720-6
GTA SAMPLE NO: 1
DATE SAMPLED: 7/16/2020
TIME SAMPLED:
DATE RECEIVED: 7/17/2020
TIME RECEIVED: 10:40 AM
SAMPLED BY: NJ/ECT

EPA 8260B VOLATILE ORGANICS

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date</u> <u>Extracted</u>	<u>Date</u> <u>Complete</u>	<u>Prep Method</u>
Benzene	ND	50	ug/Kg (PPB)	MR	7/16/2020	7/21/2020	EPA 5035A
Toluene	ND	50					
Ethylbenzene	ND	50					
Xylene(Total)	ND	150					
1,2,4-Trimethylbenzene	ND	50					
1,3,5-Trimethylbenzene	ND	50					
Naphthalene	ND	250					
2-Methylnaphthalene	ND	250					

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

COMPANY:	RIVERSIDE	GTA PROJECT NO:	071720-6
PROJECT NO:		GTA SAMPLE NO:	2
LOCATION:	GRID IRON A2-34	DATE SAMPLED:	7/16/2020
		TIME SAMPLED:	
	MI	DATE RECEIVED:	7/17/2020
		TIME RECEIVED:	10:40 AM
SAMPLE MATRIX:	SOIL		
SAMPLE ID:	NORTH SIDE WALL #2	SAMPLED BY:	NJ/ECT

EPA 8260B VOLATILE ORGANICS

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date</u> <u>Extracted</u>	<u>Date</u> <u>Complete</u>	<u>Prep Method</u>
Benzene	ND	50	ug/Kg (PPB)	MR	7/16/2020	7/21/2020	EPA 5035A
Toluene	ND	50					
Ethylbenzene	ND	50					
Xylene(Total)	ND	150					
1,2,4-Trimethylbenzene	ND	50					
1,3,5-Trimethylbenzene	ND	50					
Naphthalene	ND	250					
2-Methylnaphthalene	ND	250					

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: RIVERSIDE
PROJECT NO:
LOCATION: GRID IRON A2-34
MI
SAMPLE MATRIX: SOIL
SAMPLE ID: SOUTH SIDE WALL

GTA PROJECT NO: 071720-6
GTA SAMPLE NO: 3
DATE SAMPLED: 7/16/2020
TIME SAMPLED:
DATE RECEIVED: 7/17/2020
TIME RECEIVED: 10:40 AM
SAMPLED BY: NJ/ECT

EPA 8260B VOLATILE ORGANICS

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date</u> <u>Extracted</u>	<u>Date</u> <u>Complete</u>	<u>Prep Method</u>
Benzene	ND	50	ug/Kg (PPB)	MR	7/16/2020	7/22/2020	EPA 5035A
Toluene	ND	50					
Ethylbenzene	ND	50					
Xylene(Total)	ND	150					
1,2,4-Trimethylbenzene	ND	50					
1,3,5-Trimethylbenzene	ND	50					
Naphthalene	ND	250					
2-Methylnaphthalene	ND	250					

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: RIVERSIDE
PROJECT NO:
LOCATION: GRID IRON A2-34
MI
SAMPLE MATRIX: SOIL
SAMPLE ID: EAST SIDE WALL

GTA PROJECT NO: 071720-6
GTA SAMPLE NO: 4
DATE SAMPLED: 7/16/2020
TIME SAMPLED:
DATE RECEIVED: 7/17/2020
TIME RECEIVED: 10:40 AM
SAMPLED BY: NJ/ECT

EPA 8260B VOLATILE ORGANICS

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date</u> <u>Extracted</u>	<u>Date</u> <u>Complete</u>	<u>Prep Method</u>
Benzene	ND	50	ug/Kg (PPB)	MR	7/16/2020	7/21/2020	EPA 5035A
Toluene	ND	50					
Ethylbenzene	ND	50					
Xylene(Total)	ND	150					
1,2,4-Trimethylbenzene	ND	50					
1,3,5-Trimethylbenzene	ND	50					
Naphthalene	ND	250					
2-Methylnaphthalene	ND	250					

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: RIVERSIDE
PROJECT NO:
LOCATION: GRID IRON A2-34
MI
SAMPLE MATRIX: SOIL
SAMPLE ID: WEST SIDE WALL

GTA PROJECT NO: 071720-6
GTA SAMPLE NO: 5
DATE SAMPLED: 7/16/2020
TIME SAMPLED:
DATE RECEIVED: 7/17/2020
TIME RECEIVED: 10:40 AM
SAMPLED BY: NJ/ECT

EPA 8260B VOLATILE ORGANICS

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date</u> <u>Extracted</u>	<u>Date</u> <u>Complete</u>	<u>Prep Method</u>
Benzene	ND	50	ug/Kg (PPB)	MR	7/16/2020	7/21/2020	EPA 5035A
Toluene	ND	50					
Ethylbenzene	ND	50					
Xylene(Total)	ND	150					
1,2,4-Trimethylbenzene	ND	50					
1,3,5-Trimethylbenzene	ND	50					
Naphthalene	ND	250					
2-Methylnaphthalene	ND	250					

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

COMPANY:	RIVERSIDE	GTA PROJECT NO:	071720-6
PROJECT NO:		GTA SAMPLE NO:	6
LOCATION:	GRID IRON A2-34	DATE SAMPLED:	7/16/2020
		TIME SAMPLED:	
	MI	DATE RECEIVED:	7/17/2020
		TIME RECEIVED:	10:40 AM
SAMPLE MATRIX:	SOIL		
SAMPLE ID:	F-1	SAMPLED BY:	NJ/ECT

EPA 8260B VOLATILE ORGANICS

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date</u> <u>Extracted</u>	<u>Date</u> <u>Complete</u>	<u>Prep Method</u>
Benzene	ND	50	ug/Kg (PPB)	MR	7/16/2020	7/21/2020	EPA 5035A
Toluene	ND	50					
Ethylbenzene	ND	50					
Xylene(Total)	ND	150					
1,2,4-Trimethylbenzene	ND	50					
1,3,5-Trimethylbenzene	ND	50					
Naphthalene	ND	250					
2-Methylnaphthalene	ND	250					

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: RIVERSIDE
PROJECT NO:
LOCATION: GRID IRON A2-34
MI
SAMPLE MATRIX: SOIL
SAMPLE ID: F-2

GTA PROJECT NO: 071720-6
GTA SAMPLE NO: 7
DATE SAMPLED: 7/16/2020
TIME SAMPLED:
DATE RECEIVED: 7/17/2020
TIME RECEIVED: 10:40 AM
SAMPLED BY: NJ/ECT

EPA 8260B VOLATILE ORGANICS

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date</u> <u>Extracted</u>	<u>Date</u> <u>Complete</u>	<u>Prep Method</u>
Benzene	ND	50	ug/Kg (PPB)	MR	7/16/2020	7/21/2020	EPA 5035A
Toluene	ND	50					
Ethylbenzene	ND	50					
Xylene(Total)	ND	150					
1,2,4-Trimethylbenzene	ND	50					
1,3,5-Trimethylbenzene	ND	50					
Naphthalene	ND	250					
2-Methylnaphthalene	ND	250					

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: RIVERSIDE
PROJECT NO:
LOCATION: GRID IRON A2-34
MI
SAMPLE MATRIX: SOIL
SAMPLE ID: F-3

GTA PROJECT NO: 071720-6
GTA SAMPLE NO: 8
DATE SAMPLED: 7/16/2020
TIME SAMPLED:
DATE RECEIVED: 7/17/2020
TIME RECEIVED: 10:40 AM
SAMPLED BY: NJ/ECT

EPA 8260B VOLATILE ORGANICS

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date</u> <u>Extracted</u>	<u>Date</u> <u>Complete</u>	<u>Prep Method</u>
Benzene	ND	50	ug/Kg (PPB)	MR	7/16/2020	7/21/2020	EPA 5035A
Toluene	ND	50					
Ethylbenzene	ND	50					
Xylene(Total)	ND	150					
1,2,4-Trimethylbenzene	ND	50					
1,3,5-Trimethylbenzene	ND	50					
Naphthalene	ND	250					
2-Methylnaphthalene	ND	250					

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

COMPANY:	RIVERSIDE	GTA PROJECT NO:	071720-6
PROJECT NO:		GTA SAMPLE NO:	9
LOCATION:	GRID IRON A2-34	DATE SAMPLED:	7/16/2020
		TIME SAMPLED:	
	MI	DATE RECEIVED:	7/17/2020
		TIME RECEIVED:	10:40 AM
SAMPLE MATRIX:	SOIL		
SAMPLE ID:	F-4	SAMPLED BY:	NJ/ECT

EPA 8260B VOLATILE ORGANICS

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date</u> <u>Extracted</u>	<u>Date</u> <u>Complete</u>	<u>Prep Method</u>
Benzene	ND	50	ug/Kg (PPB)	MR	7/16/2020	7/21/2020	EPA 5035A
Toluene	ND	50					
Ethylbenzene	ND	50					
Xylene(Total)	ND	150					
1,2,4-Trimethylbenzene	ND	50					
1,3,5-Trimethylbenzene	ND	50					
Naphthalene	ND	250					
2-Methylnaphthalene	ND	250					

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

COMPANY:	RIVERSIDE	GTA PROJECT NO:	071720-6
PROJECT NO:		GTA SAMPLE NO:	10
LOCATION:	GRID IRON A2-34	DATE SAMPLED:	7/16/2020
		TIME SAMPLED:	
	MI	DATE RECEIVED:	7/17/2020
		TIME RECEIVED:	10:40 AM
SAMPLE MATRIX:	SOIL		
SAMPLE ID:	F-5	SAMPLED BY:	NJ/ECT

EPA 8260B VOLATILE ORGANICS

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date</u> <u>Extracted</u>	<u>Date</u> <u>Complete</u>	<u>Prep Method</u>
Benzene	ND	50	ug/Kg (PPB)	MR	7/16/2020	7/21/2020	EPA 5035A
Toluene	ND	50					
Ethylbenzene	ND	50					
Xylene(Total)	ND	150					
1,2,4-Trimethylbenzene	ND	50					
1,3,5-Trimethylbenzene	ND	50					
Naphthalene	ND	250					
2-Methylnaphthalene	ND	250					

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

COMPANY:	RIVERSIDE	GTA PROJECT NO:	071720-6
PROJECT NO:		GTA SAMPLE NO:	11
LOCATION:	GRID IRON A2-34	DATE SAMPLED:	7/16/2020
		TIME SAMPLED:	
	MI	DATE RECEIVED:	7/17/2020
		TIME RECEIVED:	10:40 AM
SAMPLE MATRIX:	SOIL		
SAMPLE ID:	F-6	SAMPLED BY:	NJ/ECT

EPA 8260B VOLATILE ORGANICS

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date</u> <u>Extracted</u>	<u>Date</u> <u>Complete</u>	<u>Prep Method</u>
Benzene	ND	50	ug/Kg (PPB)	MR	7/16/2020	7/21/2020	EPA 5035A
Toluene	ND	50					
Ethylbenzene	ND	50					
Xylene(Total)	ND	150					
1,2,4-Trimethylbenzene	ND	50					
1,3,5-Trimethylbenzene	ND	50					
Naphthalene	ND	250					
2-Methylnaphthalene	ND	250					

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

COMPANY:	RIVERSIDE	GTA PROJECT NO:	071720-6
PROJECT NO:		GTA SAMPLE NO:	12
LOCATION:	GRID IRON A2-34	DATE SAMPLED:	7/16/2020
		TIME SAMPLED:	
	MI	DATE RECEIVED:	7/17/2020
		TIME RECEIVED:	10:40 AM
SAMPLE MATRIX:	SOIL		
SAMPLE ID:	F-7	SAMPLED BY:	NJ/ECT

EPA 8260B VOLATILE ORGANICS

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date</u> <u>Extracted</u>	<u>Date</u> <u>Complete</u>	<u>Prep Method</u>
Benzene	ND	50	ug/Kg (PPB)	MR	7/16/2020	7/21/2020	EPA 5035A
Toluene	ND	50					
Ethylbenzene	ND	50					
Xylene(Total)	ND	150					
1,2,4-Trimethylbenzene	ND	50					
1,3,5-Trimethylbenzene	ND	50					
Naphthalene	ND	250					
2-Methylnaphthalene	ND	250					

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

COMPANY:	RIVERSIDE	GTA PROJECT NO:	071720-6
PROJECT NO:		GTA SAMPLE NO:	13
LOCATION:	GRID IRON A2-34	DATE SAMPLED:	7/16/2020
		TIME SAMPLED:	
	MI	DATE RECEIVED:	7/17/2020
		TIME RECEIVED:	10:40 AM
SAMPLE MATRIX:	SOIL		
SAMPLE ID:	F-8	SAMPLED BY:	NJ/ECT

EPA 8260B VOLATILE ORGANICS

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date</u> <u>Extracted</u>	<u>Date</u> <u>Complete</u>	<u>Prep Method</u>
Benzene	ND	50	ug/Kg (PPB)	MR	7/16/2020	7/21/2020	EPA 5035A
Toluene	ND	50					
Ethylbenzene	ND	50					
Xylene(Total)	ND	150					
1,2,4-Trimethylbenzene	ND	50					
1,3,5-Trimethylbenzene	ND	50					
Naphthalene	ND	250					
2-Methylnaphthalene	ND	250					

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

COMPANY:	RIVERSIDE	GTA PROJECT NO:	071720-6
PROJECT NO:		GTA SAMPLE NO:	14
LOCATION:	GRID IRON A2-34	DATE SAMPLED:	7/16/2020
		TIME SAMPLED:	
	MI	DATE RECEIVED:	7/17/2020
		TIME RECEIVED:	10:40 AM
SAMPLE MATRIX:	SOIL		
SAMPLE ID:	F-9	SAMPLED BY:	NJ/ECT

EPA 8260B VOLATILE ORGANICS

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date</u> <u>Extracted</u>	<u>Date</u> <u>Complete</u>	<u>Prep Method</u>
Benzene	ND	50	ug/Kg (PPB)	MR	7/16/2020	7/21/2020	EPA 5035A
Toluene	ND	50					
Ethylbenzene	ND	50					
Xylene(Total)	ND	150					
1,2,4-Trimethylbenzene	ND	50					
1,3,5-Trimethylbenzene	ND	50					
Naphthalene	ND	250					
2-Methylnaphthalene	ND	250					

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: RIVERSIDE
NAME:
PROJECT NO:
LOCATION: GRID IRON A2-34
MI
SAMPLED BY: NJ/ECT

GTA PROJECT NO: 071720-6
GTA SAMPLE NO: 1
DATE SAMPLED: 7/16/2020
TIME SAMPLED:
DATE RECEIVED: 7/17/2020
TIME RECEIVED: 10:40 AM

ORGANICS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date</u> <u>Extracted</u>	<u>Date</u> <u>Complete</u>	<u>Prep Method</u>
SAMPLE ID:	NORTH SIDE WALL							
SAMPLE MATRIX:	SOIL							
ETHYLENE GLYCOL EPA 8015M		ND	4.0	mg/Kg (PPM)	KC/TR	7/20/2020	7/22/2020	EPA 3550M

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: RIVERSIDE
NAME:
PROJECT NO:
LOCATION: GRID IRON A2-34

MI
SAMPLED BY: NJ/ECT

GTA PROJECT NO: 071720-6
GTA SAMPLE NO: 2

DATE SAMPLED: 7/16/2020
TIME SAMPLED:

DATE RECEIVED: 7/17/2020
TIME RECEIVED: 10:40 AM

ORGANICS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date</u> <u>Extracted</u>	<u>Date</u> <u>Complete</u>	<u>Prep Method</u>
SAMPLE ID: NORTH SIDE WALL #2								
SAMPLE MATRIX: SOIL								
	ETHYLENE GLYCOL EPA 8015M	ND	4.0	mg/Kg (PPM)	KC/TR	7/20/2020	7/22/2020	EPA 3550M

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: RIVERSIDE
NAME:
PROJECT NO:
LOCATION: GRID IRON A2-34
MI
SAMPLED BY: NJ/ECT

GTA PROJECT NO: 071720-6
GTA SAMPLE NO: 3
DATE SAMPLED: 7/16/2020
TIME SAMPLED:
DATE RECEIVED: 7/17/2020
TIME RECEIVED: 10:40 AM

ORGANICS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date</u> <u>Extracted</u>	<u>Date</u> <u>Complete</u>	<u>Prep Method</u>
SAMPLE ID:	SOUTH SIDE WALL							
SAMPLE MATRIX:	SOIL							
ETHYLENE GLYCOL EPA 8015M		ND	4.0	mg/Kg (PPM)	KC/TR	7/20/2020	7/22/2020	EPA 3550M

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: RIVERSIDE
NAME:
PROJECT NO:
LOCATION: GRID IRON A2-34

MI
SAMPLED BY: NJ/ECT

GTA PROJECT NO: 071720-6
GTA SAMPLE NO: 4

DATE SAMPLED: 7/16/2020
TIME SAMPLED:

DATE RECEIVED: 7/17/2020
TIME RECEIVED: 10:40 AM

ORGANICS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date</u> <u>Extracted</u>	<u>Date</u> <u>Complete</u>	<u>Prep Method</u>
SAMPLE ID:	EAST SIDE WALL							
SAMPLE MATRIX:	SOIL							
ETHYLENE GLYCOL EPA 8015M		ND	4.0	mg/Kg (PPM)	KC/TR	7/20/2020	7/22/2020	EPA 3550M

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: RIVERSIDE
NAME:
PROJECT NO:
LOCATION: GRID IRON A2-34
MI
SAMPLED BY: NJ/ECT

GTA PROJECT NO: 071720-6
GTA SAMPLE NO: 5
DATE SAMPLED: 7/16/2020
TIME SAMPLED:
DATE RECEIVED: 7/17/2020
TIME RECEIVED: 10:40 AM

ORGANICS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date</u> <u>Extracted</u>	<u>Date</u> <u>Complete</u>	<u>Prep Method</u>
SAMPLE ID:	WEST SIDE WALL							
SAMPLE MATRIX:	SOIL							
ETHYLENE GLYCOL EPA 8015M		ND	4.0	mg/Kg (PPM)	KC/TR	7/20/2020	7/22/2020	EPA 3550M

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: RIVERSIDE
NAME:
PROJECT NO:
LOCATION: GRID IRON A2-34

MI
SAMPLED BY: NJ/ECT

GTA PROJECT NO: 071720-6
GTA SAMPLE NO: 6

DATE SAMPLED: 7/16/2020
TIME SAMPLED:

DATE RECEIVED: 7/17/2020
TIME RECEIVED: 10:40 AM

ORGANICS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date</u> <u>Extracted</u>	<u>Date</u> <u>Complete</u>	<u>Prep Method</u>
SAMPLE ID:	F-1							
SAMPLE MATRIX:	SOIL							
ETHYLENE GLYCOL EPA 8015M		4,100	4.0	mg/Kg (PPM)	KC/TR	7/20/2020	7/22/2020	EPA 3550M

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: RIVERSIDE
NAME:
PROJECT NO:
LOCATION: GRID IRON A2-34

MI
SAMPLED BY: NJ/ECT

GTA PROJECT NO: 071720-6
GTA SAMPLE NO: 7

DATE SAMPLED: 7/16/2020
TIME SAMPLED:

DATE RECEIVED: 7/17/2020
TIME RECEIVED: 10:40 AM

ORGANICS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date</u> <u>Extracted</u>	<u>Date</u> <u>Complete</u>	<u>Prep Method</u>
SAMPLE ID:	F-2							
SAMPLE MATRIX:	SOIL							
ETHYLENE GLYCOL EPA 8015M		ND	4.0	mg/Kg (PPM)	KC/TR	7/20/2020	7/22/2020	EPA 3550M

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: RIVERSIDE
NAME:
PROJECT NO:
LOCATION: GRID IRON A2-34

MI
SAMPLED BY: NJ/ECT

GTA PROJECT NO: 071720-6
GTA SAMPLE NO: 8

DATE SAMPLED: 7/16/2020
TIME SAMPLED:

DATE RECEIVED: 7/17/2020
TIME RECEIVED: 10:40 AM

ORGANICS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date</u> <u>Extracted</u>	<u>Date</u> <u>Complete</u>	<u>Prep Method</u>
SAMPLE ID:	F-3							
SAMPLE MATRIX:	SOIL							
ETHYLENE GLYCOL EPA 8015M		ND	4.0	mg/Kg (PPM)	KC/TR	7/20/2020	7/22/2020	EPA 3550M

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: RIVERSIDE
NAME:
PROJECT NO:
LOCATION: GRID IRON A2-34
MI
SAMPLED BY: NJ/ECT

GTA PROJECT NO: 071720-6
GTA SAMPLE NO: 9
DATE SAMPLED: 7/16/2020
TIME SAMPLED:
DATE RECEIVED: 7/17/2020
TIME RECEIVED: 10:40 AM

ORGANICS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date</u> <u>Extracted</u>	<u>Date</u> <u>Complete</u>	<u>Prep Method</u>
SAMPLE ID:	F-4							
SAMPLE MATRIX:	SOIL							
ETHYLENE GLYCOL EPA 8015M		ND	4.0	mg/Kg (PPM)	KC/TR	7/20/2020	7/22/2020	EPA 3550M

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: RIVERSIDE
NAME:
PROJECT NO:
LOCATION: GRID IRON A2-34

MI
SAMPLED BY: NJ/ECT

GTA PROJECT NO: 071720-6
GTA SAMPLE NO: 10
DATE SAMPLED: 7/16/2020
TIME SAMPLED:
DATE RECEIVED: 7/17/2020
TIME RECEIVED: 10:40 AM

ORGANICS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date</u> <u>Extracted</u>	<u>Date</u> <u>Complete</u>	<u>Prep Method</u>
SAMPLE ID:	F-5							
SAMPLE MATRIX:	SOIL							
ETHYLENE GLYCOL EPA 8015M		ND	4.0	mg/Kg (PPM)	KC/TR	7/20/2020	7/22/2020	EPA 3550M

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: RIVERSIDE
NAME:
PROJECT NO:
LOCATION: GRID IRON A2-34

MI
SAMPLED BY: NJ/ECT

GTA PROJECT NO: 071720-6
GTA SAMPLE NO: 11

DATE SAMPLED: 7/16/2020
TIME SAMPLED:

DATE RECEIVED: 7/17/2020
TIME RECEIVED: 10:40 AM

ORGANICS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date</u> <u>Extracted</u>	<u>Date</u> <u>Complete</u>	<u>Prep Method</u>
SAMPLE ID:	F-6							
SAMPLE MATRIX:	SOIL							
ETHYLENE GLYCOL EPA 8015M		ND	4.0	mg/Kg (PPM)	KC/TR	7/20/2020	7/22/2020	EPA 3550M

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: RIVERSIDE
NAME:
PROJECT NO:
LOCATION: GRID IRON A2-34

MI
SAMPLED BY: NJ/ECT

GTA PROJECT NO: 071720-6
GTA SAMPLE NO: 12

DATE SAMPLED: 7/16/2020
TIME SAMPLED:

DATE RECEIVED: 7/17/2020
TIME RECEIVED: 10:40 AM

ORGANICS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date</u> <u>Extracted</u>	<u>Date</u> <u>Complete</u>	<u>Prep Method</u>
SAMPLE ID:	F-7							
SAMPLE MATRIX:	SOIL							
ETHYLENE GLYCOL EPA 8015M		ND	4.0	mg/Kg (PPM)	KC/TR	7/20/2020	7/22/2020	EPA 3550M

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: RIVERSIDE
NAME:
PROJECT NO:
LOCATION: GRID IRON A2-34

MI
SAMPLED BY: NJ/ECT

GTA PROJECT NO: 071720-6
GTA SAMPLE NO: 13

DATE SAMPLED: 7/16/2020
TIME SAMPLED:

DATE RECEIVED: 7/17/2020
TIME RECEIVED: 10:40 AM

ORGANICS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date</u> <u>Extracted</u>	<u>Date</u> <u>Complete</u>	<u>Prep Method</u>
SAMPLE ID:	F-8							
SAMPLE MATRIX:	SOIL							
ETHYLENE GLYCOL EPA 8015M		ND	4.0	mg/Kg (PPM)	KC/TR	7/20/2020	7/22/2020	EPA 3550M

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: RIVERSIDE
NAME:
PROJECT NO:
LOCATION: GRID IRON A2-34

MI
SAMPLED BY: NJ/ECT

GTA PROJECT NO: 071720-6
GTA SAMPLE NO: 14
DATE SAMPLED: 7/16/2020
TIME SAMPLED:
DATE RECEIVED: 7/17/2020
TIME RECEIVED: 10:40 AM

ORGANICS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date</u> <u>Extracted</u>	<u>Date</u> <u>Complete</u>	<u>Prep Method</u>
SAMPLE ID:	F-9							
SAMPLE MATRIX:	SOIL							
ETHYLENE GLYCOL EPA 8015M		ND	4.0	mg/Kg (PPM)	KC/TR	7/20/2020	7/22/2020	EPA 3550M

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

COMPANY: RIVERSIDE
PROJECT NO:
LOCATION: GRID IRON A2-34
MI
SAMPLED BY: NJ/ECT
GTA PROJECT NO: 071720-6
GTA SAMPLE NO: 1
DATE SAMPLED: 7/16/2020
TIME SAMPLED:
DATE RECEIVED: 7/17/2020
TIME RECEIVED: 10:40 AM

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date</u>	<u>Sample</u>
	SAMPLE ID: NORTH SIDE WALL CHLORIDE EPA 300.0	ND	110	mg/Kg (PPM)	LV	7/17/2020	SOIL

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: RIVERSIDE
PROJECT NO:
LOCATION: GRID IRON A2-34
MI
SAMPLED BY: NJ/ECT
GTA PROJECT NO: 071720-6
GTA SAMPLE NO: 2
DATE SAMPLED: 7/16/2020
TIME SAMPLED:
DATE RECEIVED: 7/17/2020
TIME RECEIVED: 10:40 AM

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date</u>	<u>Sample</u>
	SAMPLE ID: NORTH SIDE WALL #2						
	CHLORIDE EPA 300.0	ND	100	mg/Kg (PPM)	LV	7/17/2020	SOIL

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: RIVERSIDE
PROJECT NO:
LOCATION: GRID IRON A2-34
MI
SAMPLED BY: NJ/ECT
GTA PROJECT NO: 071720-6
GTA SAMPLE NO: 3
DATE SAMPLED: 7/16/2020
TIME SAMPLED:
DATE RECEIVED: 7/17/2020
TIME RECEIVED: 10:40 AM

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date</u>	<u>Sample</u>
	SAMPLE ID: SOUTH SIDE WALL CHLORIDE EPA 300.0	ND	100	mg/Kg (PPM)	LV	7/17/2020	SOIL

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: RIVERSIDE

GTA PROJECT NO: 071720-6

GTA SAMPLE NO: 4

PROJECT NO:

LOCATION: GRID IRON A2-34

DATE SAMPLED: 7/16/2020

TIME SAMPLED:

DATE RECEIVED: 7/17/2020

TIME RECEIVED: 10:40 AM

MI

SAMPLED BY: NJ/ECT

SAMPLE ANALYSIS

No: Analysis

SAMPLE ID: EAST SIDE WALL

CHLORIDE EPA 300.0

Concentration

ND

LOD

100

Units

mg/Kg (PPM) LV

Analyst

Date

7/17/2020

Sample

SOIL

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: RIVERSIDE

GTA PROJECT NO: 071720-6

GTA SAMPLE NO: 5

PROJECT NO:

LOCATION: GRID IRON A2-34

DATE SAMPLED: 7/16/2020

TIME SAMPLED:

DATE RECEIVED: 7/17/2020

TIME RECEIVED: 10:40 AM

MI

SAMPLED BY: NJ/ECT

SAMPLE ANALYSIS

No: Analysis

SAMPLE ID: WEST SIDE WALL

CHLORIDE EPA 300.0

Concentration

ND

LOD

100

Units

mg/Kg (PPM) LV

Analyst

Date

7/17/2020

Sample

SOIL

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: RIVERSIDE
PROJECT NO:
LOCATION: GRID IRON A2-34
MI
SAMPLED BY: NJ/ECT
GTA PROJECT NO: 071720-6
GTA SAMPLE NO: 6
DATE SAMPLED: 7/16/2020
TIME SAMPLED:
DATE RECEIVED: 7/17/2020
TIME RECEIVED: 10:40 AM

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date</u>	<u>Sample</u>
	SAMPLE ID: F-1						
	CHLORIDE EPA 300.0	ND	110	mg/Kg (PPM)	LV	7/17/2020	SOIL

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: RIVERSIDE

GTA PROJECT NO: 071720-6

GTA SAMPLE NO: 7

PROJECT NO:

LOCATION: GRID IRON A2-34

DATE SAMPLED: 7/16/2020

TIME SAMPLED:

DATE RECEIVED: 7/17/2020

TIME RECEIVED: 10:40 AM

MI

SAMPLED BY: NJ/ECT

SAMPLE ANALYSIS

No: Analysis

SAMPLE ID: F-2

CHLORIDE EPA 300.0

Concentration

ND

LOD

120

Units

mg/Kg (PPM) LV

Analyst

Date

7/17/2020

Sample

SOIL

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: RIVERSIDE
PROJECT NO:
LOCATION: GRID IRON A2-34
MI
SAMPLED BY: NJ/ECT
GTA PROJECT NO: 071720-6
GTA SAMPLE NO: 8
DATE SAMPLED: 7/16/2020
TIME SAMPLED:
DATE RECEIVED: 7/17/2020
TIME RECEIVED: 10:40 AM

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date</u>	<u>Sample</u>
SAMPLE ID: F-3							
CHLORIDE EPA 300.0		ND	100	mg/Kg (PPM)	LV	7/17/2020	SOIL

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: RIVERSIDE

GTA PROJECT NO: 071720-6

GTA SAMPLE NO: 9

PROJECT NO:

LOCATION: GRID IRON A2-34

DATE SAMPLED: 7/16/2020

TIME SAMPLED:

DATE RECEIVED: 7/17/2020

TIME RECEIVED: 10:40 AM

MI

SAMPLED BY: NJ/ECT

SAMPLE ANALYSIS

No: Analysis

SAMPLE ID: F-4

CHLORIDE EPA 300.0

Concentration

LOD

Units

Analyst

Date

Sample

ND

110

mg/Kg (PPM) LV

7/17/2020

SOIL

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: RIVERSIDE
PROJECT NO:
LOCATION: GRID IRON A2-34
MI
SAMPLED BY: NJ/ECT
GTA PROJECT NO: 071720-6
GTA SAMPLE NO: 10
DATE SAMPLED: 7/16/2020
TIME SAMPLED:
DATE RECEIVED: 7/17/2020
TIME RECEIVED: 10:40 AM

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date</u>	<u>Sample</u>
SAMPLE ID: F-5							
CHLORIDE EPA 300.0		ND	110	mg/Kg (PPM)	LV	7/17/2020	SOIL

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: RIVERSIDE

GTA PROJECT NO: 071720-6

GTA SAMPLE NO: 11

PROJECT NO:

LOCATION: GRID IRON A2-34

DATE SAMPLED: 7/16/2020

TIME SAMPLED:

DATE RECEIVED: 7/17/2020

TIME RECEIVED: 10:40 AM

MI

SAMPLED BY: NJ/ECT

SAMPLE ANALYSIS

No: Analysis

SAMPLE ID: F-6

CHLORIDE EPA 300.0

Concentration

ND

LOD

100

Units

mg/Kg (PPM) LV

Analyst

Date

7/17/2020

Sample

SOIL

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: RIVERSIDE
PROJECT NO:
LOCATION: GRID IRON A2-34
MI
SAMPLED BY: NJ/ECT
GTA PROJECT NO: 071720-6
GTA SAMPLE NO: 12
DATE SAMPLED: 7/16/2020
TIME SAMPLED:
DATE RECEIVED: 7/17/2020
TIME RECEIVED: 10:40 AM

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date</u>	<u>Sample</u>
	SAMPLE ID: F-7						
	CHLORIDE EPA 300.0	ND	100	mg/Kg (PPM)	LV	7/17/2020	SOIL

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: RIVERSIDE
PROJECT NO:
LOCATION: GRID IRON A2-34
MI
SAMPLED BY: NJ/ECT
GTA PROJECT NO: 071720-6
GTA SAMPLE NO: 13
DATE SAMPLED: 7/16/2020
TIME SAMPLED:
DATE RECEIVED: 7/17/2020
TIME RECEIVED: 10:40 AM

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date</u>	<u>Sample</u>
SAMPLE ID: F-8							
CHLORIDE EPA 300.0		ND	100	mg/Kg (PPM)	LV	7/17/2020	SOIL

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: RIVERSIDE

GTA PROJECT NO: 071720-6

GTA SAMPLE NO: 14

PROJECT NO:

LOCATION: GRID IRON A2-34

DATE SAMPLED: 7/16/2020

TIME SAMPLED:

DATE RECEIVED: 7/17/2020

TIME RECEIVED: 10:40 AM

MI

SAMPLED BY: NJ/ECT

SAMPLE ANALYSIS

No: Analysis

SAMPLE ID: F-9

CHLORIDE EPA 300.0

Concentration

ND

LOD

110

Units

mg/Kg (PPM) LV

Analyst

Date

7/17/2020

Sample

SOIL

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

s.u. = STANDARD pH UNITS REPORTED AT 25 C

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: RIVERSIDE

GTA PROJECT NO: 071720-6

NAME:
PROJECT NO:

SAMPLED BY: NJ/ECT

DATE SAMPLED: 7/16/2020

TIME SAMPLED:

SAMPLE MATRIX: SOIL

LOCATION: GRID IRON A2-34

DATE RECEIVED: 7/17/2020

TIME RECEIVED: 10:40 AM

MI

MOISTURE

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Complete</u>
	SAMPLE ID: NORTH SIDE WALL					
	% MOISTURE EPA 3550C	6.5	0.050	% OF SAMPLE	AS	7/17/2020
	SAMPLE ID: NORTH SIDE WALL #2					
	% MOISTURE EPA 3550C	4.9	0.050	% OF SAMPLE	AS	7/17/2020
	SAMPLE ID: SOUTH SIDE WALL					
	% MOISTURE EPA 3550C	4.5	0.050	% OF SAMPLE	AS	7/17/2020
	SAMPLE ID: EAST SIDE WALL					
	% MOISTURE EPA 3550C	5.5	0.050	% OF SAMPLE	AS	7/17/2020
	SAMPLE ID: WEST SIDE WALL					
	% MOISTURE EPA 3550C	5.3	0.050	% OF SAMPLE	AS	7/17/2020
	SAMPLE ID: F-1					
	% MOISTURE EPA 3550C	9.1	0.050	% OF SAMPLE	AS	7/17/2020
	SAMPLE ID: F-2					
	% MOISTURE EPA 3550C	17	0.050	% OF SAMPLE	AS	7/17/2020
	SAMPLE ID: F-3					
	% MOISTURE EPA 3550C	4.3	0.050	% OF SAMPLE	AS	7/17/2020
	SAMPLE ID: F-4					
	% MOISTURE EPA 3550C	8.6	0.050	% OF SAMPLE	AS	7/17/2020
	SAMPLE ID: F-5					
	% MOISTURE EPA 3550C	6.9	0.050	% OF SAMPLE	AS	7/17/2020
	SAMPLE ID: F-6					
	% MOISTURE EPA 3550C	3.3	0.050	% OF SAMPLE	AS	7/17/2020
	SAMPLE ID: F-7					
	% MOISTURE EPA 3550C	4.9	0.050	% OF SAMPLE	AS	7/17/2020
	SAMPLE ID: F-8					
	% MOISTURE EPA 3550C	3.3	0.050	% OF SAMPLE	AS	7/17/2020
	SAMPLE ID: F-9					
	% MOISTURE EPA 3550C	6.6	0.050	% OF SAMPLE	AS	7/17/2020

CHAIN OF CUSTODY

PROJECT NUMBER	SITE NAME/ADDRESS	COMPANY/NAME
	Grid Iron A2-34	Riverside
SAMPLED BY	COMPANY	GTA PROJECT #
NV	ECT	071720-6

SAMPLE INFORMATION

#	SAMPLE ID	DATE SAMPLED	TIME	MATRIX	ANALYSIS
1	North Side Wall	7-16-20		Soil	BTEX+4, CL, E.G.
2	North Side Wall #2				
3	South Side Wall				
4	East Side Wall				
5	West Side Wall				
6	F-1				
7	F-2				
8	F-3				
9	F-4				
10	F-5				
11	F-6				
12	F-7				
13	F-8				
14	F-9				

BILL TO:

Riverside

REPORT TO:

rec. PC on ice

LISA

RELEASED BY	DATE/TIME	RECEIVED BY	DATE/TIME
M. Jones	7-17-20	K. Clark	7/17/20 10:40am

REQUESTED TAT ☒ STANDARD ☐ 1 BUSINESS DAY ☐ 2 BUSINESS DAYS ☐ 3 BUSINESS DAYS