



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

Company: WHITE PINE PRODUCTION
Name:
ClientProj: 20-280A
GTA ProjNo: 121024-9

Site Addr: BEAVER CREEK K-5

Sampled By: ANDREW PUFFPAFF/OMPC
Date Rec: 12/10/2024
Time Rec: 3:15 PM

Sample No.	Sample ID	Date Sampled	Time Sampled	Sample Matrix
1	MW-1	12/10/2024	11:35 AM	WATER
2	MW-2	12/10/2024	11:20 AM	WATER
3	MW-3	12/10/2024	11:08 AM	WATER

ELECTRONIC SIGNITURE REPORT. This is a final report for the following pages of data for the samples specified above. All analysis was performed by the methods stated and all quality control measures required were completed. All quality control information is available upon request.

Kirk Chase

Kirk L. Chase/Chemist
Grand Traverse Analytical
830 Robinwood Court
Traverse City, MI 49686
Ph: 231-929-0905
Fx: 231-929-0894
SP: 231-590-0291
kirk@gtanalytical.com

COMPANY: WHITE PINE PRODUCTION
 PROJECT NO: 20-280A
 LOCATION: BEAVER CREEK K-5

GTA PROJECT NO: 121024-9
 GTA SAMPLE NO: 1
 DATE SAMPLED: 12/10/2024
 TIME SAMPLED: 11:35 AM
 DATE RECEIVED: 12/10/2024
 TIME RECEIVED: 3:15 PM

MI
 SAMPLED BY: ANDREW PUFFPAFF/OMPC

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
SAMPLE ID: MW-1	CHLORIDE EPA 300.0	62	10	mg/L (PPM)	KC/TR	12/13/2024	WATER

ND = NOT DETECTED, RESULT < LOD
 LOD = LIMIT OF DETECTION
 s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: WHITE PINE PRODUCTION
 PROJECT NO: 20-280A
 LOCATION: BEAVER CREEK K-5

GTA PROJECT NO: 121024-9
 GTA SAMPLE NO: 2
 DATE SAMPLED: 12/10/2024
 TIME SAMPLED: 11:20 AM
 DATE RECEIVED: 12/10/2024
 TIME RECEIVED: 3:15 PM

MI
 SAMPLED BY: ANDREW PUFFPAFF/OMPC

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
	SAMPLE ID: MW-2 CHLORIDE EPA 300.0	140	10	mg/L (PPM)	KC/TR	12/13/2024	WATER

ND = NOT DETECTED, RESULT < LOD
 LOD = LIMIT OF DETECTION
 s.u. = STANDARD pH UNITS REPORTED AT 25 C



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: WHITE PINE PRODUCTION
PROJECT NO: 20-280A
LOCATION: BEAVER CREEK K-5

GTA PROJECT NO: 121024-9
GTA SAMPLE NO: 3
DATE SAMPLED: 12/10/2024
TIME SAMPLED: 11:08 AM
DATE RECEIVED: 12/10/2024
TIME RECEIVED: 3:15 PM

MI
SAMPLED BY: ANDREW PUFFPAFF/OMPC

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
SAMPLE ID: MW-3	CHLORIDE EPA 300.0	ND	10	mg/L (PPM)	KC/TR	12/13/2024	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C

