



**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

[www.gtanalytical.com](http://www.gtanalytical.com)

Company: COMPLIANCE INC.  
Name:  
ClientProj: 4457  
GTA ProjNo: 082120-7

Site Addr: GNS AMERICA  
13327 QUINCY ST/13341 QUINCY ST.  
HOLLAND  
Sampled By: RANDY GLASS/COMPLIANCE INC.  
Date Rec: 8/21/2020  
Time Rec: 11:55 AM

Sample No.	Sample ID	Date Sampled	Time Sampled	Sample Matrix
1	SB-1, 2-4'	8/19/2020	9:00 AM	SOIL
2	SB-2, 2-4'	8/19/2020	9:50 AM	SOIL
3	SB-3, 2-4'	8/19/2020	10:30 AM	SOIL
4	SB-4, 2-4'	8/19/2020	11:15 AM	SOIL
5	SB-5, 2-4'	8/19/2020	12:15 PM	SOIL
6	SB-6, 2-4'	8/19/2020	1:15 PM	SOIL
7	SB-7, 2-4'	8/19/2020	2:15 PM	SOIL
8	SB-8, 2-4'	8/19/2020	3:00 PM	SOIL
9	SB-9, 2-4'	8/19/2020	4:00 PM	SOIL
10	TMW-1	8/19/2020	9:15 AM	WATER
11	TMW-2	8/19/2020	10:00 AM	WATER
12	TMW-3	8/19/2020	10:45 AM	WATER
13	TMW-4	8/19/2020	11:30 AM	WATER
14	TMW-5	8/19/2020	12:30 PM	WATER
15	TMW-6	8/19/2020	1:30 PM	WATER
16	TMW-7	8/19/2020	2:30 PM	WATER
17	TMW-8	8/19/2020	3:20 PM	WATER
18	TMW-9	8/19/2020	4:15 PM	WATER

ELECTRONIC SIGNATURE REPORT. This is a final report for the following pages of data for the samples specified above. All analysis was performed by the methods stated and all quality control measures required were completed. All quality control information is available upon request.

*Kirk Chase*

Kirk L. Chase/Chemist  
Grand Traverse Analytical  
830 Robinwood Court  
Traverse City, MI 49686  
Ph: 231-929-0905  
Fx: 231-929-0894  
SP: 231-590-0291  
[kirk@gtanalytical.com](mailto:kirk@gtanalytical.com)





**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: COMPLIANCE INC.  
 PROJECT NO: 4457  
 LOCATION: GNS AMERICA  
 13327 QUINCY ST/13341 QUINCY ST.  
 HOLLAND  
 SAMPLED BY: RANDY GLASS/COMPLIANCE INC.  
 SAMPLE MATRIX: SOIL

GTA PROJECT NO: 082120-7  
 GTA SAMPLE NO: 2  
 DATE SAMPLED: 8/19/2020  
 TIME SAMPLED: 9:50 AM  
 DATE RECEIVED: 8/21/2020  
 TIME RECEIVED: 11:55 AM

\*\*THIS SAMPLE WAS RECEIVED MEOH PRESERVED.

SAMPLE ID: SB-2, 2-4'

**EPA 8260B VOLATILE ORGANICS**

<u>Units=</u> ug/Kg (PPB)	<u>Analyst=</u> MR	<u>Date</u>	8/19/2020	<u>Date Completed=</u> 8/23/2020	<u>Prep</u>	EPA 5035A
<u>Analyte</u>	<u>Concentration</u>	<u>LOD</u>	<u>Analyte</u>	<u>Concentration</u>	<u>LOD</u>	
ACETONE	ND	1,000	cis-1,3-DICHLOROPROPENE	ND	50	
ALLYL CHLORIDE	ND	250	trans-1,3-DICHLOROPROPENE	ND	50	
BENZENE	ND	50	DIETHYL ETHER	ND	200	
BROMOBENZENE	ND	100	ETHYLBENZENE	ND	50	
BROMOCHLOROMETHANE	ND	100	ETHYL METHACRYLATE	ND	250	
BROMODICHLOROMETHANE	ND	50	HEXACHLOROBTADIENE	ND	50	
BROMOFORM	ND	100	HEXACHLOROETHANE	ND	250	
BROMOMETHANE	ND	200	2-HEXANONE	ND	2,500	
n-BUTYLBENZENE	ND	50	IDOMETHANE	ND	250	
s-BUTYLBENZENE	ND	50	ISOPROPYLBENZENE	ND	50	
t-BUTYLBENZENE	ND	50	ISOPROPYLTOLUENE	ND	50	
CARBON DISULFIDE	ND	250	METHYL ACRYLATE	ND	250	
CARBON TETRACHLORIDE	ND	50	METHYL ETHYL KETONE	ND	750	
CHLOROBENZENE	ND	50	METHYL-t-BUTYL ETHER	ND	250	
1-CHLOROBUTANE	ND	100	METHYLENE CHLORIDE	ND	100	
CHLOROFORM	ND	50	METHYL METHACRYLATE	ND	250	
CHLOROETHANE	ND	250	MIBK	ND	2,500	
CHLOROMETHANE	ND	250	2-METHYLNAPHTHALENE	ND	250	
2-CHLOROTOLUENE	ND	50	NAPHTHALENE	ND	250	
4-CHLOROTOLUENE	ND	50	PENTACHLOROETHANE	ND	250	
DIBROMOCHLOROMETHANE	ND	100	n-PROPYLBENZENE	ND	50	
DIBROMOMETHANE	ND	250	STYRENE	ND	50	
1,2-DIBROMOETHANE	ND	20	1,1,1,2-TETRACHLOROETHANE	ND	100	
1,2-DICHLOROBENZENE	ND	50	1,1,2,2-TETRACHLOROETHANE	ND	50	
1,3-DICHLOROBENZENE	ND	50	TETRACHLOROETHENE	ND	50	
1,4-DICHLOROBENZENE	ND	50	TOLUENE	ND	50	
t-1,4-DICHLORO-2-BUTENE	ND	50	1,2,3-TRICHLOROBENZENE	ND	50	
DICHLORODIFLUOROMETHANE	ND	250	1,2,4-TRICHLOROBENZENE	ND	250	
1,1-DICHLOROETHANE	ND	50	1,1,1-TRICHLOROETHANE	ND	50	
1,2-DICHLOROETHANE	ND	50	1,1,2-TRICHLOROETHANE	ND	50	
1,1-DICHLOROETHENE	ND	50	TRICHLOROETHENE	ND	50	
cis-1,2-DICHLOROETHENE	ND	50	TRICHLORFLUOROMETHANE	ND	100	
trans-1,2-DICHLOROETHENE	ND	50	1,2,3-TRICHLOROPROPANE	ND	100	
1,2-DICHLOROPROPANE	ND	50	1,2,4-TRIMETHYLBENZENE	ND	50	
1,3-DICHLOROPROPANE	ND	50	1,3,5-TRIMETHYLBENZENE	ND	50	
2,2-DICHLOROPROPANE	ND	50	VINYL CHLORIDE	ND	40	
1,1-DICHLOROPROPENE	ND	50	XYLENE (TOTAL)	ND	150	

ND = NOT DETECTED, RESULT IS <LOD.  
 LOD = LIMIT OF DETECTION.



**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: COMPLIANCE INC.  
 PROJECT NO: 4457  
 LOCATION: GNS AMERICA  
 13327 QUINCY ST/13341 QUINCY ST.  
 HOLLAND  
 SAMPLED BY: RANDY GLASS/COMPLIANCE INC.  
 SAMPLE MATRIX: SOIL

GTA PROJECT NO: 082120-7  
 GTA SAMPLE NO: 3  
 DATE SAMPLED: 8/19/2020  
 TIME SAMPLED: 10:30 AM  
 DATE RECEIVED: 8/21/2020  
 TIME RECEIVED: 11:55 AM

\*\*THIS SAMPLE WAS RECEIVED MEOH PRESERVED.

SAMPLE ID: SB-3, 2-4'

**EPA 8260B VOLATILE ORGANICS**

<u>Units=</u> ug/Kg (PPB)	<u>Analyst=</u> MR	<u>Date</u>	8/19/2020	<u>Date Completed=</u> 8/23/2020	<u>Prep</u>	EPA 5035A
<u>Analyte</u>	<u>Concentration</u>	<u>LOD</u>		<u>Analyte</u>	<u>Concentration</u>	<u>LOD</u>
ACETONE	ND	1,000		cis-1,3-DICHLOROPROPENE	ND	50
ALLYL CHLORIDE	ND	250		trans-1,3-DICHLOROPROPENE	ND	50
BENZENE	ND	50		DIETHYL ETHER	ND	200
BROMOBENZENE	ND	100		ETHYLBENZENE	ND	50
BROMOCHLOROMETHANE	ND	100		ETHYL METHACRYLATE	ND	250
BROMODICHLOROMETHANE	ND	50		HEXACHLOROBTADIENE	ND	50
BROMOFORM	ND	100		HEXACHLOROETHANE	ND	250
BROMOMETHANE	ND	200		2-HEXANONE	ND	2,500
n-BUTYLBENZENE	ND	50		IDOMETHANE	ND	250
s-BUTYLBENZENE	ND	50		ISOPROPYLBENZENE	ND	50
t-BUTYLBENZENE	ND	50		ISOPROPYLTOLUENE	ND	50
CARBON DISULFIDE	ND	250		METHYL ACRYLATE	ND	250
CARBON TETRACHLORIDE	ND	50		METHYL ETHYL KETONE	ND	750
CHLOROBENZENE	ND	50		METHYL-t-BUTYL ETHER	ND	250
1-CHLOROBUTANE	ND	100		METHYLENE CHLORIDE	ND	100
CHLOROFORM	ND	50		METHYL METHACRYLATE	ND	250
CHLOROETHANE	ND	250		MIBK	ND	2,500
CHLOROMETHANE	ND	250		2-METHYLNAPHTHALENE	ND	250
2-CHLOROTOLUENE	ND	50		NAPHTHALENE	ND	250
4-CHLOROTOLUENE	ND	50		PENTACHLOROETHANE	ND	250
DIBROMOCHLOROMETHANE	ND	100		n-PROPYLBENZENE	ND	50
DIBROMOMETHANE	ND	250		STYRENE	ND	50
1,2-DIBROMOETHANE	ND	20		1,1,1,2-TETRACHLOROETHANE	ND	100
1,2-DICHLOROBENZENE	ND	50		1,1,2,2-TETRACHLOROETHANE	ND	50
1,3-DICHLOROBENZENE	ND	50		TETRACHLOROETHENE	ND	50
1,4-DICHLOROBENZENE	ND	50		TOLUENE	ND	50
t-1,4-DICHLORO-2-BUTENE	ND	50		1,2,3-TRICHLOROBENZENE	ND	50
DICHLORODIFLUOROMETHANE	ND	250		1,2,4-TRICHLOROBENZENE	ND	250
1,1-DICHLOROETHANE	ND	50		1,1,1-TRICHLOROETHANE	ND	50
1,2-DICHLOROETHANE	ND	50		1,1,2-TRICHLOROETHANE	ND	50
1,1-DICHLOROETHENE	ND	50		TRICHLOROETHENE	ND	50
cis-1,2-DICHLOROETHENE	ND	50		TRICHLORFLUOROMETHANE	ND	100
trans-1,2-DICHLOROETHENE	ND	50		1,2,3-TRICHLOROPROPANE	ND	100
1,2-DICHLOROPROPANE	ND	50		1,2,4-TRIMETHYLBENZENE	ND	50
1,3-DICHLOROPROPANE	ND	50		1,3,5-TRIMETHYLBENZENE	ND	50
2,2-DICHLOROPROPANE	ND	50		VINYL CHLORIDE	ND	40
1,1-DICHLOROPROPENE	ND	50		XYLENE (TOTAL)	ND	150

ND = NOT DETECTED, RESULT IS <LOD.  
 LOD = LIMIT OF DETECTION.



**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: COMPLIANCE INC.  
 PROJECT NO: 4457  
 LOCATION: GNS AMERICA  
 13327 QUINCY ST/13341 QUINCY ST.  
 HOLLAND  
 SAMPLED BY: RANDY GLASS/COMPLIANCE INC.  
 SAMPLE MATRIX: SOIL

GTA PROJECT NO: 082120-7  
 GTA SAMPLE NO: 4  
 DATE SAMPLED: 8/19/2020  
 TIME SAMPLED: 11:15 AM  
 DATE RECEIVED: 8/21/2020  
 TIME RECEIVED: 11:55 AM

\*\*THIS SAMPLE WAS RECEIVED MEOH PRESERVED.

SAMPLE ID: SB-4, 2-4'

**EPA 8260B VOLATILE ORGANICS**

<u>Units=</u> ug/Kg (PPB)	<u>Analyst=</u> MR	<u>Date</u>	8/19/2020	<u>Date Completed=</u> 8/23/2020	<u>Prep</u>	EPA 5035A
<u>Analyte</u>	<u>Concentration</u>	<u>LOD</u>	<u>Analyte</u>	<u>Concentration</u>	<u>LOD</u>	
ACETONE	ND	1,000	cis-1,3-DICHLOROPROPENE	ND	50	
ALLYL CHLORIDE	ND	250	trans-1,3-DICHLOROPROPENE	ND	50	
BENZENE	ND	50	DIETHYL ETHER	ND	200	
BROMOBENZENE	ND	100	ETHYLBENZENE	ND	50	
BROMOCHLOROMETHANE	ND	100	ETHYL METHACRYLATE	ND	250	
BROMODICHLOROMETHANE	ND	50	HEXACHLOROBTADIENE	ND	50	
BROMOFORM	ND	100	HEXACHLOROETHANE	ND	250	
BROMOMETHANE	ND	200	2-HEXANONE	ND	2,500	
n-BUTYLBENZENE	ND	50	IDOMETHANE	ND	250	
s-BUTYLBENZENE	ND	50	ISOPROPYLBENZENE	ND	50	
t-BUTYLBENZENE	ND	50	ISOPROPYLTOLUENE	ND	50	
CARBON DISULFIDE	ND	250	METHYL ACRYLATE	ND	250	
CARBON TETRACHLORIDE	ND	50	METHYL ETHYL KETONE	ND	750	
CHLOROBENZENE	ND	50	METHYL-t-BUTYL ETHER	ND	250	
1-CHLOROBUTANE	ND	100	METHYLENE CHLORIDE	ND	100	
CHLOROFORM	ND	50	METHYL METHACRYLATE	ND	250	
CHLOROETHANE	ND	250	MIBK	ND	2,500	
CHLOROMETHANE	ND	250	2-METHYLNAPHTHALENE	ND	250	
2-CHLOROTOLUENE	ND	50	NAPHTHALENE	ND	250	
4-CHLOROTOLUENE	ND	50	PENTACHLOROETHANE	ND	250	
DIBROMOCHLOROMETHANE	ND	100	n-PROPYLBENZENE	ND	50	
DIBROMOMETHANE	ND	250	STYRENE	ND	50	
1,2-DIBROMOETHANE	ND	20	1,1,1,2-TETRACHLOROETHANE	ND	100	
1,2-DICHLOROBENZENE	ND	50	1,1,2,2-TETRACHLOROETHANE	ND	50	
1,3-DICHLOROBENZENE	ND	50	TETRACHLOROETHENE	ND	50	
1,4-DICHLOROBENZENE	ND	50	TOLUENE	ND	50	
t-1,4-DICHLORO-2-BUTENE	ND	50	1,2,3-TRICHLOROBENZENE	ND	50	
DICHLORODIFLUOROMETHANE	ND	250	1,2,4-TRICHLOROBENZENE	ND	250	
1,1-DICHLOROETHANE	ND	50	1,1,1-TRICHLOROETHANE	ND	50	
1,2-DICHLOROETHANE	ND	50	1,1,2-TRICHLOROETHANE	ND	50	
1,1-DICHLOROETHENE	ND	50	TRICHLOROETHENE	ND	50	
cis-1,2-DICHLOROETHENE	ND	50	TRICHLORFLUOROMETHANE	ND	100	
trans-1,2-DICHLOROETHENE	ND	50	1,2,3-TRICHLOROPROPANE	ND	100	
1,2-DICHLOROPROPANE	ND	50	1,2,4-TRIMETHYLBENZENE	ND	50	
1,3-DICHLOROPROPANE	ND	50	1,3,5-TRIMETHYLBENZENE	ND	50	
2,2-DICHLOROPROPANE	ND	50	VINYL CHLORIDE	ND	40	
1,1-DICHLOROPROPENE	ND	50	XYLENE (TOTAL)	ND	150	

ND = NOT DETECTED, RESULT IS <LOD.  
 LOD = LIMIT OF DETECTION.



**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: COMPLIANCE INC.  
 PROJECT NO: 4457  
 LOCATION: GNS AMERICA  
 13327 QUINCY ST/13341 QUINCY ST.  
 HOLLAND  
 SAMPLED BY: RANDY GLASS/COMPLIANCE INC.  
 SAMPLE MATRIX: SOIL

GTA PROJECT NO: 082120-7  
 GTA SAMPLE NO: 5  
 DATE SAMPLED: 8/19/2020  
 TIME SAMPLED: 12:15 PM  
 DATE RECEIVED: 8/21/2020  
 TIME RECEIVED: 11:55 AM

\*\*THIS SAMPLE WAS RECEIVED MEOH PRESERVED.

SAMPLE ID: SB-5, 2-4'

**EPA 8260B VOLATILE ORGANICS**

<u>Units=</u> ug/Kg (PPB)	<u>Analyst=</u> MR	<u>Date</u>	8/19/2020	<u>Date Completed=</u> 8/23/2020	<u>Prep</u>	EPA 5035A
<u>Analyte</u>	<u>Concentration</u>	<u>LOD</u>	<u>Analyte</u>	<u>Concentration</u>	<u>LOD</u>	
ACETONE	ND	1,000	cis-1,3-DICHLOROPROPENE	ND	50	
ALLYL CHLORIDE	ND	250	trans-1,3-DICHLOROPROPENE	ND	50	
BENZENE	ND	50	DIETHYL ETHER	ND	200	
BROMOBENZENE	ND	100	ETHYLBENZENE	ND	50	
BROMOCHLOROMETHANE	ND	100	ETHYL METHACRYLATE	ND	250	
BROMODICHLOROMETHANE	ND	50	HEXACHLOROBTADIENE	ND	50	
BROMOFORM	ND	100	HEXACHLOROETHANE	ND	250	
BROMOMETHANE	ND	200	2-HEXANONE	ND	2,500	
n-BUTYLBENZENE	ND	50	IDOMETHANE	ND	250	
s-BUTYLBENZENE	ND	50	ISOPROPYLBENZENE	ND	50	
t-BUTYLBENZENE	ND	50	ISOPROPYLTOLUENE	ND	50	
CARBON DISULFIDE	ND	250	METHYL ACRYLATE	ND	250	
CARBON TETRACHLORIDE	ND	50	METHYL ETHYL KETONE	ND	750	
CHLOROBENZENE	ND	50	METHYL-t-BUTYL ETHER	ND	250	
1-CHLOROBUTANE	ND	100	METHYLENE CHLORIDE	ND	100	
CHLOROFORM	ND	50	METHYL METHACRYLATE	ND	250	
CHLOROETHANE	ND	250	MIBK	ND	2,500	
CHLOROMETHANE	ND	250	2-METHYLNAPHTHALENE	ND	250	
2-CHLOROTOLUENE	ND	50	NAPHTHALENE	ND	250	
4-CHLOROTOLUENE	ND	50	PENTACHLOROETHANE	ND	250	
DIBROMOCHLOROMETHANE	ND	100	n-PROPYLBENZENE	ND	50	
DIBROMOMETHANE	ND	250	STYRENE	ND	50	
1,2-DIBROMOETHANE	ND	20	1,1,1,2-TETRACHLOROETHANE	ND	100	
1,2-DICHLOROBENZENE	ND	50	1,1,2,2-TETRACHLOROETHANE	ND	50	
1,3-DICHLOROBENZENE	ND	50	TETRACHLOROETHENE	ND	50	
1,4-DICHLOROBENZENE	ND	50	TOLUENE	ND	50	
t-1,4-DICHLORO-2-BUTENE	ND	50	1,2,3-TRICHLOROBENZENE	ND	50	
DICHLORODIFLUOROMETHANE	ND	250	1,2,4-TRICHLOROBENZENE	ND	250	
1,1-DICHLOROETHANE	ND	50	1,1,1-TRICHLOROETHANE	ND	50	
1,2-DICHLOROETHANE	ND	50	1,1,2-TRICHLOROETHANE	ND	50	
1,1-DICHLOROETHENE	ND	50	TRICHLOROETHENE	ND	50	
cis-1,2-DICHLOROETHENE	ND	50	TRICHLORFLUOROMETHANE	ND	100	
trans-1,2-DICHLOROETHENE	ND	50	1,2,3-TRICHLOROPROPANE	ND	100	
1,2-DICHLOROPROPANE	ND	50	1,2,4-TRIMETHYLBENZENE	ND	50	
1,3-DICHLOROPROPANE	ND	50	1,3,5-TRIMETHYLBENZENE	ND	50	
2,2-DICHLOROPROPANE	ND	50	VINYL CHLORIDE	ND	40	
1,1-DICHLOROPROPENE	ND	50	XYLENE (TOTAL)	ND	150	

ND = NOT DETECTED, RESULT IS <LOD.  
 LOD = LIMIT OF DETECTION.



**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: COMPLIANCE INC.  
 PROJECT NO: 4457  
 LOCATION: GNS AMERICA  
 13327 QUINCY ST/13341 QUINCY ST.  
 HOLLAND  
 SAMPLED BY: RANDY GLASS/COMPLIANCE INC.  
 SAMPLE MATRIX: SOIL

GTA PROJECT NO: 082120-7  
 GTA SAMPLE NO: 6  
 DATE SAMPLED: 8/19/2020  
 TIME SAMPLED: 1:15 PM  
 DATE RECEIVED: 8/21/2020  
 TIME RECEIVED: 11:55 AM

\*\*THIS SAMPLE WAS RECEIVED MEOH PRESERVED.

SAMPLE ID: SB-6, 2-4'

**EPA 8260B VOLATILE ORGANICS**

<u>Units=</u> ug/Kg (PPB)	<u>Analyst=</u> MR	<u>Date</u>	8/19/2020	<u>Date Completed=</u> 8/23/2020	<u>Prep</u>	EPA 5035A
<u>Analyte</u>	<u>Concentration</u>	<u>LOD</u>	<u>Analyte</u>	<u>Concentration</u>	<u>LOD</u>	
ACETONE	ND	1,000	cis-1,3-DICHLOROPROPENE	ND	50	
ALLYL CHLORIDE	ND	250	trans-1,3-DICHLOROPROPENE	ND	50	
BENZENE	ND	50	DIETHYL ETHER	ND	200	
BROMOBENZENE	ND	100	ETHYLBENZENE	ND	50	
BROMOCHLOROMETHANE	ND	100	ETHYL METHACRYLATE	ND	250	
BROMODICHLOROMETHANE	ND	50	HEXACHLOROBTADIENE	ND	50	
BROMOFORM	ND	100	HEXACHLOROETHANE	ND	250	
BROMOMETHANE	ND	200	2-HEXANONE	ND	2,500	
n-BUTYLBENZENE	ND	50	IDOMETHANE	ND	250	
s-BUTYLBENZENE	ND	50	ISOPROPYLBENZENE	ND	50	
t-BUTYLBENZENE	ND	50	ISOPROPYLTOLUENE	ND	50	
CARBON DISULFIDE	ND	250	METHYL ACRYLATE	ND	250	
CARBON TETRACHLORIDE	ND	50	METHYL ETHYL KETONE	ND	750	
CHLOROBENZENE	ND	50	METHYL-t-BUTYL ETHER	ND	250	
1-CHLOROBUTANE	ND	100	METHYLENE CHLORIDE	ND	100	
CHLOROFORM	ND	50	METHYL METHACRYLATE	ND	250	
CHLOROETHANE	ND	250	MIBK	ND	2,500	
CHLOROMETHANE	ND	250	2-METHYLNAPHTHALENE	ND	250	
2-CHLOROTOLUENE	ND	50	NAPHTHALENE	ND	250	
4-CHLOROTOLUENE	ND	50	PENTACHLOROETHANE	ND	250	
DIBROMOCHLOROMETHANE	ND	100	n-PROPYLBENZENE	ND	50	
DIBROMOMETHANE	ND	250	STYRENE	ND	50	
1,2-DIBROMOETHANE	ND	20	1,1,1,2-TETRACHLOROETHANE	ND	100	
1,2-DICHLOROBENZENE	ND	50	1,1,2,2-TETRACHLOROETHANE	ND	50	
1,3-DICHLOROBENZENE	ND	50	TETRACHLOROETHENE	ND	50	
1,4-DICHLOROBENZENE	ND	50	TOLUENE	ND	50	
t-1,4-DICHLORO-2-BUTENE	ND	50	1,2,3-TRICHLOROBENZENE	ND	50	
DICHLORODIFLUOROMETHANE	ND	250	1,2,4-TRICHLOROBENZENE	ND	250	
1,1-DICHLOROETHANE	ND	50	1,1,1-TRICHLOROETHANE	ND	50	
1,2-DICHLOROETHANE	ND	50	1,1,2-TRICHLOROETHANE	ND	50	
1,1-DICHLOROETHENE	ND	50	TRICHLOROETHENE	ND	50	
cis-1,2-DICHLOROETHENE	ND	50	TRICHLORFLUOROMETHANE	ND	100	
trans-1,2-DICHLOROETHENE	ND	50	1,2,3-TRICHLOROPROPANE	ND	100	
1,2-DICHLOROPROPANE	ND	50	1,2,4-TRIMETHYLBENZENE	ND	50	
1,3-DICHLOROPROPANE	ND	50	1,3,5-TRIMETHYLBENZENE	ND	50	
2,2-DICHLOROPROPANE	ND	50	VINYL CHLORIDE	ND	40	
1,1-DICHLOROPROPENE	ND	50	XYLENE (TOTAL)	ND	150	

ND = NOT DETECTED, RESULT IS <LOD.  
 LOD = LIMIT OF DETECTION.



**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: COMPLIANCE INC.  
 PROJECT NO: 4457  
 LOCATION: GNS AMERICA  
 13327 QUINCY ST/13341 QUINCY ST.  
 HOLLAND  
 SAMPLED BY: RANDY GLASS/COMPLIANCE INC.  
 SAMPLE MATRIX: SOIL

GTA PROJECT NO: 082120-7  
 GTA SAMPLE NO: 7  
 DATE SAMPLED: 8/19/2020  
 TIME SAMPLED: 2:15 PM  
 DATE RECEIVED: 8/21/2020  
 TIME RECEIVED: 11:55 AM

\*\*THIS SAMPLE WAS RECEIVED MEOH PRESERVED.

SAMPLE ID: SB-7, 2-4'

**EPA 8260B VOLATILE ORGANICS**

<u>Units=</u> ug/Kg (PPB)	<u>Analyst=</u> MR	<u>Date</u>	8/19/2020	<u>Date Completed=</u> 8/23/2020	<u>Prep</u>	EPA 5035A
<u>Analyte</u>	<u>Concentration</u>	<u>LOD</u>	<u>Analyte</u>	<u>Concentration</u>	<u>LOD</u>	
ACETONE	ND	1,000	cis-1,3-DICHLOROPROPENE	ND	50	
ALLYL CHLORIDE	ND	250	trans-1,3-DICHLOROPROPENE	ND	50	
BENZENE	ND	50	DIETHYL ETHER	ND	200	
BROMOBENZENE	ND	100	ETHYLBENZENE	ND	50	
BROMOCHLOROMETHANE	ND	100	ETHYL METHACRYLATE	ND	250	
BROMODICHLOROMETHANE	ND	50	HEXACHLOROBTADIENE	ND	50	
BROMOFORM	ND	100	HEXACHLOROETHANE	ND	250	
BROMOMETHANE	ND	200	2-HEXANONE	ND	2,500	
n-BUTYLBENZENE	ND	50	IDOMETHANE	ND	250	
s-BUTYLBENZENE	ND	50	ISOPROPYLBENZENE	ND	50	
t-BUTYLBENZENE	ND	50	ISOPROPYLTOLUENE	ND	50	
CARBON DISULFIDE	ND	250	METHYL ACRYLATE	ND	250	
CARBON TETRACHLORIDE	ND	50	METHYL ETHYL KETONE	ND	750	
CHLOROBENZENE	ND	50	METHYL-t-BUTYL ETHER	ND	250	
1-CHLOROBUTANE	ND	100	METHYLENE CHLORIDE	ND	100	
CHLOROFORM	ND	50	METHYL METHACRYLATE	ND	250	
CHLOROETHANE	ND	250	MIBK	ND	2,500	
CHLOROMETHANE	ND	250	2-METHYLNAPHTHALENE	ND	250	
2-CHLOROTOLUENE	ND	50	NAPHTHALENE	ND	250	
4-CHLOROTOLUENE	ND	50	PENTACHLOROETHANE	ND	250	
DIBROMOCHLOROMETHANE	ND	100	n-PROPYLBENZENE	ND	50	
DIBROMOMETHANE	ND	250	STYRENE	ND	50	
1,2-DIBROMOETHANE	ND	20	1,1,1,2-TETRACHLOROETHANE	ND	100	
1,2-DICHLOROBENZENE	ND	50	1,1,2,2-TETRACHLOROETHANE	ND	50	
1,3-DICHLOROBENZENE	ND	50	TETRACHLOROETHENE	ND	50	
1,4-DICHLOROBENZENE	ND	50	TOLUENE	ND	50	
t-1,4-DICHLORO-2-BUTENE	ND	50	1,2,3-TRICHLOROBENZENE	ND	50	
DICHLORODIFLUOROMETHANE	ND	250	1,2,4-TRICHLOROBENZENE	ND	250	
1,1-DICHLOROETHANE	ND	50	1,1,1-TRICHLOROETHANE	ND	50	
1,2-DICHLOROETHANE	ND	50	1,1,2-TRICHLOROETHANE	ND	50	
1,1-DICHLOROETHENE	ND	50	TRICHLOROETHENE	ND	50	
cis-1,2-DICHLOROETHENE	ND	50	TRICHLORFLUOROMETHANE	ND	100	
trans-1,2-DICHLOROETHENE	ND	50	1,2,3-TRICHLOROPROPANE	ND	100	
1,2-DICHLOROPROPANE	ND	50	1,2,4-TRIMETHYLBENZENE	ND	50	
1,3-DICHLOROPROPANE	ND	50	1,3,5-TRIMETHYLBENZENE	ND	50	
2,2-DICHLOROPROPANE	ND	50	VINYL CHLORIDE	ND	40	
1,1-DICHLOROPROPENE	ND	50	XYLENE (TOTAL)	ND	150	

ND = NOT DETECTED, RESULT IS <LOD.  
 LOD = LIMIT OF DETECTION.



**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: COMPLIANCE INC.  
 PROJECT NO: 4457  
 LOCATION: GNS AMERICA  
 13327 QUINCY ST/13341 QUINCY ST.  
 HOLLAND  
 SAMPLED BY: RANDY GLASS/COMPLIANCE INC.  
 SAMPLE MATRIX: SOIL

GTA PROJECT NO: 082120-7  
 GTA SAMPLE NO: 8  
 DATE SAMPLED: 8/19/2020  
 TIME SAMPLED: 3:00 PM  
 DATE RECEIVED: 8/21/2020  
 TIME RECEIVED: 11:55 AM

\*\*THIS SAMPLE WAS RECEIVED MEOH PRESERVED.

SAMPLE ID: SB-8, 2-4'

**EPA 8260B VOLATILE ORGANICS**

<u>Units=</u> ug/Kg (PPB)	<u>Analyst=</u> MR	<u>Date</u>	8/19/2020	<u>Date Completed=</u> 8/23/2020	<u>Prep</u>	EPA 5035A
<u>Analyte</u>	<u>Concentration</u>	<u>LOD</u>	<u>Analyte</u>	<u>Concentration</u>	<u>LOD</u>	
ACETONE	ND	1,000	cis-1,3-DICHLOROPROPENE	ND	50	
ALLYL CHLORIDE	ND	250	trans-1,3-DICHLOROPROPENE	ND	50	
BENZENE	ND	50	DIETHYL ETHER	ND	200	
BROMOBENZENE	ND	100	ETHYLBENZENE	ND	50	
BROMOCHLOROMETHANE	ND	100	ETHYL METHACRYLATE	ND	250	
BROMODICHLOROMETHANE	ND	50	HEXACHLOROBTADIENE	ND	50	
BROMOFORM	ND	100	HEXACHLOROETHANE	ND	250	
BROMOMETHANE	ND	200	2-HEXANONE	ND	2,500	
n-BUTYLBENZENE	ND	50	IDOMETHANE	ND	250	
s-BUTYLBENZENE	ND	50	ISOPROPYLBENZENE	ND	50	
t-BUTYLBENZENE	ND	50	ISOPROPYLTOLUENE	ND	50	
CARBON DISULFIDE	ND	250	METHYL ACRYLATE	ND	250	
CARBON TETRACHLORIDE	ND	50	METHYL ETHYL KETONE	ND	750	
CHLOROBENZENE	ND	50	METHYL-t-BUTYL ETHER	ND	250	
1-CHLOROBUTANE	ND	100	METHYLENE CHLORIDE	ND	100	
CHLOROFORM	ND	50	METHYL METHACRYLATE	ND	250	
CHLOROETHANE	ND	250	MIBK	ND	2,500	
CHLOROMETHANE	ND	250	2-METHYLNAPHTHALENE	ND	250	
2-CHLOROTOLUENE	ND	50	NAPHTHALENE	ND	250	
4-CHLOROTOLUENE	ND	50	PENTACHLOROETHANE	ND	250	
DIBROMOCHLOROMETHANE	ND	100	n-PROPYLBENZENE	ND	50	
DIBROMOMETHANE	ND	250	STYRENE	ND	50	
1,2-DIBROMOETHANE	ND	20	1,1,1,2-TETRACHLOROETHANE	ND	100	
1,2-DICHLOROBENZENE	ND	50	1,1,2,2-TETRACHLOROETHANE	ND	50	
1,3-DICHLOROBENZENE	ND	50	TETRACHLOROETHENE	ND	50	
1,4-DICHLOROBENZENE	ND	50	TOLUENE	ND	50	
t-1,4-DICHLORO-2-BUTENE	ND	50	1,2,3-TRICHLOROBENZENE	ND	50	
DICHLORODIFLUOROMETHANE	ND	250	1,2,4-TRICHLOROBENZENE	ND	250	
1,1-DICHLOROETHANE	ND	50	1,1,1-TRICHLOROETHANE	ND	50	
1,2-DICHLOROETHANE	ND	50	1,1,2-TRICHLOROETHANE	ND	50	
1,1-DICHLOROETHENE	ND	50	TRICHLOROETHENE	ND	50	
cis-1,2-DICHLOROETHENE	ND	50	TRICHLORFLUOROMETHANE	ND	100	
trans-1,2-DICHLOROETHENE	ND	50	1,2,3-TRICHLOROPROPANE	ND	100	
1,2-DICHLOROPROPANE	ND	50	1,2,4-TRIMETHYLBENZENE	ND	50	
1,3-DICHLOROPROPANE	ND	50	1,3,5-TRIMETHYLBENZENE	ND	50	
2,2-DICHLOROPROPANE	ND	50	VINYL CHLORIDE	ND	40	
1,1-DICHLOROPROPENE	ND	50	XYLENE (TOTAL)	ND	150	

ND = NOT DETECTED, RESULT IS <LOD.  
 LOD = LIMIT OF DETECTION.



**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: COMPLIANCE INC.  
 PROJECT NO: 4457  
 LOCATION: GNS AMERICA  
 13327 QUINCY ST/13341 QUINCY ST.  
 HOLLAND  
 SAMPLED BY: RANDY GLASS/COMPLIANCE INC.  
 SAMPLE MATRIX: SOIL

GTA PROJECT NO: 082120-7  
 GTA SAMPLE NO: 9  
 DATE SAMPLED: 8/19/2020  
 TIME SAMPLED: 4:00 PM  
 DATE RECEIVED: 8/21/2020  
 TIME RECEIVED: 11:55 AM

\*\*THIS SAMPLE WAS RECEIVED MEOH PRESERVED.

SAMPLE ID: SB-9, 2-4'

**EPA 8260B VOLATILE ORGANICS**

<u>Units=</u> ug/Kg (PPB)	<u>Analyst=</u> MR	<u>Date</u>	8/19/2020	<u>Date Completed=</u> 8/23/2020	<u>Prep</u>	EPA 5035A
<u>Analyte</u>	<u>Concentration</u>	<u>LOD</u>	<u>Analyte</u>	<u>Concentration</u>	<u>LOD</u>	
ACETONE	ND	1,000	cis-1,3-DICHLOROPROPENE	ND	50	
ALLYL CHLORIDE	ND	250	trans-1,3-DICHLOROPROPENE	ND	50	
BENZENE	ND	50	DIETHYL ETHER	ND	200	
BROMOBENZENE	ND	100	ETHYLBENZENE	ND	50	
BROMOCHLOROMETHANE	ND	100	ETHYL METHACRYLATE	ND	250	
BROMODICHLOROMETHANE	ND	50	HEXACHLOROBTADIENE	ND	50	
BROMOFORM	ND	100	HEXACHLOROETHANE	ND	250	
BROMOMETHANE	ND	200	2-HEXANONE	ND	2,500	
n-BUTYLBENZENE	ND	50	IDOMETHANE	ND	250	
s-BUTYLBENZENE	ND	50	ISOPROPYLBENZENE	ND	50	
t-BUTYLBENZENE	ND	50	ISOPROPYLTOLUENE	110	50	
CARBON DISULFIDE	ND	250	METHYL ACRYLATE	ND	250	
CARBON TETRACHLORIDE	ND	50	METHYL ETHYL KETONE	ND	750	
CHLOROBENZENE	ND	50	METHYL-t-BUTYL ETHER	ND	250	
1-CHLOROBUTANE	ND	100	METHYLENE CHLORIDE	ND	100	
CHLOROFORM	ND	50	METHYL METHACRYLATE	ND	250	
CHLOROETHANE	ND	250	MIBK	ND	2,500	
CHLOROMETHANE	ND	250	2-METHYLNAPHTHALENE	ND	250	
2-CHLOROTOLUENE	ND	50	NAPHTHALENE	ND	250	
4-CHLOROTOLUENE	ND	50	PENTACHLOROETHANE	ND	250	
DIBROMOCHLOROMETHANE	ND	100	n-PROPYLBENZENE	ND	50	
DIBROMOMETHANE	ND	250	STYRENE	ND	50	
1,2-DIBROMOETHANE	ND	20	1,1,1,2-TETRACHLOROETHANE	ND	100	
1,2-DICHLOROBENZENE	ND	50	1,1,2,2-TETRACHLOROETHANE	ND	50	
1,3-DICHLOROBENZENE	ND	50	TETRACHLOROETHENE	ND	50	
1,4-DICHLOROBENZENE	ND	50	TOLUENE	ND	50	
t-1,4-DICHLORO-2-BUTENE	ND	50	1,2,3-TRICHLOROBENZENE	ND	50	
DICHLORODIFLUOROMETHANE	ND	250	1,2,4-TRICHLOROBENZENE	ND	250	
1,1-DICHLOROETHANE	ND	50	1,1,1-TRICHLOROETHANE	ND	50	
1,2-DICHLOROETHANE	ND	50	1,1,2-TRICHLOROETHANE	ND	50	
1,1-DICHLOROETHENE	ND	50	TRICHLOROETHENE	ND	50	
cis-1,2-DICHLOROETHENE	ND	50	TRICHLORFLUOROMETHANE	ND	100	
trans-1,2-DICHLOROETHENE	ND	50	1,2,3-TRICHLOROPROPANE	ND	100	
1,2-DICHLOROPROPANE	ND	50	1,2,4-TRIMETHYLBENZENE	ND	50	
1,3-DICHLOROPROPANE	ND	50	1,3,5-TRIMETHYLBENZENE	ND	50	
2,2-DICHLOROPROPANE	ND	50	VINYL CHLORIDE	ND	40	
1,1-DICHLOROPROPENE	ND	50	XYLENE (TOTAL)	ND	150	

ND = NOT DETECTED, RESULT IS <LOD.  
 LOD = LIMIT OF DETECTION.





INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: COMPLIANCE INC.
PROJECT NO: 4457
LOCATION: GNS AMERICA
13327 QUINCY ST/13341 QUINCY ST.
HOLLAND
SAMPLED BY: RANDY GLASS/COMPLIANCE INC.
SAMPLE MATRIX: WATER
SAMPLE ID: TMW-2

GTA PROJECT NO: 082120-7
GTA SAMPLE NO: 11
DATE SAMPLED: 8/19/2020
TIME SAMPLED: 10:00 AM
DATE RECEIVED: 8/21/2020
TIME RECEIVED: 11:55 AM

EPA 8260B VOLATILE ORGANICS

Units= ug/L (PPB)

Analyst= MR

Date

Date Completed= 8/22/2020

Prep

EPA 5030B

Table with 6 columns: Analyte, Concentration, LOD, Analyte, Concentration, LOD. Lists various chemical compounds and their detection levels.

ND = NOT DETECTED, RESULT IS <LOD.

LOD = LIMIT OF DETECTION.

















**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY:	COMPLIANCE INC.	GTA PROJECT NO:	082120-7
PROJECT NO:	4457	GTA SAMPLE NO:	1
LOCATION:	GNS AMERICA 13327 QUINCY ST/13341 QUINCY ST. HOLLAND MI	DATE SAMPLED:	8/19/2020
		TIME SAMPLED:	9:00 AM
SAMPLED BY:	RANDY GLASS/COMPLIANCE INC.	DATE RECEIVED:	8/21/2020
		TIME RECEIVED:	11:55 AM
SAMPLE MATRIX:	SOIL		
SAMPLE ID:	SB-1, 2-4'		

**PNA EPA 8270D (SIM)**

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Extracted</u>	<u>Date Complete</u>	<u>Prep Method</u>
Acenaphthene	ND	330	ug/Kg (PPB)	KC/TR	8/22/2020	8/24/2020	EPA 3550B
Acenaphthylene	ND	330					
Anthracene	ND	330					
Benzo(a)anthracene	ND	330					
Benzo(b)fluoranthene	ND	330					
Benzo(k)fluoranthene	ND	330					
Benzo(a)pyrene	ND	330					
Benzo(ghi)perylene	ND	330					
2-Chloronaphthalene	ND	330					
Chrysene	ND	330					
Dibenz(ah)anthracene	ND	330					
Fluoranthene	ND	330					
Fluorene	ND	330					
Indeno(123-cd)pyrene	ND	330					
Phenanthrene	ND	330					
Pyrene	ND	330					

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.  
 ND = NOT DETECTED, RESULT IS <LOD.  
 LOD = LIMIT OF DETECTION.



**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY:	COMPLIANCE INC.	GTA PROJECT NO:	082120-7
PROJECT NO:	4457	GTA SAMPLE NO:	2
LOCATION:	GNS AMERICA	DATE SAMPLED:	8/19/2020
	13327 QUINCY ST/13341 QUINCY ST.	TIME SAMPLED:	9:50 AM
	HOLLAND	DATE RECEIVED:	8/21/2020
	MI	TIME RECEIVED:	11:55 AM
SAMPLED BY:	RANDY GLASS/COMPLIANCE INC.		
SAMPLE MATRIX:	SOIL		
SAMPLE ID:	SB-2, 2-4'		

**PNA EPA 8270D (SIM)**

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Extracted</u>	<u>Date Complete</u>	<u>Prep Method</u>
Acenaphthene	ND	330	ug/Kg (PPB)	KC/TR	8/22/2020	8/24/2020	EPA 3550B
Acenaphthylene	ND	330					
Anthracene	ND	330					
Benzo(a)anthracene	ND	330					
Benzo(b)fluoranthene	ND	330					
Benzo(k)fluoranthene	ND	330					
Benzo(a)pyrene	ND	330					
Benzo(ghi)perylene	ND	330					
2-Chloronaphthalene	ND	330					
Chrysene	ND	330					
Dibenz(ah)anthracene	ND	330					
Fluoranthene	ND	330					
Fluorene	ND	330					
Indeno(123-cd)pyrene	ND	330					
Phenanthrene	ND	330					
Pyrene	ND	330					

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.  
 ND = NOT DETECTED, RESULT IS <LOD.  
 LOD = LIMIT OF DETECTION.





COMPANY:	COMPLIANCE INC.	GTA PROJECT NO:	082120-7
PROJECT NO:	4457	GTA SAMPLE NO:	5
LOCATION:	GNS AMERICA	DATE SAMPLED:	8/19/2020
	13327 QUINCY ST/13341 QUINCY ST.	TIME SAMPLED:	12:15 PM
	HOLLAND	DATE RECEIVED:	8/21/2020
	MI	TIME RECEIVED:	11:55 AM
SAMPLED BY:	RANDY GLASS/COMPLIANCE INC.		
SAMPLE MATRIX:	SOIL		
SAMPLE ID:	SB-5, 2-4'		

**PNA EPA 8270D (SIM)**

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Extracted</u>	<u>Date Complete</u>	<u>Prep Method</u>
Acenaphthene	ND	330	ug/Kg (PPB)	KC/TR	8/22/2020	8/24/2020	EPA 3550B
Acenaphthylene	ND	330					
Anthracene	ND	330					
Benzo(a)anthracene	ND	330					
Benzo(b)fluoranthene	ND	330					
Benzo(k)fluoranthene	ND	330					
Benzo(a)pyrene	ND	330					
Benzo(ghi)perylene	ND	330					
2-Chloronaphthalene	ND	330					
Chrysene	ND	330					
Dibenz(ah)anthracene	ND	330					
Fluoranthene	ND	330					
Fluorene	ND	330					
Indeno(123-cd)pyrene	ND	330					
Phenanthrene	ND	330					
Pyrene	ND	330					

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.  
 ND = NOT DETECTED, RESULT IS <LOD.  
 LOD = LIMIT OF DETECTION.

COMPANY:	COMPLIANCE INC.	GTA PROJECT NO:	082120-7
PROJECT NO:	4457	GTA SAMPLE NO:	6
LOCATION:	GNS AMERICA 13327 QUINCY ST/13341 QUINCY ST. HOLLAND MI	DATE SAMPLED:	8/19/2020
SAMPLED BY:	RANDY GLASS/COMPLIANCE INC.	TIME SAMPLED:	1:15 PM
SAMPLE MATRIX:	SOIL	DATE RECEIVED:	8/21/2020
SAMPLE ID:	SB-6, 2-4'	TIME RECEIVED:	11:55 AM

**PNA EPA 8270D (SIM)**

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Extracted</u>	<u>Date Complete</u>	<u>Prep Method</u>
Acenaphthene	ND	330	ug/Kg (PPB)	KC/TR	8/22/2020	8/24/2020	EPA 3550B
Acenaphthylene	ND	330					
Anthracene	ND	330					
Benzo(a)anthracene	ND	330					
Benzo(b)fluoranthene	ND	330					
Benzo(k)fluoranthene	ND	330					
Benzo(a)pyrene	ND	330					
Benzo(ghi)perylene	ND	330					
2-Chloronaphthalene	ND	330					
Chrysene	ND	330					
Dibenz(ah)anthracene	ND	330					
Fluoranthene	ND	330					
Fluorene	ND	330					
Indeno(123-cd)pyrene	ND	330					
Phenanthrene	ND	330					
Pyrene	ND	330					

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.  
 ND = NOT DETECTED, RESULT IS <LOD.  
 LOD = LIMIT OF DETECTION.

COMPANY:	COMPLIANCE INC.	GTA PROJECT NO:	082120-7
PROJECT NO:	4457	GTA SAMPLE NO:	7
LOCATION:	GNS AMERICA 13327 QUINCY ST/13341 QUINCY ST. HOLLAND MI	DATE SAMPLED:	8/19/2020
		TIME SAMPLED:	2:15 PM
SAMPLED BY:	RANDY GLASS/COMPLIANCE INC.	DATE RECEIVED:	8/21/2020
		TIME RECEIVED:	11:55 AM
SAMPLE MATRIX:	SOIL		
SAMPLE ID:	SB-7, 2-4'		

**PNA EPA 8270D (SIM)**

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Extracted</u>	<u>Date Complete</u>	<u>Prep Method</u>
Acenaphthene	ND	330	ug/Kg (PPB)	KC/TR	8/22/2020	8/24/2020	EPA 3550B
Acenaphthylene	ND	330					
Anthracene	ND	330					
Benzo(a)anthracene	ND	330					
Benzo(b)fluoranthene	ND	330					
Benzo(k)fluoranthene	ND	330					
Benzo(a)pyrene	ND	330					
Benzo(ghi)perylene	ND	330					
2-Chloronaphthalene	ND	330					
Chrysene	ND	330					
Dibenz(ah)anthracene	ND	330					
Fluoranthene	ND	330					
Fluorene	ND	330					
Indeno(123-cd)pyrene	ND	330					
Phenanthrene	ND	330					
Pyrene	ND	330					

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.  
 ND = NOT DETECTED, RESULT IS <LOD.  
 LOD = LIMIT OF DETECTION.





**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY:	COMPLIANCE INC.	GTA PROJECT NO:	082120-7
PROJECT NO:	4457	GTA SAMPLE NO:	9
LOCATION:	GNS AMERICA 13327 QUINCY ST/13341 QUINCY ST. HOLLAND MI	DATE SAMPLED:	8/19/2020
		TIME SAMPLED:	4:00 PM
SAMPLED BY:	RANDY GLASS/COMPLIANCE INC.	DATE RECEIVED:	8/21/2020
		TIME RECEIVED:	11:55 AM
SAMPLE MATRIX:	SOIL		
SAMPLE ID:	SB-9, 2-4'		

**PNA EPA 8270D (SIM)**

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Extracted</u>	<u>Date Complete</u>	<u>Prep Method</u>
Acenaphthene	ND	330	ug/Kg (PPB)	KC/TR	8/22/2020	8/24/2020	EPA 3550B
Acenaphthylene	ND	330					
Anthracene	ND	330					
Benzo(a)anthracene	ND	330					
Benzo(b)fluoranthene	ND	330					
Benzo(k)fluoranthene	ND	330					
Benzo(a)pyrene	ND	330					
Benzo(ghi)perylene	ND	330					
2-Chloronaphthalene	ND	330					
Chrysene	ND	330					
Dibenz(ah)anthracene	ND	330					
Fluoranthene	ND	330					
Fluorene	ND	330					
Indeno(123-cd)pyrene	ND	330					
Phenanthrene	ND	330					
Pyrene	ND	330					

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.  
 ND = NOT DETECTED, RESULT IS <LOD.  
 LOD = LIMIT OF DETECTION.

COMPANY:	COMPLIANCE INC.	GTA PROJECT NO:	082120-7
PROJECT NO:	4457	GTA SAMPLE NO:	10
LOCATION:	GNS AMERICA 13327 QUINCY ST/13341 QUINCY ST. HOLLAND MI	DATE SAMPLED:	8/19/2020
		TIME SAMPLED:	9:15 AM
SAMPLED BY:	RANDY GLASS/COMPLIANCE INC.	DATE RECEIVED:	8/21/2020
		TIME RECEIVED:	11:55 AM
SAMPLE MATRIX:	WATER		
SAMPLE ID:	TMW-1		

**PNA EPA 8270D (SIM)**

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Extracted</u>	<u>Date Complete</u>	<u>Prep Method</u>
Acenaphthene	ND	5.0	ug/L (PPB)	KC/TR	8/21/2020	8/24/2020	EPA 3511
Acenaphthylene	ND	5.0					
Anthracene	ND	5.0					
Benzo(a)anthracene	ND	1.0					
Benzo(b)fluoranthene	ND	1.0					
Benzo(k)fluoranthene	ND	1.0					
Benzo(a)pyrene	ND	1.0					
Benzo(ghi)perylene	ND	2.0					
2-Chloronaphthalene	ND	5.0					
Chrysene	ND	1.0					
Dibenz(ah)anthracene	ND	2.0					
Fluoranthene	ND	1.0					
Fluorene	ND	5.0					
Indeno(123-cd)pyrene	ND	2.0					
Phenanthrene	ND	2.0					
Pyrene	ND	5.0					

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.  
 ND = NOT DETECTED, RESULT IS <LOD.  
 LOD = LIMIT OF DETECTION.





COMPANY:	COMPLIANCE INC.	GTA PROJECT NO:	082120-7
PROJECT NO:	4457	GTA SAMPLE NO:	13
LOCATION:	GNS AMERICA	DATE SAMPLED:	8/19/2020
	13327 QUINCY ST/13341 QUINCY ST.	TIME SAMPLED:	11:30 AM
	HOLLAND	DATE RECEIVED:	8/21/2020
	MI	TIME RECEIVED:	11:55 AM
SAMPLED BY:	RANDY GLASS/COMPLIANCE INC.		
SAMPLE MATRIX:	WATER		
SAMPLE ID:	TMW-4		

**PNA EPA 8270D (SIM)**

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Extracted</u>	<u>Date Complete</u>	<u>Prep Method</u>
Acenaphthene	ND	5.0	ug/L (PPB)	KC/TR	8/21/2020	8/24/2020	EPA 3511
Acenaphthylene	ND	5.0					
Anthracene	ND	5.0					
Benzo(a)anthracene	ND	1.0					
Benzo(b)fluoranthene	ND	1.0					
Benzo(k)fluoranthene	ND	1.0					
Benzo(a)pyrene	ND	1.0					
Benzo(ghi)perylene	ND	2.0					
2-Chloronaphthalene	ND	5.0					
Chrysene	ND	1.0					
Dibenz(ah)anthracene	ND	2.0					
Fluoranthene	ND	1.0					
Fluorene	ND	5.0					
Indeno(123-cd)pyrene	ND	2.0					
Phenanthrene	ND	2.0					
Pyrene	ND	5.0					

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.  
 ND = NOT DETECTED, RESULT IS <LOD.  
 LOD = LIMIT OF DETECTION.

COMPANY:	COMPLIANCE INC.	GTA PROJECT NO:	082120-7
PROJECT NO:	4457	GTA SAMPLE NO:	14
LOCATION:	GNS AMERICA 13327 QUINCY ST/13341 QUINCY ST. HOLLAND MI	DATE SAMPLED:	8/19/2020
		TIME SAMPLED:	12:30 PM
SAMPLED BY:	RANDY GLASS/COMPLIANCE INC.	DATE RECEIVED:	8/21/2020
		TIME RECEIVED:	11:55 AM
SAMPLE MATRIX:	WATER		
SAMPLE ID:	TMW-5		

**PNA EPA 8270D (SIM)**

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Extracted</u>	<u>Date Complete</u>	<u>Prep Method</u>
Acenaphthene	ND	5.0	ug/L (PPB)	KC/TR	8/21/2020	8/24/2020	EPA 3511
Acenaphthylene	ND	5.0					
Anthracene	ND	5.0					
Benzo(a)anthracene	ND	1.0					
Benzo(b)fluoranthene	ND	1.0					
Benzo(k)fluoranthene	ND	1.0					
Benzo(a)pyrene	ND	1.0					
Benzo(ghi)perylene	ND	2.0					
2-Chloronaphthalene	ND	5.0					
Chrysene	ND	1.0					
Dibenz(ah)anthracene	ND	2.0					
Fluoranthene	ND	1.0					
Fluorene	ND	5.0					
Indeno(123-cd)pyrene	ND	2.0					
Phenanthrene	ND	2.0					
Pyrene	ND	5.0					

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.  
 ND = NOT DETECTED, RESULT IS <LOD.  
 LOD = LIMIT OF DETECTION.







**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY:	COMPLIANCE INC.	GTA PROJECT NO:	082120-7
PROJECT NO:	4457	GTA SAMPLE NO:	17
LOCATION:	GNS AMERICA 13327 QUINCY ST/13341 QUINCY ST. HOLLAND MI	DATE SAMPLED:	8/19/2020
		TIME SAMPLED:	3:20 PM
SAMPLED BY:	RANDY GLASS/COMPLIANCE INC.	DATE RECEIVED:	8/21/2020
		TIME RECEIVED:	11:55 AM
SAMPLE MATRIX:	WATER		
SAMPLE ID:	TMW-8		

**PNA EPA 8270D (SIM)**

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Extracted</u>	<u>Date Complete</u>	<u>Prep Method</u>
Acenaphthene	ND	5.0	ug/L (PPB)	KC/TR	8/22/2020	8/25/2020	EPA 3511
Acenaphthylene	ND	5.0					
Anthracene	ND	5.0					
Benzo(a)anthracene	ND	1.0					
Benzo(b)fluoranthene	ND	1.0					
Benzo(k)fluoranthene	ND	1.0					
Benzo(a)pyrene	ND	1.0					
Benzo(ghi)perylene	ND	2.0					
2-Chloronaphthalene	ND	5.0					
Chrysene	ND	1.0					
Dibenz(ah)anthracene	ND	2.0					
Fluoranthene	ND	1.0					
Fluorene	ND	5.0					
Indeno(123-cd)pyrene	ND	2.0					
Phenanthrene	ND	2.0					
Pyrene	ND	5.0					

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.  
 ND = NOT DETECTED, RESULT IS <LOD.  
 LOD = LIMIT OF DETECTION.





**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY:	COMPLIANCE INC.	GTA PROJECT NO:	082120-7
PROJECT NO:	4457	GTA SAMPLE NO:	1
LOCATION:	GNS AMERICA 13327 QUINCY ST/13341 QUINCY ST. HOLLAND MI	DATE SAMPLED:	8/19/2020
		TIME SAMPLED:	9:00 AM
		DATE RECEIVED:	8/21/2020
		TIME RECEIVED:	11:55 AM
SAMPLED BY:	RANDY GLASS/COMPLIANCE INC.	SAMPLE MATRIX:	SOIL
SAMPLE ID:	SB-1, 2-4'		

**METALS**

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Digestion Method</u>
ARSENIC TOTAL EPA 6020A	0.67	0.38	mg/Kg (PPM)	MR/TR	8/23/2020	EPA 3050B
BARIUM TOTAL EPA 6020A	12	0.38	mg/Kg (PPM)	MR/TR	8/23/2020	EPA 3050B
CADMIUM TOTAL EPA 6020A	ND	0.38	mg/Kg (PPM)	MR/TR	8/23/2020	EPA 3050B
CHROMIUM TOTAL EPA 6020A	2.6	0.38	mg/Kg (PPM)	MR/TR	8/23/2020	EPA 3050B
LEAD TOTAL EPA 6020A	2.0	0.38	mg/Kg (PPM)	MR/TR	8/23/2020	EPA 3050B
MERCURY TOTAL EPA 7471B	ND	0.020	mg/Kg (PPM)	MR/TR	8/24/2020	EPA 7471
SELENIUM TOTAL EPA 6020A	ND	0.38	mg/Kg (PPM)	MR/TR	8/23/2020	EPA 3050B
SILVER TOTAL EPA 6020A	ND	0.38	mg/Kg (PPM)	MR/TR	8/23/2020	EPA 3050B

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

DISS = DISSOLVED



**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY:	COMPLIANCE INC.	GTA PROJECT NO:	082120-7
PROJECT NO:	4457	GTA SAMPLE NO:	2
LOCATION:	GNS AMERICA 13327 QUINCY ST/13341 QUINCY ST. HOLLAND MI	DATE SAMPLED:	8/19/2020
		TIME SAMPLED:	9:50 AM
		DATE RECEIVED:	8/21/2020
SAMPLED BY:	RANDY GLASS/COMPLIANCE INC.	TIME RECEIVED:	11:55 AM
		SAMPLE MATRIX:	SOIL
SAMPLE ID:	SB-2, 2-4'		

**METALS**

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Digestion Method</u>
ARSENIC TOTAL EPA 6020A	0.61	0.38	mg/Kg (PPM)	MR/TR	8/23/2020	EPA 3050B
BARIUM TOTAL EPA 6020A	9.9	0.38	mg/Kg (PPM)	MR/TR	8/23/2020	EPA 3050B
CADMIUM TOTAL EPA 6020A	ND	0.38	mg/Kg (PPM)	MR/TR	8/23/2020	EPA 3050B
CHROMIUM TOTAL EPA 6020A	3.1	0.38	mg/Kg (PPM)	MR/TR	8/23/2020	EPA 3050B
LEAD TOTAL EPA 6020A	1.4	0.38	mg/Kg (PPM)	MR/TR	8/23/2020	EPA 3050B
MERCURY TOTAL EPA 7471B	ND	0.021	mg/Kg (PPM)	MR/TR	8/24/2020	EPA 7471
SELENIUM TOTAL EPA 6020A	ND	0.38	mg/Kg (PPM)	MR/TR	8/23/2020	EPA 3050B
SILVER TOTAL EPA 6020A	ND	0.38	mg/Kg (PPM)	MR/TR	8/23/2020	EPA 3050B

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

DISS = DISSOLVED



**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY:	COMPLIANCE INC.	GTA PROJECT NO:	082120-7
		GTA SAMPLE NO:	3
PROJECT NO:	4457	DATE SAMPLED:	8/19/2020
LOCATION:	GNS AMERICA	TIME SAMPLED:	10:30 AM
	13327 QUINCY ST/13341 QUINCY ST.	DATE RECEIVED:	8/21/2020
	HOLLAND	TIME RECEIVED:	11:55 AM
	MI	SAMPLE MATRIX:	SOIL
SAMPLED BY:	RANDY GLASS/COMPLIANCE INC.		
SAMPLE ID:	SB-3, 2-4'		

**METALS**

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Digestion Method</u>
ARSENIC TOTAL EPA 6020A	ND	0.36	mg/Kg (PPM)	MR/TR	8/23/2020	EPA 3050B
BARIUM TOTAL EPA 6020A	8.8	0.36	mg/Kg (PPM)	MR/TR	8/23/2020	EPA 3050B
CADMIUM TOTAL EPA 6020A	ND	0.36	mg/Kg (PPM)	MR/TR	8/23/2020	EPA 3050B
CHROMIUM TOTAL EPA 6020A	2.1	0.36	mg/Kg (PPM)	MR/TR	8/23/2020	EPA 3050B
LEAD TOTAL EPA 6020A	1.1	0.36	mg/Kg (PPM)	MR/TR	8/23/2020	EPA 3050B
MERCURY TOTAL EPA 7471B	ND	0.015	mg/Kg (PPM)	MR/TR	8/24/2020	EPA 7471
SELENIUM TOTAL EPA 6020A	ND	0.36	mg/Kg (PPM)	MR/TR	8/23/2020	EPA 3050B
SILVER TOTAL EPA 6020A	ND	0.36	mg/Kg (PPM)	MR/TR	8/23/2020	EPA 3050B

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

DISS = DISSOLVED



**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY:	COMPLIANCE INC.	GTA PROJECT NO:	082120-7
PROJECT NO:	4457	GTA SAMPLE NO:	4
LOCATION:	GNS AMERICA 13327 QUINCY ST/13341 QUINCY ST. HOLLAND MI	DATE SAMPLED:	8/19/2020
		TIME SAMPLED:	11:15 AM
		DATE RECEIVED:	8/21/2020
		TIME RECEIVED:	11:55 AM
SAMPLED BY:	RANDY GLASS/COMPLIANCE INC.	SAMPLE MATRIX:	SOIL
SAMPLE ID:	SB-4, 2-4'		

**METALS**

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Digestion Method</u>
ARSENIC TOTAL EPA 6020A	ND	0.34	mg/Kg (PPM)	MR/TR	8/23/2020	EPA 3050B
BARIUM TOTAL EPA 6020A	5.7	0.34	mg/Kg (PPM)	MR/TR	8/23/2020	EPA 3050B
CADMIUM TOTAL EPA 6020A	ND	0.34	mg/Kg (PPM)	MR/TR	8/23/2020	EPA 3050B
CHROMIUM TOTAL EPA 6020A	2.0	0.34	mg/Kg (PPM)	MR/TR	8/23/2020	EPA 3050B
LEAD TOTAL EPA 6020A	1.1	0.34	mg/Kg (PPM)	MR/TR	8/23/2020	EPA 3050B
MERCURY TOTAL EPA 7471B	ND	0.015	mg/Kg (PPM)	MR/TR	8/24/2020	EPA 7471
SELENIUM TOTAL EPA 6020A	ND	0.34	mg/Kg (PPM)	MR/TR	8/23/2020	EPA 3050B
SILVER TOTAL EPA 6020A	ND	0.34	mg/Kg (PPM)	MR/TR	8/23/2020	EPA 3050B

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

DISS = DISSOLVED



**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY:	COMPLIANCE INC.	GTA PROJECT NO:	082120-7
PROJECT NO:	4457	GTA SAMPLE NO:	5
LOCATION:	GNS AMERICA 13327 QUINCY ST/13341 QUINCY ST. HOLLAND MI	DATE SAMPLED:	8/19/2020
		TIME SAMPLED:	12:15 PM
		DATE RECEIVED:	8/21/2020
		TIME RECEIVED:	11:55 AM
SAMPLED BY:	RANDY GLASS/COMPLIANCE INC.	SAMPLE MATRIX:	SOIL
SAMPLE ID:	SB-5, 2-4'		

**METALS**

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Digestion Method</u>
ARSENIC TOTAL EPA 6020A	1.2	0.33	mg/Kg (PPM)	MR/TR	8/23/2020	EPA 3050B
BARIUM TOTAL EPA 6020A	8.6	0.33	mg/Kg (PPM)	MR/TR	8/23/2020	EPA 3050B
CADMIUM TOTAL EPA 6020A	ND	0.33	mg/Kg (PPM)	MR/TR	8/23/2020	EPA 3050B
CHROMIUM TOTAL EPA 6020A	3.2	0.33	mg/Kg (PPM)	MR/TR	8/23/2020	EPA 3050B
LEAD TOTAL EPA 6020A	1.8	0.33	mg/Kg (PPM)	MR/TR	8/23/2020	EPA 3050B
MERCURY TOTAL EPA 7471B	ND	0.019	mg/Kg (PPM)	MR/TR	8/24/2020	EPA 7471
SELENIUM TOTAL EPA 6020A	ND	0.33	mg/Kg (PPM)	MR/TR	8/23/2020	EPA 3050B
SILVER TOTAL EPA 6020A	ND	0.33	mg/Kg (PPM)	MR/TR	8/23/2020	EPA 3050B

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

DISS = DISSOLVED



**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY:	COMPLIANCE INC.	GTA PROJECT NO:	082120-7
		GTA SAMPLE NO:	6
PROJECT NO:	4457	DATE SAMPLED:	8/19/2020
LOCATION:	GNS AMERICA	TIME SAMPLED:	1:15 PM
	13327 QUINCY ST/13341 QUINCY ST.	DATE RECEIVED:	8/21/2020
	HOLLAND	TIME RECEIVED:	11:55 AM
	MI	SAMPLE MATRIX:	SOIL
SAMPLED BY:	RANDY GLASS/COMPLIANCE INC.		
SAMPLE ID:	SB-6, 2-4'		

**METALS**

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Digestion Method</u>
ARSENIC TOTAL EPA 6020A	0.54	0.36	mg/Kg (PPM)	MR/TR	8/23/2020	EPA 3050B
BARIUM TOTAL EPA 6020A	10	0.36	mg/Kg (PPM)	MR/TR	8/23/2020	EPA 3050B
CADMIUM TOTAL EPA 6020A	ND	0.36	mg/Kg (PPM)	MR/TR	8/23/2020	EPA 3050B
CHROMIUM TOTAL EPA 6020A	3.2	0.36	mg/Kg (PPM)	MR/TR	8/23/2020	EPA 3050B
LEAD TOTAL EPA 6020A	2.5	0.36	mg/Kg (PPM)	MR/TR	8/23/2020	EPA 3050B
MERCURY TOTAL EPA 7471B	ND	0.016	mg/Kg (PPM)	MR/TR	8/24/2020	EPA 7471
SELENIUM TOTAL EPA 6020A	ND	0.36	mg/Kg (PPM)	MR/TR	8/23/2020	EPA 3050B
SILVER TOTAL EPA 6020A	ND	0.36	mg/Kg (PPM)	MR/TR	8/23/2020	EPA 3050B

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

DISS = DISSOLVED





**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY:	COMPLIANCE INC.	GTA PROJECT NO:	082120-7
		GTA SAMPLE NO:	8
PROJECT NO:	4457	DATE SAMPLED:	8/19/2020
LOCATION:	GNS AMERICA	TIME SAMPLED:	3:00 PM
	13327 QUINCY ST/13341 QUINCY ST.	DATE RECEIVED:	8/21/2020
	HOLLAND	TIME RECEIVED:	11:55 AM
	MI	SAMPLE MATRIX:	SOIL
SAMPLED BY:	RANDY GLASS/COMPLIANCE INC.		
SAMPLE ID:	SB-8, 2-4'		

**METALS**

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Digestion Method</u>
ARSENIC TOTAL EPA 6020A	ND	0.36	mg/Kg (PPM)	MR/TR	8/23/2020	EPA 3050B
BARIUM TOTAL EPA 6020A	13	0.36	mg/Kg (PPM)	MR/TR	8/23/2020	EPA 3050B
CADMIUM TOTAL EPA 6020A	ND	0.36	mg/Kg (PPM)	MR/TR	8/23/2020	EPA 3050B
CHROMIUM TOTAL EPA 6020A	2.4	0.36	mg/Kg (PPM)	MR/TR	8/23/2020	EPA 3050B
LEAD TOTAL EPA 6020A	0.94	0.36	mg/Kg (PPM)	MR/TR	8/23/2020	EPA 3050B
MERCURY TOTAL EPA 7471B	ND	0.014	mg/Kg (PPM)	MR/TR	8/24/2020	EPA 7471
SELENIUM TOTAL EPA 6020A	ND	0.36	mg/Kg (PPM)	MR/TR	8/23/2020	EPA 3050B
SILVER TOTAL EPA 6020A	ND	0.36	mg/Kg (PPM)	MR/TR	8/23/2020	EPA 3050B

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

DISS = DISSOLVED



**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY:	COMPLIANCE INC.	GTA PROJECT NO:	082120-7
		GTA SAMPLE NO:	9
PROJECT NO:	4457	DATE SAMPLED:	8/19/2020
LOCATION:	GNS AMERICA	TIME SAMPLED:	4:00 PM
	13327 QUINCY ST/13341 QUINCY ST.	DATE RECEIVED:	8/21/2020
	HOLLAND	TIME RECEIVED:	11:55 AM
	MI	SAMPLE MATRIX:	SOIL
SAMPLED BY:	RANDY GLASS/COMPLIANCE INC.		
SAMPLE ID:	SB-9, 2-4'		

**METALS**

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Digestion Method</u>
ARSENIC TOTAL EPA 6020A	0.61	0.44	mg/Kg (PPM)	MR/TR	8/23/2020	EPA 3050B
BARIUM TOTAL EPA 6020A	20	0.44	mg/Kg (PPM)	MR/TR	8/23/2020	EPA 3050B
CADMIUM TOTAL EPA 6020A	ND	0.44	mg/Kg (PPM)	MR/TR	8/23/2020	EPA 3050B
CHROMIUM TOTAL EPA 6020A	3.1	0.44	mg/Kg (PPM)	MR/TR	8/23/2020	EPA 3050B
LEAD TOTAL EPA 6020A	6.3	0.44	mg/Kg (PPM)	MR/TR	8/23/2020	EPA 3050B
MERCURY TOTAL EPA 7471B	0.42	0.014	mg/Kg (PPM)	MR/TR	8/24/2020	EPA 7471
SELENIUM TOTAL EPA 6020A	ND	0.44	mg/Kg (PPM)	MR/TR	8/23/2020	EPA 3050B
SILVER TOTAL EPA 6020A	ND	0.44	mg/Kg (PPM)	MR/TR	8/23/2020	EPA 3050B

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

DISS = DISSOLVED



**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY:	COMPLIANCE INC.	GTA PROJECT NO:	082120-7
PROJECT NO:	4457	GTA SAMPLE NO:	10
LOCATION:	GNS AMERICA 13327 QUINCY ST/13341 QUINCY ST. HOLLAND MI	DATE SAMPLED:	8/19/2020
		TIME SAMPLED:	9:15 AM
		DATE RECEIVED:	8/21/2020
		TIME RECEIVED:	11:55 AM
SAMPLED BY:	RANDY GLASS/COMPLIANCE INC.	SAMPLE MATRIX:	WATER
SAMPLE ID:	TMW-1		

**METALS**

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Digestion Method</u>
ARSENIC TOTAL EPA 6020A	0.0053	0.0010	mg/L (PPM)	MR/TR	8/23/2020	EPA 3005A
BARIUM TOTAL EPA 6020A	0.058	0.0010	mg/L (PPM)	MR/TR	8/23/2020	EPA 3005A
CADMIUM TOTAL EPA 6020A	ND	0.0010	mg/L (PPM)	MR/TR	8/23/2020	EPA 3005A
CHROMIUM TOTAL EPA 6020A	0.012	0.0010	mg/L (PPM)	MR/TR	8/23/2020	EPA 3005A
LEAD TOTAL EPA 6020A	ND	0.0010	mg/L (PPM)	MR/TR	8/23/2020	EPA 3005A
MERCURY TOTAL EPA 7470A	ND	0.00020	mg/L (PPM)	MR/TR	8/24/2020	EPA 7470
SELENIUM TOTAL EPA 6020A	0.0018	0.0010	mg/L (PPM)	MR/TR	8/23/2020	EPA 3005A
SILVER TOTAL EPA 6020A	ND	0.0010	mg/L (PPM)	MR/TR	8/23/2020	EPA 3005A

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

DISS = DISSOLVED



**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY:	COMPLIANCE INC.	GTA PROJECT NO:	082120-7
PROJECT NO:	4457	GTA SAMPLE NO:	11
LOCATION:	GNS AMERICA 13327 QUINCY ST/13341 QUINCY ST. HOLLAND MI	DATE SAMPLED:	8/19/2020
		TIME SAMPLED:	10:00 AM
		DATE RECEIVED:	8/21/2020
		TIME RECEIVED:	11:55 AM
SAMPLED BY:	RANDY GLASS/COMPLIANCE INC.	SAMPLE MATRIX:	WATER
SAMPLE ID:	TMW-2		

**METALS**

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Digestion Method</u>
ARSENIC TOTAL EPA 6020A	0.0056	0.0010	mg/L (PPM)	MR/TR	8/23/2020	EPA 3005A
BARIUM TOTAL EPA 6020A	0.060	0.0010	mg/L (PPM)	MR/TR	8/23/2020	EPA 3005A
CADMIUM TOTAL EPA 6020A	ND	0.0010	mg/L (PPM)	MR/TR	8/23/2020	EPA 3005A
CHROMIUM TOTAL EPA 6020A	0.010	0.0010	mg/L (PPM)	MR/TR	8/23/2020	EPA 3005A
LEAD TOTAL EPA 6020A	ND	0.0010	mg/L (PPM)	MR/TR	8/23/2020	EPA 3005A
MERCURY TOTAL EPA 7470A	ND	0.00020	mg/L (PPM)	MR/TR	8/24/2020	EPA 7470
SELENIUM TOTAL EPA 6020A	ND	0.0010	mg/L (PPM)	MR/TR	8/23/2020	EPA 3005A
SILVER TOTAL EPA 6020A	ND	0.0010	mg/L (PPM)	MR/TR	8/23/2020	EPA 3005A

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

DISS = DISSOLVED



**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY:	COMPLIANCE INC.	GTA PROJECT NO:	082120-7
PROJECT NO:	4457	GTA SAMPLE NO:	12
LOCATION:	GNS AMERICA 13327 QUINCY ST/13341 QUINCY ST. HOLLAND MI	DATE SAMPLED:	8/19/2020
		TIME SAMPLED:	10:45 AM
		DATE RECEIVED:	8/21/2020
		TIME RECEIVED:	11:55 AM
SAMPLED BY:	RANDY GLASS/COMPLIANCE INC.	SAMPLE MATRIX:	WATER
SAMPLE ID:	TMW-3		

**METALS**

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Digestion Method</u>
ARSENIC TOTAL EPA 6020A	0.0039	0.0010	mg/L (PPM)	MR/TR	8/23/2020	EPA 3005A
BARIUM TOTAL EPA 6020A	0.023	0.0010	mg/L (PPM)	MR/TR	8/23/2020	EPA 3005A
CADMIUM TOTAL EPA 6020A	ND	0.0010	mg/L (PPM)	MR/TR	8/23/2020	EPA 3005A
CHROMIUM TOTAL EPA 6020A	0.0047	0.0010	mg/L (PPM)	MR/TR	8/23/2020	EPA 3005A
LEAD TOTAL EPA 6020A	ND	0.0010	mg/L (PPM)	MR/TR	8/23/2020	EPA 3005A
MERCURY TOTAL EPA 7470A	ND	0.00020	mg/L (PPM)	MR/TR	8/24/2020	EPA 7470
SELENIUM TOTAL EPA 6020A	0.0018	0.0010	mg/L (PPM)	MR/TR	8/23/2020	EPA 3005A
SILVER TOTAL EPA 6020A	ND	0.0010	mg/L (PPM)	MR/TR	8/23/2020	EPA 3005A

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

DISS = DISSOLVED



**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY:	COMPLIANCE INC.	GTA PROJECT NO:	082120-7
PROJECT NO:	4457	GTA SAMPLE NO:	13
LOCATION:	GNS AMERICA 13327 QUINCY ST/13341 QUINCY ST. HOLLAND MI	DATE SAMPLED:	8/19/2020
		TIME SAMPLED:	11:30 AM
		DATE RECEIVED:	8/21/2020
		TIME RECEIVED:	11:55 AM
SAMPLED BY:	RANDY GLASS/COMPLIANCE INC.	SAMPLE MATRIX:	WATER
SAMPLE ID:	TMW-4		

**METALS**

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Digestion Method</u>
ARSENIC TOTAL EPA 6020A	0.0068	0.0010	mg/L (PPM)	MR/TR	8/23/2020	EPA 3005A
BARIUM TOTAL EPA 6020A	0.049	0.0010	mg/L (PPM)	MR/TR	8/23/2020	EPA 3005A
CADMIUM TOTAL EPA 6020A	ND	0.0010	mg/L (PPM)	MR/TR	8/23/2020	EPA 3005A
CHROMIUM TOTAL EPA 6020A	0.0074	0.0010	mg/L (PPM)	MR/TR	8/23/2020	EPA 3005A
LEAD TOTAL EPA 6020A	ND	0.0010	mg/L (PPM)	MR/TR	8/23/2020	EPA 3005A
MERCURY TOTAL EPA 7470A	ND	0.00020	mg/L (PPM)	MR/TR	8/24/2020	EPA 7470
SELENIUM TOTAL EPA 6020A	0.0017	0.0010	mg/L (PPM)	MR/TR	8/23/2020	EPA 3005A
SILVER TOTAL EPA 6020A	ND	0.0010	mg/L (PPM)	MR/TR	8/23/2020	EPA 3005A

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

DISS = DISSOLVED



**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY:	COMPLIANCE INC.	GTA PROJECT NO:	082120-7
PROJECT NO:	4457	GTA SAMPLE NO:	14
LOCATION:	GNS AMERICA 13327 QUINCY ST/13341 QUINCY ST. HOLLAND MI	DATE SAMPLED:	8/19/2020
		TIME SAMPLED:	12:30 PM
		DATE RECEIVED:	8/21/2020
SAMPLED BY:	RANDY GLASS/COMPLIANCE INC.	TIME RECEIVED:	11:55 AM
		SAMPLE MATRIX:	WATER
SAMPLE ID:	TMW-5		

**METALS**

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Digestion Method</u>
ARSENIC TOTAL EPA 6020A	0.0086	0.0010	mg/L (PPM)	MR/TR	8/23/2020	EPA 3005A
BARIUM TOTAL EPA 6020A	0.12	0.0010	mg/L (PPM)	MR/TR	8/23/2020	EPA 3005A
CADMIUM TOTAL EPA 6020A	ND	0.0010	mg/L (PPM)	MR/TR	8/23/2020	EPA 3005A
CHROMIUM TOTAL EPA 6020A	0.011	0.0010	mg/L (PPM)	MR/TR	8/23/2020	EPA 3005A
LEAD TOTAL EPA 6020A	0.0037	0.0010	mg/L (PPM)	MR/TR	8/23/2020	EPA 3005A
MERCURY TOTAL EPA 7470A	ND	0.00020	mg/L (PPM)	MR/TR	8/24/2020	EPA 7470
SELENIUM TOTAL EPA 6020A	0.0015	0.0010	mg/L (PPM)	MR/TR	8/23/2020	EPA 3005A
SILVER TOTAL EPA 6020A	ND	0.0010	mg/L (PPM)	MR/TR	8/23/2020	EPA 3005A

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

DISS = DISSOLVED



**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY:	COMPLIANCE INC.	GTA PROJECT NO:	082120-7
PROJECT NO:	4457	GTA SAMPLE NO:	15
LOCATION:	GNS AMERICA 13327 QUINCY ST/13341 QUINCY ST. HOLLAND MI	DATE SAMPLED:	8/19/2020
		TIME SAMPLED:	1:30 PM
		DATE RECEIVED:	8/21/2020
SAMPLED BY:	RANDY GLASS/COMPLIANCE INC.	TIME RECEIVED:	11:55 AM
		SAMPLE MATRIX:	WATER
SAMPLE ID:	TMW-6		

**METALS**

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Digestion Method</u>
ARSENIC TOTAL EPA 6020A	0.0080	0.0010	mg/L (PPM)	MR/TR	8/23/2020	EPA 3005A
BARIUM TOTAL EPA 6020A	0.026	0.0010	mg/L (PPM)	MR/TR	8/23/2020	EPA 3005A
CADMIUM TOTAL EPA 6020A	ND	0.0010	mg/L (PPM)	MR/TR	8/23/2020	EPA 3005A
CHROMIUM TOTAL EPA 6020A	0.0094	0.0010	mg/L (PPM)	MR/TR	8/23/2020	EPA 3005A
LEAD TOTAL EPA 6020A	ND	0.0010	mg/L (PPM)	MR/TR	8/23/2020	EPA 3005A
MERCURY TOTAL EPA 7470A	ND	0.00020	mg/L (PPM)	MR/TR	8/24/2020	EPA 7470
SELENIUM TOTAL EPA 6020A	0.0015	0.0010	mg/L (PPM)	MR/TR	8/23/2020	EPA 3005A
SILVER TOTAL EPA 6020A	ND	0.0010	mg/L (PPM)	MR/TR	8/23/2020	EPA 3005A

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

DISS = DISSOLVED



**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY:	COMPLIANCE INC.	GTA PROJECT NO:	082120-7
PROJECT NO:	4457	GTA SAMPLE NO:	16
LOCATION:	GNS AMERICA 13327 QUINCY ST/13341 QUINCY ST. HOLLAND MI	DATE SAMPLED:	8/19/2020
		TIME SAMPLED:	2:30 PM
		DATE RECEIVED:	8/21/2020
		TIME RECEIVED:	11:55 AM
SAMPLED BY:	RANDY GLASS/COMPLIANCE INC.	SAMPLE MATRIX:	WATER
SAMPLE ID:	TMW-7		

**METALS**

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Digestion Method</u>
ARSENIC TOTAL EPA 6020A	0.0054	0.0010	mg/L (PPM)	MR/TR	8/23/2020	EPA 3005A
BARIUM TOTAL EPA 6020A	0.12	0.0010	mg/L (PPM)	MR/TR	8/23/2020	EPA 3005A
CADMIUM TOTAL EPA 6020A	ND	0.0010	mg/L (PPM)	MR/TR	8/23/2020	EPA 3005A
CHROMIUM TOTAL EPA 6020A	0.0068	0.0010	mg/L (PPM)	MR/TR	8/23/2020	EPA 3005A
LEAD TOTAL EPA 6020A	0.0056	0.0010	mg/L (PPM)	MR/TR	8/23/2020	EPA 3005A
MERCURY TOTAL EPA 7470A	ND	0.00020	mg/L (PPM)	MR/TR	8/24/2020	EPA 7470
SELENIUM TOTAL EPA 6020A	0.0019	0.0010	mg/L (PPM)	MR/TR	8/23/2020	EPA 3005A
SILVER TOTAL EPA 6020A	ND	0.0010	mg/L (PPM)	MR/TR	8/23/2020	EPA 3005A

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

DISS = DISSOLVED



**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY:	COMPLIANCE INC.	GTA PROJECT NO:	082120-7
PROJECT NO:	4457	GTA SAMPLE NO:	17
LOCATION:	GNS AMERICA 13327 QUINCY ST/13341 QUINCY ST. HOLLAND MI	DATE SAMPLED:	8/19/2020
		TIME SAMPLED:	3:20 PM
		DATE RECEIVED:	8/21/2020
SAMPLED BY:	RANDY GLASS/COMPLIANCE INC.	TIME RECEIVED:	11:55 AM
		SAMPLE MATRIX:	WATER
SAMPLE ID:	TMW-8		

**METALS**

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Digestion Method</u>
ARSENIC TOTAL EPA 6020A	0.0039	0.0010	mg/L (PPM)	MR/TR	8/23/2020	EPA 3005A
BARIUM TOTAL EPA 6020A	0.023	0.0010	mg/L (PPM)	MR/TR	8/23/2020	EPA 3005A
CADMIUM TOTAL EPA 6020A	ND	0.0010	mg/L (PPM)	MR/TR	8/23/2020	EPA 3005A
CHROMIUM TOTAL EPA 6020A	0.0075	0.0010	mg/L (PPM)	MR/TR	8/23/2020	EPA 3005A
LEAD TOTAL EPA 6020A	ND	0.0010	mg/L (PPM)	MR/TR	8/23/2020	EPA 3005A
MERCURY TOTAL EPA 7470A	ND	0.00020	mg/L (PPM)	MR/TR	8/24/2020	EPA 7470
SELENIUM TOTAL EPA 6020A	0.0027	0.0010	mg/L (PPM)	MR/TR	8/23/2020	EPA 3005A
SILVER TOTAL EPA 6020A	ND	0.0010	mg/L (PPM)	MR/TR	8/23/2020	EPA 3005A

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

DISS = DISSOLVED



**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY:	COMPLIANCE INC.	GTA PROJECT NO:	082120-7
PROJECT NO:	4457	GTA SAMPLE NO:	18
LOCATION:	GNS AMERICA 13327 QUINCY ST/13341 QUINCY ST. HOLLAND MI	DATE SAMPLED:	8/19/2020
		TIME SAMPLED:	4:15 PM
		DATE RECEIVED:	8/21/2020
SAMPLED BY:	RANDY GLASS/COMPLIANCE INC.	TIME RECEIVED:	11:55 AM
		SAMPLE MATRIX:	WATER
SAMPLE ID:	TMW-9		

**METALS**

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Digestion Method</u>
ARSENIC TOTAL EPA 6020A	0.0031	0.0010	mg/L (PPM)	MR/TR	8/23/2020	EPA 3005A
BARIUM TOTAL EPA 6020A	0.038	0.0010	mg/L (PPM)	MR/TR	8/23/2020	EPA 3005A
CADMIUM TOTAL EPA 6020A	ND	0.0010	mg/L (PPM)	MR/TR	8/23/2020	EPA 3005A
CHROMIUM TOTAL EPA 6020A	0.018	0.0010	mg/L (PPM)	MR/TR	8/23/2020	EPA 3005A
LEAD TOTAL EPA 6020A	ND	0.0010	mg/L (PPM)	MR/TR	8/23/2020	EPA 3005A
MERCURY TOTAL EPA 7470A	ND	0.00020	mg/L (PPM)	MR/TR	8/24/2020	EPA 7470
SELENIUM TOTAL EPA 6020A	0.0023	0.0010	mg/L (PPM)	MR/TR	8/23/2020	EPA 3005A
SILVER TOTAL EPA 6020A	ND	0.0010	mg/L (PPM)	MR/TR	8/23/2020	EPA 3005A

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

DISS = DISSOLVED



**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: COMPLIANCE INC.

NAME:  
PROJECT NO: 4457

LOCATION: GNS AMERICA  
13327 QUINCY ST/13341 QUINCY ST.  
HOLLAND  
MI

GTA PROJECT NO: 082120-7  
SAMPLED BY: RANDY GLASS/COMPLIANCE INC.

DATE SAMPLED: 8/19/2020  
TIME SAMPLED: 9:00 AM  
SAMPLE MATRIX: SOIL

DATE RECEIVED: 8/21/2020  
TIME RECEIVED: 11:55 AM

**MOISTURE**

<u>No:</u> <u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Complete</u>
SAMPLE ID: SB-1, 2-4' % MOISTURE EPA 3550C	7.7	0.050	% OF SAMPLE	AS	8/21/2020
SAMPLE ID: SB-2, 2-4' % MOISTURE EPA 3550C	9.9	0.050	% OF SAMPLE	AS	8/21/2020
SAMPLE ID: SB-3, 2-4' % MOISTURE EPA 3550C	5.5	0.050	% OF SAMPLE	AS	8/21/2020
SAMPLE ID: SB-4, 2-4' % MOISTURE EPA 3550C	3.9	0.050	% OF SAMPLE	AS	8/21/2020
SAMPLE ID: SB-5, 2-4' % MOISTURE EPA 3550C	9.2	0.050	% OF SAMPLE	AS	8/21/2020
SAMPLE ID: SB-6, 2-4' % MOISTURE EPA 3550C	6.3	0.050	% OF SAMPLE	AS	8/21/2020
SAMPLE ID: SB-7, 2-4' % MOISTURE EPA 3550C	6.4	0.050	% OF SAMPLE	AS	8/21/2020
SAMPLE ID: SB-8, 2-4' % MOISTURE EPA 3550C	6.4	0.050	% OF SAMPLE	AS	8/21/2020
SAMPLE ID: SB-9, 2-4' % MOISTURE EPA 3550C	8.6	0.050	% OF SAMPLE	AS	8/21/2020

**CHAIN OF CUSTODY**

PROJECT NUMBER <b>4457</b>	SITE NAME/ADDRESS <b>GNS America 13327 Quincy St./13341 Quincy St Holland, MI</b>	COMPANY/NAME
SAMPLED BY <b>Randy Glass</b>	COMPANY <b>Compliance, Inc</b>	GTA PROJECT # <b>08220-7</b>

**SAMPLE INFORMATION**

#	SAMPLE ID	DATE SAMPLED	TIME	MATRIX	ANALYSIS
1	SB-1, 2-4'	8/19/20	0900	SOIL	FULL VOC 8260, PNA's, DISSOLVED RCRA METALS
2	SB-2, 2-4'	↓	0950	↓	↓
3	SB-3, 2-4'		1030		
4	SB-4, 2-4'		1115		
5	SB-5, 2-4'		1215		
6	SB-6, 2-4'		1315		
7	SB-7, 2-4'		1415		
8	SB-8, 2-4'		1500		
9	SB-9,		1600		
10	TMW-1		0915		
11	TMW-2	1000	↓	↓	
12	TMW-3	1045			
13	TMW-4	1130			
14	TMW-5	1230			
15	TMW-6	1330			

**BILL TO:**

**REPORT TO:**

RELEASED BY <b>Randy Glass</b>	DATE/TIME <b>8/20/20 5pm</b>	RECEIVED BY <b>K. CH</b>	DATE/TIME <b>8/21/20 11:55am</b>
		<b>see 4.10c on file</b>	

REQUESTED TAT  STANDARD  1 BUSINESS DAY  2 BUSINESS DAYS  3 BUSINESS DAYS

