



**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

[www.gtanalytical.com](http://www.gtanalytical.com)

Company: JORDAN DEVELOPMENT CO. LLC  
Name:  
ClientProj: 160205-3400  
GTA ProjNo: 041321-10

Site Addr: ST. COLFAX B3-29

Sampled By: NJ/ECT  
Date Rec: 4/13/2021  
Time Rec: 11:20 AM

Sample No.	Sample ID	Date Sampled	Time Sampled	Sample Matrix
1	MW-1	4/12/2021		WATER
2	MW-4	4/12/2021		WATER
3	MW-5S	4/12/2021		WATER
4	MW-5D	4/12/2021		WATER
5	MW-6S	4/12/2021		WATER
6	MW-6D	4/12/2021		WATER
7	MW-7	4/12/2021		WATER
8	MW-8	4/12/2021		WATER
9	MW-2	4/12/2021		WATER

ELECTRONIC SIGNATURE REPORT. This is a final report for the following pages of data for the samples specified above. All analysis was performed by the methods stated and all quality control measures required were completed. All quality control information is available upon request.

*Kirk Chase*

Kirk L. Chase/Chemist  
Grand Traverse Analytical  
830 Robinwood Court  
Traverse City, MI 49686  
Ph: 231-929-0905  
Fx: 231-929-0894  
SP: 231-590-0291  
[kirk@gtanalytical.com](mailto:kirk@gtanalytical.com)

COMPANY: JORDAN DEVELOPMENT CO. LLC  
 PROJECT NO: 160205-3400  
 LOCATION: ST. COLFAX B3-29

GTA PROJECT NO: 041321-10  
 GTA SAMPLE NO: 1  
 DATE SAMPLED: 4/12/2021  
 TIME SAMPLED:  
 DATE RECEIVED: 4/13/2021  
 TIME RECEIVED: 11:20 AM

SAMPLED BY: MI  
 NJ/ECT

**SAMPLE ANALYSIS**

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample</u>
SAMPLE ID: MW-1	CHLORIDE EPA 300.0	ND	10	mg/L (PPM)	TR	4/15/2021	WATER

ND = NOT DETECTED, RESULT < LOD  
 LOD = LIMIT OF DETECTION  
 s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: JORDAN DEVELOPMENT CO. LLC  
 PROJECT NO: 160205-3400  
 LOCATION: ST. COLFAX B3-29

GTA PROJECT NO: 041321-10  
 GTA SAMPLE NO: 2  
 DATE SAMPLED: 4/12/2021  
 TIME SAMPLED:  
 DATE RECEIVED: 4/13/2021  
 TIME RECEIVED: 11:20 AM

SAMPLED BY: MI  
 NJ/ECT

**SAMPLE ANALYSIS**

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample</u>
	SAMPLE ID: MW-4 CHLORIDE EPA 300.0	ND	10	mg/L (PPM)	TR	4/15/2021	WATER

ND = NOT DETECTED, RESULT < LOD  
 LOD = LIMIT OF DETECTION  
 s.u. = STANDARD pH UNITS REPORTED AT 25 C



**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: JORDAN DEVELOPMENT CO. LLC  
PROJECT NO: 160205-3400  
LOCATION: ST. COLFAX B3-29

GTA PROJECT NO: 041321-10  
GTA SAMPLE NO: 3  
DATE SAMPLED: 4/12/2021  
TIME SAMPLED:  
DATE RECEIVED: 4/13/2021  
TIME RECEIVED: 11:20 AM

SAMPLED BY: MI  
NJ/ECT

**SAMPLE ANALYSIS**

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample</u>
	SAMPLE ID: MW-5S CHLORIDE EPA 300.0	ND	10	mg/L (PPM)	TR	4/15/2021	WATER

ND = NOT DETECTED, RESULT < LOD  
LOD = LIMIT OF DETECTION  
s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: JORDAN DEVELOPMENT CO. LLC  
 PROJECT NO: 160205-3400  
 LOCATION: ST. COLFAX B3-29

GTA PROJECT NO: 041321-10  
 GTA SAMPLE NO: 4  
 DATE SAMPLED: 4/12/2021  
 TIME SAMPLED:  
 DATE RECEIVED: 4/13/2021  
 TIME RECEIVED: 11:20 AM

SAMPLED BY: MI  
 NJ/ECT

**SAMPLE ANALYSIS**

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample</u>
SAMPLE ID: MW-5D	CHLORIDE EPA 300.0	ND	10	mg/L (PPM)	TR	4/15/2021	WATER

ND = NOT DETECTED, RESULT < LOD  
 LOD = LIMIT OF DETECTION  
 s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: JORDAN DEVELOPMENT CO. LLC  
 PROJECT NO: 160205-3400  
 LOCATION: ST. COLFAX B3-29

GTA PROJECT NO: 041321-10  
 GTA SAMPLE NO: 5  
 DATE SAMPLED: 4/12/2021  
 TIME SAMPLED:  
 DATE RECEIVED: 4/13/2021  
 TIME RECEIVED: 11:20 AM

SAMPLED BY: MI  
 NJ/ECT

**SAMPLE ANALYSIS**

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample</u>
SAMPLE ID: MW-6S	CHLORIDE EPA 300.0	ND	10	mg/L (PPM)	TR	4/15/2021	WATER

ND = NOT DETECTED, RESULT < LOD  
 LOD = LIMIT OF DETECTION  
 s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: JORDAN DEVELOPMENT CO. LLC  
 PROJECT NO: 160205-3400  
 LOCATION: ST. COLFAX B3-29

GTA PROJECT NO: 041321-10  
 GTA SAMPLE NO: 6  
 DATE SAMPLED: 4/12/2021  
 TIME SAMPLED:  
 DATE RECEIVED: 4/13/2021  
 TIME RECEIVED: 11:20 AM

SAMPLED BY: MI  
 NJ/ECT

**SAMPLE ANALYSIS**

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample</u>
	SAMPLE ID: MW-6D CHLORIDE EPA 300.0	ND	10	mg/L (PPM)	TR	4/15/2021	WATER

ND = NOT DETECTED, RESULT < LOD  
 LOD = LIMIT OF DETECTION  
 s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: JORDAN DEVELOPMENT CO. LLC  
 PROJECT NO: 160205-3400  
 LOCATION: ST. COLFAX B3-29

GTA PROJECT NO: 041321-10  
 GTA SAMPLE NO: 7  
 DATE SAMPLED: 4/12/2021  
 TIME SAMPLED:  
 DATE RECEIVED: 4/13/2021  
 TIME RECEIVED: 11:20 AM

SAMPLED BY: MI  
 NJ/ECT

**SAMPLE ANALYSIS**

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample</u>
	SAMPLE ID: MW-7 CHLORIDE EPA 300.0	11	10	mg/L (PPM)	TR	4/15/2021	WATER

ND = NOT DETECTED, RESULT < LOD  
 LOD = LIMIT OF DETECTION  
 s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: JORDAN DEVELOPMENT CO. LLC  
 PROJECT NO: 160205-3400  
 LOCATION: ST. COLFAX B3-29

GTA PROJECT NO: 041321-10  
 GTA SAMPLE NO: 8  
 DATE SAMPLED: 4/12/2021  
 TIME SAMPLED:  
 DATE RECEIVED: 4/13/2021  
 TIME RECEIVED: 11:20 AM

SAMPLED BY: MI  
 NJ/ECT

**SAMPLE ANALYSIS**

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample</u>
SAMPLE ID: MW-8	CHLORIDE EPA 300.0	ND	10	mg/L (PPM)	TR	4/15/2021	WATER

ND = NOT DETECTED, RESULT < LOD  
 LOD = LIMIT OF DETECTION  
 s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: JORDAN DEVELOPMENT CO. LLC  
 PROJECT NO: 160205-3400  
 LOCATION: ST. COLFAX B3-29

GTA PROJECT NO: 041321-10  
 GTA SAMPLE NO: 9  
 DATE SAMPLED: 4/12/2021  
 TIME SAMPLED:  
 DATE RECEIVED: 4/13/2021  
 TIME RECEIVED: 11:20 AM

SAMPLED BY: MI  
 NJ/ECT

**SAMPLE ANALYSIS**

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample</u>
	SAMPLE ID: MW-2 CHLORIDE EPA 300.0	ND	10	mg/L (PPM)	TR	4/15/2021	WATER

ND = NOT DETECTED, RESULT < LOD  
 LOD = LIMIT OF DETECTION  
 s.u. = STANDARD pH UNITS REPORTED AT 25 C

**CHAIN OF CUSTODY**

PROJECT NUMBER <b>160205-3400</b>	SITE NAME/ADDRESS <b>St. Colfax B3-29</b>	COMPANY/NAME <b>Jordan</b>
SAMPLED BY <b>NJ</b>	COMPANY <b>ECT</b>	GTA PROJECT # <b>041321-10</b>

**SAMPLE INFORMATION**

#	SAMPLE ID	DATE SAMPLED	TIME	MATRIX	ANALYSIS
1	MW-1	4-12-21		WTR	CL
2	MW-4	↓			
3	MW-5S				
4	MW-5D				
5	MW-6S				
6	MW-6D				
7	MW-7				
8	MW-8		↓		
9	MW-2		↓		

<b>BILL TO:</b> <b>Jordan</b>	<b>REPORT TO:</b> <b>Lisa</b>
<b>RELEASED BY</b> <b>Lisa Ann Jones</b>	<b>DATE/TIME</b> <b>4-13-21</b>
<b>RECEIVED BY</b> <b>[Signature]</b>	<b>DATE/TIME</b> <b>4/13/21 11:20am</b>

REQUESTED TAT  STANDARD  1 BUSINESS DAY  2 BUSINESS DAYS  3 BUSINESS DAYS