



**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

[www.gtanalytical.com](http://www.gtanalytical.com)

Company: REM  
Name:  
ClientProj: 19-0011  
GTA ProjNo: 072920-14

Site Addr: WEBBER CREEK CPF

Sampled By: B. BAUMANN/ECT  
Date Rec: 7/29/2020  
Time Rec: 4:28 PM

Sample No.	Sample ID	Date Sampled	Time Sampled	Sample Matrix
1	WS-2	7/29/2020		WATER

ELECTRONIC SIGNATURE REPORT. This is a final report for the following pages of data for the samples specified above. All analysis was performed by the methods stated and all quality control measures required were completed. All quality control information is available upon request.

*Kirk Chase*

Kirk L. Chase/Chemist  
Grand Traverse Analytical  
830 Robinwood Court  
Traverse City, MI 49686  
Ph: 231-929-0905  
Fx: 231-929-0894  
SP: 231-590-0291  
[kirk@gtanalytical.com](mailto:kirk@gtanalytical.com)

COMPANY: REM  
PROJECT NO: 19-0011  
LOCATION: WEBBER CREEK CPF  
MI  
SAMPLED BY: B. BAUMANN/ECT

GTA PROJECT NO: 072920-14  
GTA SAMPLE NO: 1  
DATE SAMPLED: 7/29/2020  
TIME SAMPLED:  
DATE RECEIVED: 7/29/2020  
TIME RECEIVED: 4:28 PM

**SAMPLE ANALYSIS**

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date</u>	<u>Sample</u>
SAMPLE ID: WS-2	CHLORIDE EPA 300.0	670	50	mg/L (PPM)	LV	7/30/2020	WATER

ND = NOT DETECTED, RESULT < LOD  
LOD = LIMIT OF DETECTION  
s.u. = STANDARD pH UNITS REPORTED AT 25 C

