



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

Company: MILLER ENERGY COMPANY II, LLC
Name:
ClientProj: 2021704005.01

GTA ProjNo: 042125-6

Site Addr: BEAVERTON WEST UNIT CTB

Sampled By: JFR/GCES

Date Rec: 4/21/2025

Time Rec: 3:30 PM

Sample No. Sample ID
1 MP

Date Sampled
4/21/2025

Time Sampled
12:30 PM

Sample Matrix
WATER

ELECTRONIC SIGNATURE REPORT. This is a final report for the following pages of data for the samples specified above. All analysis was performed by the methods stated and all quality control measures required were completed. All quality control information is available upon request.

Kirk Chase

Kirk L. Chase/Chemist
Grand Traverse Analytical
830 Robinwood Court
Traverse City, MI 49686
Ph: 231-929-0905
Fx: 231-929-0894
SP: 231-590-0291
kirk@gtanalytical.com



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY:	MILLER ENERGY COMPANY II, LLC	GTA PROJECT NO:	042125-6
PROJECT NO:	2021704005.01	GTA SAMPLE NO:	1
LOCATION:	BEAVERTON WEST UNIT CTB	DATE SAMPLED:	4/21/2025
		TIME SAMPLED:	12:30 PM
		DATE RECEIVED:	4/21/2025
	MI	TIME RECEIVED:	3:30 PM
SAMPLE MATRIX:	WATER		
SAMPLE ID:	MP	SAMPLED BY:	JFR/GCES

EPA 8260B VOLATILE ORGANICS

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date</u> <u>Extracted</u>	<u>Date</u> <u>Completed</u>	<u>Prep Method</u>
Benzene	ND	1.0	ug/L (PPB)	MR		4/22/2025	EPA 5030B
Toluene	ND	1.0					
Ethylbenzene	ND	1.0					
Xylene(Total)	ND	3.0					

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: MILLER ENERGY COMPANY II, LLC

PROJECT NO: 2021704005.01

LOCATION: BEAVERTON WEST UNIT CTB

GTA PROJECT NO: 042125-6

GTA SAMPLE NO: 1

DATE SAMPLED: 4/21/2025

TIME SAMPLED: 12:30 PM

DATE RECEIVED: 4/21/2025

TIME RECEIVED: 3:30 PM

SAMPLED BY: MI
JFR/GCES**SAMPLE ANALYSIS**

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
	SAMPLE ID: MP						
	CHLORIDE EPA 300.0	ND	20	mg/L (PPM)	KC/TR	4/28/2025	WATER
	CONDUCTIVITY SM2510-B	85	1.0	uS/cm@25C	TR	4/25/2025	WATER

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

s.u. = STANDARD pH UNITS REPORTED AT 25 C

DISS = DISSOLVED

