

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

Company:	MILLER ENERGY COMPANY II, LLC	Site Addr:	BEAVERTON WEST CTB	
Name:				
ClientProj:	2021704005.01			
		Sampled By:	DJT/GCES	
GTA ProjNo:	120722-8	Date Rec:	12/7/2022	
		Time Rec:	3:53 PM	
Sample No.	Sample ID	Date Sampled	Time Sampled	Sample Matrix
1	IMP	12/7/2022	1:50 PM	WATER

ELECTRONIC SIGNATURE REPORT. This is a final report for the following pages of data for the samples specified above. All analysis was performed by the methods stated and all quality control measures required were completed. All quality control information is available upon request.

Kirk Chase

Kirk L. Chase/Chemist
Grand Traverse Analytical
830 Robinwood Court
Traverse City, MI 49686
Ph: 231-929-0905
Fx: 231-929-0894
SP: 231-590-0291
kirk@gtanalytical.com

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: MILLER ENERGY COMPANY II, LLC
PROJECT NO: 2021704005.01
LOCATION: BEAVERTON WEST CTB
MI
SAMPLE MATRIX: WATER
SAMPLE ID: IMP

GTA PROJECT NO: 120722-8
GTA SAMPLE NO: 1
DATE SAMPLED: 12/7/2022
TIME SAMPLED: 1:50 PM
DATE RECEIVED: 12/7/2022
TIME RECEIVED: 3:53 PM
SAMPLED BY: DJT/GCES

EPA 8260B VOLATILE ORGANICS

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Extracted</u>	<u>Date Complete</u>	<u>Prep Method</u>
Benzene	ND	1.0	ug/L (PPB)	MR		12/9/2022	EPA 5030B
Toluene	ND	1.0					
Ethylbenzene	ND	1.0					
Xylene(Total)	ND	3.0					

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.
ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: MILLER ENERGY COMPANY II, LLC

GTA PROJECT NO: 120722-8

PROJECT NO: 2021704005.01

GTA SAMPLE NO: 1

LOCATION: BEAVERTON WEST CTB

DATE SAMPLED: 12/7/2022

TIME SAMPLED: 1:50 PM

DATE RECEIVED: 12/7/2022

TIME RECEIVED: 3:53 PM

SAMPLED BY: MI
DJT/GCES**SAMPLE ANALYSIS****No: Analysis**

SAMPLE ID: IMP

CHLORIDE EPA 300.0

Concentration

ND

LOD

10

Units

mg/L (PPM)

Analyst

KC/TR

Date Completed

12/12/2022

Sample Matrix

WATER

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

s.u. = STANDARD pH UNITS REPORTED AT 25 C

