



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

Company: COMPLIANCE INC.
Name:
ClientProj: 4458
GTA ProjNo: 090120-4

Site Addr: GNS AMERICA
7261 COMMERCE BLVD
CANTON
Sampled By: RANDY GLASS/COMPLIANCE INC.
Date Rec: 9/1/2020
Time Rec: 11:56 AM

Sample No.	Sample ID	Date Sampled	Time Sampled	Sample Matrix
1	SB-1, 2-4'	8/31/2020	10:15 AM	SOIL
2	SB-2, 2-4'	8/31/2020	10:45 AM	SOIL
3	SB-3, 2-4'	8/31/2020	11:30 AM	SOIL
4	SB-4, 2-4'	8/31/2020	11:50 AM	SOIL
5	SB-5, 2-4'	8/31/2020	12:25 PM	SOIL
6	SB-6, 4-6'	8/31/2020	1:40 PM	SOIL
7	SB-7, 2-3'	8/31/2020	2:00 PM	SOIL
8	SB-8, 4-6'	8/31/2020	2:20 PM	SOIL
9	SB-9, 4-6'	8/31/2020	2:40 PM	SOIL
10	SB-10, 2-4'	8/31/2020	3:00 PM	SOIL
11	SB-11, 2-4'	8/31/2020	3:15 PM	SOIL
12	SB-12, 2-4'	8/31/2020	3:30 PM	SOIL

ELECTRONIC SIGNATURE REPORT. This is a final report for the following pages of data for the samples specified above. All analysis was performed by the methods stated and all quality control measures required were completed. All quality control information is available upon request.

Kirk Chase

Kirk L. Chase/Chemist
Grand Traverse Analytical
830 Robinwood Court
Traverse City, MI 49686
Ph: 231-929-0905
Fx: 231-929-0894
SP: 231-590-0291
kirk@gtanalytical.com



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: COMPLIANCE INC.
 PROJECT NO: 4458
 LOCATION: GNS AMERICA
 7261 COMMERCE BLVD
 CANTON
 SAMPLED BY: RANDY GLASS/COMPLIANCE INC.
 SAMPLE MATRIX: SOIL

GTA PROJECT NO: 090120-4
 GTA SAMPLE NO: 1
 DATE SAMPLED: 8/31/2020
 TIME SAMPLED: 10:15 AM
 DATE RECEIVED: 9/1/2020
 TIME RECEIVED: 11:56 AM

**THIS SAMPLE WAS RECEIVED MEOH PRESERVED.

SAMPLE ID: SB-1, 2-4'

EPA 8260B VOLATILE ORGANICS

<u>Units=</u> ug/Kg (PPB)	<u>Analyst=</u> MR	<u>Date</u>	8/31/2020	<u>Date Completed=</u> 9/1/2020	<u>Prep</u>	EPA 5035A
<u>Analyte</u>	<u>Concentration</u>	<u>LOD</u>	<u>Analyte</u>	<u>Concentration</u>	<u>LOD</u>	
ACETONE	ND	1,000	cis-1,3-DICHLOROPROPENE	ND	50	
ALLYL CHLORIDE	ND	250	trans-1,3-DICHLOROPROPENE	ND	50	
BENZENE	ND	50	DIETHYL ETHER	ND	200	
BROMOBENZENE	ND	100	ETHYLBENZENE	ND	50	
BROMOCHLOROMETHANE	ND	100	ETHYL METHACRYLATE	ND	250	
BROMODICHLOROMETHANE	ND	50	HEXACHLOROBUTADIENE	ND	50	
BROMOFORM	ND	100	HEXACHLOROETHANE	ND	250	
BROMOMETHANE	ND	200	2-HEXANONE	ND	2,500	
n-BUTYLBENZENE	ND	50	IDOMETHANE	ND	250	
s-BUTYLBENZENE	ND	50	ISOPROPYLBENZENE	ND	50	
t-BUTYLBENZENE	ND	50	ISOPROPYLTOLUENE	ND	50	
CARBON DISULFIDE	ND	250	METHYL ACRYLATE	ND	250	
CARBON TETRACHLORIDE	ND	50	METHYL ETHYL KETONE	ND	750	
CHLOROBENZENE	ND	50	METHYL-t-BUTYL ETHER	ND	250	
1-CHLOROBUTANE	ND	100	METHYLENE CHLORIDE	ND	100	
CHLOROFORM	ND	50	METHYL METHACRYLATE	ND	250	
CHLOROETHANE	ND	250	MIBK	ND	2,500	
CHLOROMETHANE	ND	250	2-METHYLNAPHTHALENE	ND	250	
2-CHLOROTOLUENE	ND	50	NAPHTHALENE	ND	250	
4-CHLOROTOLUENE	ND	50	PENTACHLOROETHANE	ND	250	
DIBROMOCHLOROMETHANE	ND	100	n-PROPYLBENZENE	ND	50	
DIBROMOMETHANE	ND	250	STYRENE	ND	50	
1,2-DIBROMOETHANE	ND	20	1,1,1,2-TETRACHLOROETHANE	ND	100	
1,2-DICHLOROBENZENE	ND	50	1,1,2,2-TETRACHLOROETHANE	ND	50	
1,3-DICHLOROBENZENE	ND	50	TETRACHLOROETHENE	ND	50	
1,4-DICHLOROBENZENE	ND	50	TOLUENE	ND	50	
t-1,4-DICHLORO-2-BUTENE	ND	50	1,2,3-TRICHLOROBENZENE	ND	50	
DICHLORODIFLUOROMETHANE	ND	250	1,2,4-TRICHLOROBENZENE	ND	250	
1,1-DICHLOROETHANE	ND	50	1,1,1-TRICHLOROETHANE	ND	50	
1,2-DICHLOROETHANE	ND	50	1,1,2-TRICHLOROETHANE	ND	50	
1,1-DICHLOROETHENE	ND	50	TRICHLOROETHENE	ND	50	
cis-1,2-DICHLOROETHENE	ND	50	TRICHLORFLUOROMETHANE	ND	100	
trans-1,2-DICHLOROETHENE	ND	50	1,2,3-TRICHLOROPROPANE	ND	100	
1,2-DICHLOROPROPANE	ND	50	1,2,4-TRIMETHYLBENZENE	ND	50	
1,3-DICHLOROPROPANE	ND	50	1,3,5-TRIMETHYLBENZENE	ND	50	
2,2-DICHLOROPROPANE	ND	50	VINYL CHLORIDE	ND	40	
1,1-DICHLOROPROPENE	ND	50	XYLENE (TOTAL)	ND	150	

ND = NOT DETECTED, RESULT IS <LOD.
 LOD = LIMIT OF DETECTION.



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: COMPLIANCE INC.
 PROJECT NO: 4458
 LOCATION: GNS AMERICA
 7261 COMMERCE BLVD
 CANTON
 SAMPLED BY: RANDY GLASS/COMPLIANCE INC.
 SAMPLE MATRIX: SOIL

GTA PROJECT NO: 090120-4
 GTA SAMPLE NO: 2
 DATE SAMPLED: 8/31/2020
 TIME SAMPLED: 10:45 AM
 DATE RECEIVED: 9/1/2020
 TIME RECEIVED: 11:56 AM

**THIS SAMPLE WAS RECEIVED MEOH PRESERVED.

SAMPLE ID: SB-2, 2-4'

EPA 8260B VOLATILE ORGANICS

<u>Units=</u> ug/Kg (PPB)	<u>Analyst=</u> MR	<u>Date</u>	8/31/2020	<u>Date Completed=</u> 9/1/2020	<u>Prep</u>	EPA 5035A
<u>Analyte</u>	<u>Concentration</u>	<u>LOD</u>	<u>Analyte</u>	<u>Concentration</u>	<u>LOD</u>	
ACETONE	ND	1,000	cis-1,3-DICHLOROPROPENE	ND	50	
ALLYL CHLORIDE	ND	250	trans-1,3-DICHLOROPROPENE	ND	50	
BENZENE	ND	50	DIETHYL ETHER	ND	200	
BROMOBENZENE	ND	100	ETHYLBENZENE	ND	50	
BROMOCHLOROMETHANE	ND	100	ETHYL METHACRYLATE	ND	250	
BROMODICHLOROMETHANE	ND	50	HEXACHLOROBTADIENE	ND	50	
BROMOFORM	ND	100	HEXACHLOROETHANE	ND	250	
BROMOMETHANE	ND	200	2-HEXANONE	ND	2,500	
n-BUTYLBENZENE	ND	50	IDOMETHANE	ND	250	
s-BUTYLBENZENE	ND	50	ISOPROPYLBENZENE	ND	50	
t-BUTYLBENZENE	ND	50	ISOPROPYLTOLUENE	ND	50	
CARBON DISULFIDE	ND	250	METHYL ACRYLATE	ND	250	
CARBON TETRACHLORIDE	ND	50	METHYL ETHYL KETONE	ND	750	
CHLOROBENZENE	ND	50	METHYL-t-BUTYL ETHER	ND	250	
1-CHLOROBUTANE	ND	100	METHYLENE CHLORIDE	ND	100	
CHLOROFORM	ND	50	METHYL METHACRYLATE	ND	250	
CHLOROETHANE	ND	250	MIBK	ND	2,500	
CHLOROMETHANE	ND	250	2-METHYLNAPHTHALENE	ND	250	
2-CHLOROTOLUENE	ND	50	NAPHTHALENE	ND	250	
4-CHLOROTOLUENE	ND	50	PENTACHLOROETHANE	ND	250	
DIBROMOCHLOROMETHANE	ND	100	n-PROPYLBENZENE	ND	50	
DIBROMOMETHANE	ND	250	STYRENE	ND	50	
1,2-DIBROMOETHANE	ND	20	1,1,1,2-TETRACHLOROETHANE	ND	100	
1,2-DICHLOROBENZENE	ND	50	1,1,2,2-TETRACHLOROETHANE	ND	50	
1,3-DICHLOROBENZENE	ND	50	TETRACHLOROETHENE	ND	50	
1,4-DICHLOROBENZENE	ND	50	TOLUENE	ND	50	
t-1,4-DICHLORO-2-BUTENE	ND	50	1,2,3-TRICHLOROBENZENE	ND	50	
DICHLORODIFLUOROMETHANE	ND	250	1,2,4-TRICHLOROBENZENE	ND	250	
1,1-DICHLOROETHANE	ND	50	1,1,1-TRICHLOROETHANE	ND	50	
1,2-DICHLOROETHANE	ND	50	1,1,2-TRICHLOROETHANE	ND	50	
1,1-DICHLOROETHENE	ND	50	TRICHLOROETHENE	ND	50	
cis-1,2-DICHLOROETHENE	ND	50	TRICHLORFLUOROMETHANE	ND	100	
trans-1,2-DICHLOROETHENE	ND	50	1,2,3-TRICHLOROPROPANE	ND	100	
1,2-DICHLOROPROPANE	ND	50	1,2,4-TRIMETHYLBENZENE	ND	50	
1,3-DICHLOROPROPANE	ND	50	1,3,5-TRIMETHYLBENZENE	ND	50	
2,2-DICHLOROPROPANE	ND	50	VINYL CHLORIDE	ND	40	
1,1-DICHLOROPROPENE	ND	50	XYLENE (TOTAL)	ND	150	

ND = NOT DETECTED, RESULT IS <LOD.
 LOD = LIMIT OF DETECTION.



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: COMPLIANCE INC.
 PROJECT NO: 4458
 LOCATION: GNS AMERICA
 7261 COMMERCE BLVD
 CANTON
 SAMPLED BY: RANDY GLASS/COMPLIANCE INC.
 SAMPLE MATRIX: SOIL

GTA PROJECT NO: 090120-4
 GTA SAMPLE NO: 3
 DATE SAMPLED: 8/31/2020
 TIME SAMPLED: 11:30 AM
 DATE RECEIVED: 9/1/2020
 TIME RECEIVED: 11:56 AM

**THIS SAMPLE WAS RECEIVED MEOH PRESERVED.

SAMPLE ID: SB-3, 2-4'

EPA 8260B VOLATILE ORGANICS

<u>Units=</u> ug/Kg (PPB)	<u>Analyst=</u> MR	<u>Date</u>	8/31/2020	<u>Date Completed=</u> 9/1/2020	<u>Prep</u>	EPA 5035A
<u>Analyte</u>	<u>Concentration</u>	<u>LOD</u>	<u>Analyte</u>	<u>Concentration</u>	<u>LOD</u>	
ACETONE	ND	1,000	cis-1,3-DICHLOROPROPENE	ND	50	
ALLYL CHLORIDE	ND	250	trans-1,3-DICHLOROPROPENE	ND	50	
BENZENE	ND	50	DIETHYL ETHER	ND	200	
BROMOBENZENE	ND	100	ETHYLBENZENE	ND	50	
BROMOCHLOROMETHANE	ND	100	ETHYL METHACRYLATE	ND	250	
BROMODICHLOROMETHANE	ND	50	HEXACHLOROBTADIENE	ND	50	
BROMOFORM	ND	100	HEXACHLOROETHANE	ND	250	
BROMOMETHANE	ND	200	2-HEXANONE	ND	2,500	
n-BUTYLBENZENE	ND	50	IDOMETHANE	ND	250	
s-BUTYLBENZENE	ND	50	ISOPROPYLBENZENE	ND	50	
t-BUTYLBENZENE	ND	50	ISOPROPYLTOLUENE	ND	50	
CARBON DISULFIDE	ND	250	METHYL ACRYLATE	ND	250	
CARBON TETRACHLORIDE	ND	50	METHYL ETHYL KETONE	ND	750	
CHLOROBENZENE	ND	50	METHYL-t-BUTYL ETHER	ND	250	
1-CHLOROBUTANE	ND	100	METHYLENE CHLORIDE	ND	100	
CHLOROFORM	ND	50	METHYL METHACRYLATE	ND	250	
CHLOROETHANE	ND	250	MIBK	ND	2,500	
CHLOROMETHANE	ND	250	2-METHYLNAPHTHALENE	ND	250	
2-CHLOROTOLUENE	ND	50	NAPHTHALENE	ND	250	
4-CHLOROTOLUENE	ND	50	PENTACHLOROETHANE	ND	250	
DIBROMOCHLOROMETHANE	ND	100	n-PROPYLBENZENE	ND	50	
DIBROMOMETHANE	ND	250	STYRENE	ND	50	
1,2-DIBROMOETHANE	ND	20	1,1,1,2-TETRACHLOROETHANE	ND	100	
1,2-DICHLOROBENZENE	ND	50	1,1,2,2-TETRACHLOROETHANE	ND	50	
1,3-DICHLOROBENZENE	ND	50	TETRACHLOROETHENE	ND	50	
1,4-DICHLOROBENZENE	ND	50	TOLUENE	ND	50	
t-1,4-DICHLORO-2-BUTENE	ND	50	1,2,3-TRICHLOROBENZENE	ND	50	
DICHLORODIFLUOROMETHANE	ND	250	1,2,4-TRICHLOROBENZENE	ND	250	
1,1-DICHLOROETHANE	ND	50	1,1,1-TRICHLOROETHANE	ND	50	
1,2-DICHLOROETHANE	ND	50	1,1,2-TRICHLOROETHANE	ND	50	
1,1-DICHLOROETHENE	ND	50	TRICHLOROETHENE	ND	50	
cis-1,2-DICHLOROETHENE	ND	50	TRICHLORFLUOROMETHANE	ND	100	
trans-1,2-DICHLOROETHENE	ND	50	1,2,3-TRICHLOROPROPANE	ND	100	
1,2-DICHLOROPROPANE	ND	50	1,2,4-TRIMETHYLBENZENE	ND	50	
1,3-DICHLOROPROPANE	ND	50	1,3,5-TRIMETHYLBENZENE	ND	50	
2,2-DICHLOROPROPANE	ND	50	VINYL CHLORIDE	ND	40	
1,1-DICHLOROPROPENE	ND	50	XYLENE (TOTAL)	ND	150	

ND = NOT DETECTED, RESULT IS <LOD.
 LOD = LIMIT OF DETECTION.



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: COMPLIANCE INC.
 PROJECT NO: 4458
 LOCATION: GNS AMERICA
 7261 COMMERCE BLVD
 CANTON
 SAMPLED BY: RANDY GLASS/COMPLIANCE INC.
 SAMPLE MATRIX: SOIL

GTA PROJECT NO: 090120-4
 GTA SAMPLE NO: 4
 DATE SAMPLED: 8/31/2020
 TIME SAMPLED: 11:50 AM
 DATE RECEIVED: 9/1/2020
 TIME RECEIVED: 11:56 AM

**THIS SAMPLE WAS RECEIVED MEOH PRESERVED.

SAMPLE ID: SB-4, 2-4'

EPA 8260B VOLATILE ORGANICS

<u>Units=</u> ug/Kg (PPB)	<u>Analyst=</u> MR	<u>Date</u>	8/31/2020	<u>Date Completed=</u> 9/1/2020	<u>Prep</u>	EPA 5035A
<u>Analyte</u>	<u>Concentration</u>	<u>LOD</u>	<u>Analyte</u>	<u>Concentration</u>	<u>LOD</u>	
ACETONE	ND	1,000	cis-1,3-DICHLOROPROPENE	ND	50	
ALLYL CHLORIDE	ND	250	trans-1,3-DICHLOROPROPENE	ND	50	
BENZENE	ND	50	DIETHYL ETHER	ND	200	
BROMOBENZENE	ND	100	ETHYLBENZENE	ND	50	
BROMOCHLOROMETHANE	ND	100	ETHYL METHACRYLATE	ND	250	
BROMODICHLOROMETHANE	ND	50	HEXACHLOROBTADIENE	ND	50	
BROMOFORM	ND	100	HEXACHLOROETHANE	ND	250	
BROMOMETHANE	ND	200	2-HEXANONE	ND	2,500	
n-BUTYLBENZENE	ND	50	IDOMETHANE	ND	250	
s-BUTYLBENZENE	ND	50	ISOPROPYLBENZENE	ND	50	
t-BUTYLBENZENE	ND	50	ISOPROPYLTOLUENE	ND	50	
CARBON DISULFIDE	ND	250	METHYL ACRYLATE	ND	250	
CARBON TETRACHLORIDE	ND	50	METHYL ETHYL KETONE	ND	750	
CHLOROBENZENE	ND	50	METHYL-t-BUTYL ETHER	ND	250	
1-CHLOROBUTANE	ND	100	METHYLENE CHLORIDE	ND	100	
CHLOROFORM	ND	50	METHYL METHACRYLATE	ND	250	
CHLOROETHANE	ND	250	MIBK	ND	2,500	
CHLOROMETHANE	ND	250	2-METHYLNAPHTHALENE	ND	250	
2-CHLOROTOLUENE	ND	50	NAPHTHALENE	ND	250	
4-CHLOROTOLUENE	ND	50	PENTACHLOROETHANE	ND	250	
DIBROMOCHLOROMETHANE	ND	100	n-PROPYLBENZENE	ND	50	
DIBROMOMETHANE	ND	250	STYRENE	ND	50	
1,2-DIBROMOETHANE	ND	20	1,1,1,2-TETRACHLOROETHANE	ND	100	
1,2-DICHLOROBENZENE	ND	50	1,1,2,2-TETRACHLOROETHANE	ND	50	
1,3-DICHLOROBENZENE	ND	50	TETRACHLOROETHENE	ND	50	
1,4-DICHLOROBENZENE	ND	50	TOLUENE	ND	50	
t-1,4-DICHLORO-2-BUTENE	ND	50	1,2,3-TRICHLOROBENZENE	ND	50	
DICHLORODIFLUOROMETHANE	ND	250	1,2,4-TRICHLOROBENZENE	ND	250	
1,1-DICHLOROETHANE	ND	50	1,1,1-TRICHLOROETHANE	ND	50	
1,2-DICHLOROETHANE	ND	50	1,1,2-TRICHLOROETHANE	ND	50	
1,1-DICHLOROETHENE	ND	50	TRICHLOROETHENE	ND	50	
cis-1,2-DICHLOROETHENE	ND	50	TRICHLORFLUOROMETHANE	ND	100	
trans-1,2-DICHLOROETHENE	ND	50	1,2,3-TRICHLOROPROPANE	ND	100	
1,2-DICHLOROPROPANE	ND	50	1,2,4-TRIMETHYLBENZENE	ND	50	
1,3-DICHLOROPROPANE	ND	50	1,3,5-TRIMETHYLBENZENE	ND	50	
2,2-DICHLOROPROPANE	ND	50	VINYL CHLORIDE	ND	40	
1,1-DICHLOROPROPENE	ND	50	XYLENE (TOTAL)	ND	150	

ND = NOT DETECTED, RESULT IS <LOD.
 LOD = LIMIT OF DETECTION.



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: COMPLIANCE INC.
 PROJECT NO: 4458
 LOCATION: GNS AMERICA
 7261 COMMERCE BLVD
 CANTON
 SAMPLED BY: RANDY GLASS/COMPLIANCE INC.
 SAMPLE MATRIX: SOIL

GTA PROJECT NO: 090120-4
 GTA SAMPLE NO: 5
 DATE SAMPLED: 8/31/2020
 TIME SAMPLED: 12:25 PM
 DATE RECEIVED: 9/1/2020
 TIME RECEIVED: 11:56 AM

**THIS SAMPLE WAS RECEIVED MEOH PRESERVED.

SAMPLE ID: SB-5, 2-4'

EPA 8260B VOLATILE ORGANICS

<u>Units=</u> ug/Kg (PPB)	<u>Analyst=</u> MR	<u>Date</u>	8/31/2020	<u>Date Completed=</u> 9/1/2020	<u>Prep</u>	EPA 5035A
<u>Analyte</u>	<u>Concentration</u>	<u>LOD</u>	<u>Analyte</u>	<u>Concentration</u>	<u>LOD</u>	
ACETONE	ND	1,000	cis-1,3-DICHLOROPROPENE	ND	50	
ALLYL CHLORIDE	ND	250	trans-1,3-DICHLOROPROPENE	ND	50	
BENZENE	ND	50	DIETHYL ETHER	ND	200	
BROMOBENZENE	ND	100	ETHYLBENZENE	ND	50	
BROMOCHLOROMETHANE	ND	100	ETHYL METHACRYLATE	ND	250	
BROMODICHLOROMETHANE	ND	50	HEXACHLOROBTADIENE	ND	50	
BROMOFORM	ND	100	HEXACHLOROETHANE	ND	250	
BROMOMETHANE	ND	200	2-HEXANONE	ND	2,500	
n-BUTYLBENZENE	ND	50	IDOMETHANE	ND	250	
s-BUTYLBENZENE	ND	50	ISOPROPYLBENZENE	ND	50	
t-BUTYLBENZENE	ND	50	ISOPROPYLTOLUENE	ND	50	
CARBON DISULFIDE	ND	250	METHYL ACRYLATE	ND	250	
CARBON TETRACHLORIDE	ND	50	METHYL ETHYL KETONE	ND	750	
CHLOROBENZENE	ND	50	METHYL-t-BUTYL ETHER	ND	250	
1-CHLOROBUTANE	ND	100	METHYLENE CHLORIDE	ND	100	
CHLOROFORM	ND	50	METHYL METHACRYLATE	ND	250	
CHLOROETHANE	ND	250	MIBK	ND	2,500	
CHLOROMETHANE	ND	250	2-METHYLNAPHTHALENE	ND	250	
2-CHLOROTOLUENE	ND	50	NAPHTHALENE	ND	250	
4-CHLOROTOLUENE	ND	50	PENTACHLOROETHANE	ND	250	
DIBROMOCHLOROMETHANE	ND	100	n-PROPYLBENZENE	ND	50	
DIBROMOMETHANE	ND	250	STYRENE	ND	50	
1,2-DIBROMOETHANE	ND	20	1,1,1,2-TETRACHLOROETHANE	ND	100	
1,2-DICHLOROBENZENE	ND	50	1,1,2,2-TETRACHLOROETHANE	ND	50	
1,3-DICHLOROBENZENE	ND	50	TETRACHLOROETHENE	ND	50	
1,4-DICHLOROBENZENE	ND	50	TOLUENE	ND	50	
t-1,4-DICHLORO-2-BUTENE	ND	50	1,2,3-TRICHLOROBENZENE	ND	50	
DICHLORODIFLUOROMETHANE	ND	250	1,2,4-TRICHLOROBENZENE	ND	250	
1,1-DICHLOROETHANE	ND	50	1,1,1-TRICHLOROETHANE	ND	50	
1,2-DICHLOROETHANE	ND	50	1,1,2-TRICHLOROETHANE	ND	50	
1,1-DICHLOROETHENE	ND	50	TRICHLOROETHENE	ND	50	
cis-1,2-DICHLOROETHENE	ND	50	TRICHLORFLUOROMETHANE	ND	100	
trans-1,2-DICHLOROETHENE	ND	50	1,2,3-TRICHLOROPROPANE	ND	100	
1,2-DICHLOROPROPANE	ND	50	1,2,4-TRIMETHYLBENZENE	ND	50	
1,3-DICHLOROPROPANE	ND	50	1,3,5-TRIMETHYLBENZENE	ND	50	
2,2-DICHLOROPROPANE	ND	50	VINYL CHLORIDE	ND	40	
1,1-DICHLOROPROPENE	ND	50	XYLENE (TOTAL)	ND	150	

ND = NOT DETECTED, RESULT IS <LOD.
 LOD = LIMIT OF DETECTION.



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: COMPLIANCE INC.
 PROJECT NO: 4458
 LOCATION: GNS AMERICA
 7261 COMMERCE BLVD
 CANTON
 SAMPLED BY: RANDY GLASS/COMPLIANCE INC.
 SAMPLE MATRIX: SOIL

GTA PROJECT NO: 090120-4
 GTA SAMPLE NO: 6
 DATE SAMPLED: 8/31/2020
 TIME SAMPLED: 1:40 PM
 DATE RECEIVED: 9/1/2020
 TIME RECEIVED: 11:56 AM

**THIS SAMPLE WAS RECEIVED MEOH PRESERVED.

SAMPLE ID: SB-6, 4-6'

EPA 8260B VOLATILE ORGANICS

<u>Units=</u> ug/Kg (PPB)	<u>Analyst=</u> MR	<u>Date</u>	8/31/2020	<u>Date Completed=</u> 9/1/2020	<u>Prep</u>	EPA 5035A
<u>Analyte</u>	<u>Concentration</u>	<u>LOD</u>	<u>Analyte</u>	<u>Concentration</u>	<u>LOD</u>	
ACETONE	ND	1,000	cis-1,3-DICHLOROPROPENE	ND	50	
ALLYL CHLORIDE	ND	250	trans-1,3-DICHLOROPROPENE	ND	50	
BENZENE	ND	50	DIETHYL ETHER	ND	200	
BROMOBENZENE	ND	100	ETHYLBENZENE	ND	50	
BROMOCHLOROMETHANE	ND	100	ETHYL METHACRYLATE	ND	250	
BROMODICHLOROMETHANE	ND	50	HEXACHLOROBTADIENE	ND	50	
BROMOFORM	ND	100	HEXACHLOROETHANE	ND	250	
BROMOMETHANE	ND	200	2-HEXANONE	ND	2,500	
n-BUTYLBENZENE	ND	50	IDOMETHANE	ND	250	
s-BUTYLBENZENE	ND	50	ISOPROPYLBENZENE	ND	50	
t-BUTYLBENZENE	ND	50	ISOPROPYLTOLUENE	ND	50	
CARBON DISULFIDE	ND	250	METHYL ACRYLATE	ND	250	
CARBON TETRACHLORIDE	ND	50	METHYL ETHYL KETONE	ND	750	
CHLOROBENZENE	ND	50	METHYL-t-BUTYL ETHER	ND	250	
1-CHLOROBUTANE	ND	100	METHYLENE CHLORIDE	ND	100	
CHLOROFORM	ND	50	METHYL METHACRYLATE	ND	250	
CHLOROETHANE	ND	250	MIBK	ND	2,500	
CHLOROMETHANE	ND	250	2-METHYLNAPHTHALENE	ND	250	
2-CHLOROTOLUENE	ND	50	NAPHTHALENE	ND	250	
4-CHLOROTOLUENE	ND	50	PENTACHLOROETHANE	ND	250	
DIBROMOCHLOROMETHANE	ND	100	n-PROPYLBENZENE	ND	50	
DIBROMOMETHANE	ND	250	STYRENE	ND	50	
1,2-DIBROMOETHANE	ND	20	1,1,1,2-TETRACHLOROETHANE	ND	100	
1,2-DICHLOROBENZENE	ND	50	1,1,2,2-TETRACHLOROETHANE	ND	50	
1,3-DICHLOROBENZENE	ND	50	TETRACHLOROETHENE	ND	50	
1,4-DICHLOROBENZENE	ND	50	TOLUENE	ND	50	
t-1,4-DICHLORO-2-BUTENE	ND	50	1,2,3-TRICHLOROBENZENE	ND	50	
DICHLORODIFLUOROMETHANE	ND	250	1,2,4-TRICHLOROBENZENE	ND	250	
1,1-DICHLOROETHANE	ND	50	1,1,1-TRICHLOROETHANE	ND	50	
1,2-DICHLOROETHANE	ND	50	1,1,2-TRICHLOROETHANE	ND	50	
1,1-DICHLOROETHENE	ND	50	TRICHLOROETHENE	ND	50	
cis-1,2-DICHLOROETHENE	ND	50	TRICHLORFLUOROMETHANE	ND	100	
trans-1,2-DICHLOROETHENE	ND	50	1,2,3-TRICHLOROPROPANE	ND	100	
1,2-DICHLOROPROPANE	ND	50	1,2,4-TRIMETHYLBENZENE	ND	50	
1,3-DICHLOROPROPANE	ND	50	1,3,5-TRIMETHYLBENZENE	ND	50	
2,2-DICHLOROPROPANE	ND	50	VINYL CHLORIDE	ND	40	
1,1-DICHLOROPROPENE	ND	50	XYLENE (TOTAL)	ND	150	

ND = NOT DETECTED, RESULT IS <LOD.
 LOD = LIMIT OF DETECTION.



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: COMPLIANCE INC.
 PROJECT NO: 4458
 LOCATION: GNS AMERICA
 7261 COMMERCE BLVD
 CANTON
 SAMPLED BY: RANDY GLASS/COMPLIANCE INC.
 SAMPLE MATRIX: SOIL

GTA PROJECT NO: 090120-4
 GTA SAMPLE NO: 7
 DATE SAMPLED: 8/31/2020
 TIME SAMPLED: 2:00 PM
 DATE RECEIVED: 9/1/2020
 TIME RECEIVED: 11:56 AM

**THIS SAMPLE WAS RECEIVED MEOH PRESERVED.

SAMPLE ID: SB-7, 2-3'

EPA 8260B VOLATILE ORGANICS

<u>Units=</u> ug/Kg (PPB)	<u>Analyst=</u> MR	<u>Date</u>	8/31/2020	<u>Date Completed=</u> 9/1/2020	<u>Prep</u>	EPA 5035A
<u>Analyte</u>	<u>Concentration</u>	<u>LOD</u>	<u>Analyte</u>	<u>Concentration</u>	<u>LOD</u>	
ACETONE	ND	1,000	cis-1,3-DICHLOROPROPENE	ND	50	
ALLYL CHLORIDE	ND	250	trans-1,3-DICHLOROPROPENE	ND	50	
BENZENE	ND	50	DIETHYL ETHER	ND	200	
BROMOBENZENE	ND	100	ETHYLBENZENE	ND	50	
BROMOCHLOROMETHANE	ND	100	ETHYL METHACRYLATE	ND	250	
BROMODICHLOROMETHANE	ND	50	HEXACHLOROBTADIENE	ND	50	
BROMOFORM	ND	100	HEXACHLOROETHANE	ND	250	
BROMOMETHANE	ND	200	2-HEXANONE	ND	2,500	
n-BUTYLBENZENE	ND	50	IDOMETHANE	ND	250	
s-BUTYLBENZENE	ND	50	ISOPROPYLBENZENE	ND	50	
t-BUTYLBENZENE	ND	50	ISOPROPYLTOLUENE	ND	50	
CARBON DISULFIDE	ND	250	METHYL ACRYLATE	ND	250	
CARBON TETRACHLORIDE	ND	50	METHYL ETHYL KETONE	ND	750	
CHLOROBENZENE	ND	50	METHYL-t-BUTYL ETHER	ND	250	
1-CHLOROBUTANE	ND	100	METHYLENE CHLORIDE	ND	100	
CHLOROFORM	ND	50	METHYL METHACRYLATE	ND	250	
CHLOROETHANE	ND	250	MIBK	ND	2,500	
CHLOROMETHANE	ND	250	2-METHYLNAPHTHALENE	ND	250	
2-CHLOROTOLUENE	ND	50	NAPHTHALENE	ND	250	
4-CHLOROTOLUENE	ND	50	PENTACHLOROETHANE	ND	250	
DIBROMOCHLOROMETHANE	ND	100	n-PROPYLBENZENE	ND	50	
DIBROMOMETHANE	ND	250	STYRENE	ND	50	
1,2-DIBROMOETHANE	ND	20	1,1,1,2-TETRACHLOROETHANE	ND	100	
1,2-DICHLOROBENZENE	ND	50	1,1,2,2-TETRACHLOROETHANE	ND	50	
1,3-DICHLOROBENZENE	ND	50	TETRACHLOROETHENE	ND	50	
1,4-DICHLOROBENZENE	ND	50	TOLUENE	ND	50	
t-1,4-DICHLORO-2-BUTENE	ND	50	1,2,3-TRICHLOROBENZENE	ND	50	
DICHLORODIFLUOROMETHANE	ND	250	1,2,4-TRICHLOROBENZENE	ND	250	
1,1-DICHLOROETHANE	ND	50	1,1,1-TRICHLOROETHANE	ND	50	
1,2-DICHLOROETHANE	ND	50	1,1,2-TRICHLOROETHANE	ND	50	
1,1-DICHLOROETHENE	ND	50	TRICHLOROETHENE	ND	50	
cis-1,2-DICHLOROETHENE	ND	50	TRICHLORFLUOROMETHANE	ND	100	
trans-1,2-DICHLOROETHENE	ND	50	1,2,3-TRICHLOROPROPANE	ND	100	
1,2-DICHLOROPROPANE	ND	50	1,2,4-TRIMETHYLBENZENE	ND	50	
1,3-DICHLOROPROPANE	ND	50	1,3,5-TRIMETHYLBENZENE	ND	50	
2,2-DICHLOROPROPANE	ND	50	VINYL CHLORIDE	ND	40	
1,1-DICHLOROPROPENE	ND	50	XYLENE (TOTAL)	ND	150	

ND = NOT DETECTED, RESULT IS <LOD.
 LOD = LIMIT OF DETECTION.



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: COMPLIANCE INC.
 PROJECT NO: 4458
 LOCATION: GNS AMERICA
 7261 COMMERCE BLVD
 CANTON
 SAMPLED BY: RANDY GLASS/COMPLIANCE INC.
 SAMPLE MATRIX: SOIL

GTA PROJECT NO: 090120-4
 GTA SAMPLE NO: 8
 DATE SAMPLED: 8/31/2020
 TIME SAMPLED: 2:20 PM
 DATE RECEIVED: 9/1/2020
 TIME RECEIVED: 11:56 AM

**THIS SAMPLE WAS RECEIVED MEOH PRESERVED.

SAMPLE ID: SB-8, 4-6'

EPA 8260B VOLATILE ORGANICS

<u>Units=</u> ug/Kg (PPB)	<u>Analyst=</u> MR	<u>Date</u>	8/31/2020	<u>Date Completed=</u>	9/1/2020	<u>Prep</u>	EPA 5035A
<u>Analyte</u>	<u>Concentration</u>	<u>LOD</u>		<u>Analyte</u>	<u>Concentration</u>	<u>LOD</u>	
ACETONE	ND	1,000		cis-1,3-DICHLOROPROPENE	ND	50	
ALLYL CHLORIDE	ND	250		trans-1,3-DICHLOROPROPENE	ND	50	
BENZENE	ND	50		DIETHYL ETHER	ND	200	
BROMOBENZENE	ND	100		ETHYLBENZENE	ND	50	
BROMOCHLOROMETHANE	ND	100		ETHYL METHACRYLATE	ND	250	
BROMODICHLOROMETHANE	ND	50		HEXACHLOROBTADIENE	ND	50	
BROMOFORM	ND	100		HEXACHLOROETHANE	ND	250	
BROMOMETHANE	ND	200		2-HEXANONE	ND	2,500	
n-BUTYLBENZENE	ND	50		IDOMETHANE	ND	250	
s-BUTYLBENZENE	ND	50		ISOPROPYLBENZENE	ND	50	
t-BUTYLBENZENE	ND	50		ISOPROPYLTOLUENE	ND	50	
CARBON DISULFIDE	ND	250		METHYL ACRYLATE	ND	250	
CARBON TETRACHLORIDE	ND	50		METHYL ETHYL KETONE	ND	750	
CHLOROBENZENE	ND	50		METHYL-t-BUTYL ETHER	ND	250	
1-CHLOROBUTANE	ND	100		METHYLENE CHLORIDE	ND	100	
CHLOROFORM	ND	50		METHYL METHACRYLATE	ND	250	
CHLOROETHANE	ND	250		MIBK	ND	2,500	
CHLOROMETHANE	ND	250		2-METHYLNAPHTHALENE	ND	250	
2-CHLOROTOLUENE	ND	50		NAPHTHALENE	ND	250	
4-CHLOROTOLUENE	ND	50		PENTACHLOROETHANE	ND	250	
DIBROMOCHLOROMETHANE	ND	100		n-PROPYLBENZENE	ND	50	
DIBROMOMETHANE	ND	250		STYRENE	ND	50	
1,2-DIBROMOETHANE	ND	20		1,1,1,2-TETRACHLOROETHANE	ND	100	
1,2-DICHLOROBENZENE	ND	50		1,1,2,2-TETRACHLOROETHANE	ND	50	
1,3-DICHLOROBENZENE	ND	50		TETRACHLOROETHENE	ND	50	
1,4-DICHLOROBENZENE	ND	50		TOLUENE	ND	50	
t-1,4-DICHLORO-2-BUTENE	ND	50		1,2,3-TRICHLOROBENZENE	ND	50	
DICHLORODIFLUOROMETHANE	ND	250		1,2,4-TRICHLOROBENZENE	ND	250	
1,1-DICHLOROETHANE	ND	50		1,1,1-TRICHLOROETHANE	ND	50	
1,2-DICHLOROETHANE	ND	50		1,1,2-TRICHLOROETHANE	ND	50	
1,1-DICHLOROETHENE	ND	50		TRICHLOROETHENE	ND	50	
cis-1,2-DICHLOROETHENE	ND	50		TRICHLORFLUOROMETHANE	ND	100	
trans-1,2-DICHLOROETHENE	ND	50		1,2,3-TRICHLOROPROPANE	ND	100	
1,2-DICHLOROPROPANE	ND	50		1,2,4-TRIMETHYLBENZENE	ND	50	
1,3-DICHLOROPROPANE	ND	50		1,3,5-TRIMETHYLBENZENE	ND	50	
2,2-DICHLOROPROPANE	ND	50		VINYL CHLORIDE	ND	40	
1,1-DICHLOROPROPENE	ND	50		XYLENE (TOTAL)	ND	150	

ND = NOT DETECTED, RESULT IS <LOD.
 LOD = LIMIT OF DETECTION.



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: COMPLIANCE INC.
 PROJECT NO: 4458
 LOCATION: GNS AMERICA
 7261 COMMERCE BLVD
 CANTON
 SAMPLED BY: RANDY GLASS/COMPLIANCE INC.
 SAMPLE MATRIX: SOIL

GTA PROJECT NO: 090120-4
 GTA SAMPLE NO: 9
 DATE SAMPLED: 8/31/2020
 TIME SAMPLED: 2:40 PM
 DATE RECEIVED: 9/1/2020
 TIME RECEIVED: 11:56 AM

**THIS SAMPLE WAS RECEIVED MEOH PRESERVED.

SAMPLE ID: SB-9, 4-6'

EPA 8260B VOLATILE ORGANICS

<u>Units=</u> ug/Kg (PPB)	<u>Analyst=</u> MR	<u>Date</u>	8/31/2020	<u>Date Completed=</u> 9/1/2020	<u>Prep</u>	EPA 5035A
<u>Analyte</u>	<u>Concentration</u>	<u>LOD</u>	<u>Analyte</u>	<u>Concentration</u>	<u>LOD</u>	
ACETONE	ND	1,000	cis-1,3-DICHLOROPROPENE	ND	50	
ALLYL CHLORIDE	ND	250	trans-1,3-DICHLOROPROPENE	ND	50	
BENZENE	ND	50	DIETHYL ETHER	ND	200	
BROMOBENZENE	ND	100	ETHYLBENZENE	ND	50	
BROMOCHLOROMETHANE	ND	100	ETHYL METHACRYLATE	ND	250	
BROMODICHLOROMETHANE	ND	50	HEXACHLOROBTADIENE	ND	50	
BROMOFORM	ND	100	HEXACHLOROETHANE	ND	250	
BROMOMETHANE	ND	200	2-HEXANONE	ND	2,500	
n-BUTYLBENZENE	ND	50	IDOMETHANE	ND	250	
s-BUTYLBENZENE	ND	50	ISOPROPYLBENZENE	ND	50	
t-BUTYLBENZENE	ND	50	ISOPROPYLTOLUENE	ND	50	
CARBON DISULFIDE	ND	250	METHYL ACRYLATE	ND	250	
CARBON TETRACHLORIDE	ND	50	METHYL ETHYL KETONE	ND	750	
CHLOROBENZENE	ND	50	METHYL-t-BUTYL ETHER	ND	250	
1-CHLOROBUTANE	ND	100	METHYLENE CHLORIDE	ND	100	
CHLOROFORM	ND	50	METHYL METHACRYLATE	ND	250	
CHLOROETHANE	ND	250	MIBK	ND	2,500	
CHLOROMETHANE	ND	250	2-METHYLNAPHTHALENE	ND	250	
2-CHLOROTOLUENE	ND	50	NAPHTHALENE	ND	250	
4-CHLOROTOLUENE	ND	50	PENTACHLOROETHANE	ND	250	
DIBROMOCHLOROMETHANE	ND	100	n-PROPYLBENZENE	ND	50	
DIBROMOMETHANE	ND	250	STYRENE	ND	50	
1,2-DIBROMOETHANE	ND	20	1,1,1,2-TETRACHLOROETHANE	ND	100	
1,2-DICHLOROBENZENE	ND	50	1,1,2,2-TETRACHLOROETHANE	ND	50	
1,3-DICHLOROBENZENE	ND	50	TETRACHLOROETHENE	ND	50	
1,4-DICHLOROBENZENE	ND	50	TOLUENE	ND	50	
t-1,4-DICHLORO-2-BUTENE	ND	50	1,2,3-TRICHLOROBENZENE	ND	50	
DICHLORODIFLUOROMETHANE	ND	250	1,2,4-TRICHLOROBENZENE	ND	250	
1,1-DICHLOROETHANE	ND	50	1,1,1-TRICHLOROETHANE	ND	50	
1,2-DICHLOROETHANE	ND	50	1,1,2-TRICHLOROETHANE	ND	50	
1,1-DICHLOROETHENE	ND	50	TRICHLOROETHENE	ND	50	
cis-1,2-DICHLOROETHENE	ND	50	TRICHLORFLUOROMETHANE	ND	100	
trans-1,2-DICHLOROETHENE	ND	50	1,2,3-TRICHLOROPROPANE	ND	100	
1,2-DICHLOROPROPANE	ND	50	1,2,4-TRIMETHYLBENZENE	ND	50	
1,3-DICHLOROPROPANE	ND	50	1,3,5-TRIMETHYLBENZENE	ND	50	
2,2-DICHLOROPROPANE	ND	50	VINYL CHLORIDE	ND	40	
1,1-DICHLOROPROPENE	ND	50	XYLENE (TOTAL)	ND	150	

ND = NOT DETECTED, RESULT IS <LOD.
 LOD = LIMIT OF DETECTION.



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: COMPLIANCE INC.
 PROJECT NO: 4458
 LOCATION: GNS AMERICA
 7261 COMMERCE BLVD
 CANTON
 SAMPLED BY: RANDY GLASS/COMPLIANCE INC.
 SAMPLE MATRIX: SOIL

GTA PROJECT NO: 090120-4
 GTA SAMPLE NO: 11
 DATE SAMPLED: 8/31/2020
 TIME SAMPLED: 3:15 PM
 DATE RECEIVED: 9/1/2020
 TIME RECEIVED: 11:56 AM

**THIS SAMPLE WAS RECEIVED MEOH PRESERVED.

SAMPLE ID: SB-11, 2-4'

EPA 8260B VOLATILE ORGANICS

<u>Units=</u> ug/Kg (PPB)	<u>Analyst=</u> MR	<u>Date</u>	8/31/2020	<u>Date Completed=</u> 9/1/2020	<u>Prep</u>	EPA 5035A
<u>Analyte</u>	<u>Concentration</u>	<u>LOD</u>	<u>Analyte</u>	<u>Concentration</u>	<u>LOD</u>	
ACETONE	ND	1,000	cis-1,3-DICHLOROPROPENE	ND	50	
ALLYL CHLORIDE	ND	250	trans-1,3-DICHLOROPROPENE	ND	50	
BENZENE	ND	50	DIETHYL ETHER	ND	200	
BROMOBENZENE	ND	100	ETHYLBENZENE	ND	50	
BROMOCHLOROMETHANE	ND	100	ETHYL METHACRYLATE	ND	250	
BROMODICHLOROMETHANE	ND	50	HEXACHLOROBTADIENE	ND	50	
BROMOFORM	ND	100	HEXACHLOROETHANE	ND	250	
BROMOMETHANE	ND	200	2-HEXANONE	ND	2,500	
n-BUTYLBENZENE	ND	50	IDOMETHANE	ND	250	
s-BUTYLBENZENE	ND	50	ISOPROPYLBENZENE	ND	50	
t-BUTYLBENZENE	ND	50	ISOPROPYLTOLUENE	ND	50	
CARBON DISULFIDE	ND	250	METHYL ACRYLATE	ND	250	
CARBON TETRACHLORIDE	ND	50	METHYL ETHYL KETONE	ND	750	
CHLOROBENZENE	ND	50	METHYL-t-BUTYL ETHER	ND	250	
1-CHLOROBUTANE	ND	100	METHYLENE CHLORIDE	ND	100	
CHLOROFORM	ND	50	METHYL METHACRYLATE	ND	250	
CHLOROETHANE	ND	250	MIBK	ND	2,500	
CHLOROMETHANE	ND	250	2-METHYLNAPHTHALENE	ND	250	
2-CHLOROTOLUENE	ND	50	NAPHTHALENE	ND	250	
4-CHLOROTOLUENE	ND	50	PENTACHLOROETHANE	ND	250	
DIBROMOCHLOROMETHANE	ND	100	n-PROPYLBENZENE	ND	50	
DIBROMOMETHANE	ND	250	STYRENE	ND	50	
1,2-DIBROMOETHANE	ND	20	1,1,1,2-TETRACHLOROETHANE	ND	100	
1,2-DICHLOROBENZENE	ND	50	1,1,2,2-TETRACHLOROETHANE	ND	50	
1,3-DICHLOROBENZENE	ND	50	TETRACHLOROETHENE	ND	50	
1,4-DICHLOROBENZENE	ND	50	TOLUENE	ND	50	
t-1,4-DICHLORO-2-BUTENE	ND	50	1,2,3-TRICHLOROBENZENE	ND	50	
DICHLORODIFLUOROMETHANE	ND	250	1,2,4-TRICHLOROBENZENE	ND	250	
1,1-DICHLOROETHANE	ND	50	1,1,1-TRICHLOROETHANE	ND	50	
1,2-DICHLOROETHANE	ND	50	1,1,2-TRICHLOROETHANE	ND	50	
1,1-DICHLOROETHENE	ND	50	TRICHLOROETHENE	ND	50	
cis-1,2-DICHLOROETHENE	ND	50	TRICHLORFLUOROMETHANE	ND	100	
trans-1,2-DICHLOROETHENE	ND	50	1,2,3-TRICHLOROPROPANE	ND	100	
1,2-DICHLOROPROPANE	ND	50	1,2,4-TRIMETHYLBENZENE	ND	50	
1,3-DICHLOROPROPANE	ND	50	1,3,5-TRIMETHYLBENZENE	ND	50	
2,2-DICHLOROPROPANE	ND	50	VINYL CHLORIDE	ND	40	
1,1-DICHLOROPROPENE	ND	50	XYLENE (TOTAL)	ND	150	

ND = NOT DETECTED, RESULT IS <LOD.
 LOD = LIMIT OF DETECTION.



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY:	COMPLIANCE INC.	GTA PROJECT NO:	090120-4
PROJECT NO:	4458	GTA SAMPLE NO:	4
LOCATION:	GNS AMERICA	DATE SAMPLED:	8/31/2020
	7261 COMMERCE BLVD	TIME SAMPLED:	11:50 AM
	CANTON	DATE RECEIVED:	9/1/2020
	MI	TIME RECEIVED:	11:56 AM
SAMPLED BY:	RANDY GLASS/COMPLIANCE INC.		
SAMPLE MATRIX:	SOIL		
SAMPLE ID:	SB-4, 2-4'		

PNA EPA 8270D (SIM)

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date</u> <u>Extracted</u>	<u>Date</u> <u>Complete</u>	<u>Prep Method</u>
Acenaphthene	ND	330	ug/Kg (PPB)	KC/TR	9/2/2020	9/2/2020	EPA 3550B
Acenaphthylene	ND	330					
Anthracene	ND	330					
Benzo(a)anthracene	ND	330					
Benzo(b)fluoranthene	ND	330					
Benzo(k)fluoranthene	ND	330					
Benzo(a)pyrene	ND	330					
Benzo(ghi)perylene	ND	330					
2-Chloronaphthalene	ND	330					
Chrysene	ND	330					
Dibenz(ah)anthracene	ND	330					
Fluoranthene	ND	330					
Fluorene	ND	330					
Indeno(123-cd)pyrene	ND	330					
Phenanthrene	ND	330					
Pyrene	ND	330					

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.
 ND = NOT DETECTED, RESULT IS <LOD.
 LOD = LIMIT OF DETECTION.



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY:	COMPLIANCE INC.	GTA PROJECT NO:	090120-4
PROJECT NO:	4458	GTA SAMPLE NO:	1
LOCATION:	GNS AMERICA 7261 COMMERCE BLVD CANTON MI	DATE SAMPLED:	8/31/2020
		TIME SAMPLED:	10:15 AM
		DATE RECEIVED:	9/1/2020
SAMPLED BY:	RANDY GLASS/COMPLIANCE INC.	TIME RECEIVED:	11:56 AM
		SAMPLE MATRIX:	SOIL
SAMPLE ID:	SB-1, 2-4'		

METALS

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Digestion Method</u>
ARSENIC TOTAL EPA 6020A	0.55	0.26	mg/Kg (PPM)	MR/TR	9/2/2020	EPA 3050B
BARIUM TOTAL EPA 6020A	15	0.26	mg/Kg (PPM)	MR/TR	9/2/2020	EPA 3050B
CADMIUM TOTAL EPA 6020A	ND	0.26	mg/Kg (PPM)	MR/TR	9/2/2020	EPA 3050B
CHROMIUM TOTAL EPA 6020A	4.3	0.26	mg/Kg (PPM)	MR/TR	9/2/2020	EPA 3050B
LEAD TOTAL EPA 6020A	2.7	0.26	mg/Kg (PPM)	MR/TR	9/2/2020	EPA 3050B
MERCURY TOTAL EPA 7471B	ND	0.017	mg/Kg (PPM)	MR	9/3/2020	EPA 7471
SELENIUM TOTAL EPA 6020A	ND	0.26	mg/Kg (PPM)	MR/TR	9/2/2020	EPA 3050B
SILVER TOTAL EPA 6020A	ND	0.26	mg/Kg (PPM)	MR/TR	9/2/2020	EPA 3050B

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

DISS = DISSOLVED



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY:	COMPLIANCE INC.	GTA PROJECT NO:	090120-4
		GTA SAMPLE NO:	2
PROJECT NO:	4458	DATE SAMPLED:	8/31/2020
LOCATION:	GNS AMERICA	TIME SAMPLED:	10:45 AM
	7261 COMMERCE BLVD	DATE RECEIVED:	9/1/2020
	CANTON	TIME RECEIVED:	11:56 AM
	MI	SAMPLE MATRIX:	SOIL
SAMPLED BY:	RANDY GLASS/COMPLIANCE INC.		
SAMPLE ID:	SB-2, 2-4'		

METALS

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Digestion Method</u>
ARSENIC TOTAL EPA 6020A	1.0	0.27	mg/Kg (PPM)	MR/TR	9/2/2020	EPA 3050B
BARIUM TOTAL EPA 6020A	16	0.27	mg/Kg (PPM)	MR/TR	9/2/2020	EPA 3050B
CADMIUM TOTAL EPA 6020A	ND	0.27	mg/Kg (PPM)	MR/TR	9/2/2020	EPA 3050B
CHROMIUM TOTAL EPA 6020A	6.0	0.27	mg/Kg (PPM)	MR/TR	9/2/2020	EPA 3050B
LEAD TOTAL EPA 6020A	3.5	0.27	mg/Kg (PPM)	MR/TR	9/2/2020	EPA 3050B
MERCURY TOTAL EPA 7471B	0.019	0.017	mg/Kg (PPM)	MR	9/3/2020	EPA 7471
SELENIUM TOTAL EPA 6020A	ND	0.27	mg/Kg (PPM)	MR/TR	9/2/2020	EPA 3050B
SILVER TOTAL EPA 6020A	ND	0.27	mg/Kg (PPM)	MR/TR	9/2/2020	EPA 3050B

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

DISS = DISSOLVED



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY:	COMPLIANCE INC.	GTA PROJECT NO:	090120-4
		GTA SAMPLE NO:	3
PROJECT NO:	4458	DATE SAMPLED:	8/31/2020
LOCATION:	GNS AMERICA	TIME SAMPLED:	11:30 AM
	7261 COMMERCE BLVD	DATE RECEIVED:	9/1/2020
	CANTON	TIME RECEIVED:	11:56 AM
	MI	SAMPLE MATRIX:	SOIL
SAMPLED BY:	RANDY GLASS/COMPLIANCE INC.		
SAMPLE ID:	SB-3, 2-4'		

METALS

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Digestion Method</u>
ARSENIC TOTAL EPA 6020A	0.74	0.27	mg/Kg (PPM)	MR/TR	9/2/2020	EPA 3050B
BARIUM TOTAL EPA 6020A	9.8	0.27	mg/Kg (PPM)	MR/TR	9/2/2020	EPA 3050B
CADMIUM TOTAL EPA 6020A	ND	0.27	mg/Kg (PPM)	MR/TR	9/2/2020	EPA 3050B
CHROMIUM TOTAL EPA 6020A	4.1	0.27	mg/Kg (PPM)	MR/TR	9/2/2020	EPA 3050B
LEAD TOTAL EPA 6020A	2.4	0.27	mg/Kg (PPM)	MR/TR	9/2/2020	EPA 3050B
MERCURY TOTAL EPA 7471B	ND	0.016	mg/Kg (PPM)	MR	9/3/2020	EPA 7471
SELENIUM TOTAL EPA 6020A	ND	0.27	mg/Kg (PPM)	MR/TR	9/2/2020	EPA 3050B
SILVER TOTAL EPA 6020A	ND	0.27	mg/Kg (PPM)	MR/TR	9/2/2020	EPA 3050B

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

DISS = DISSOLVED



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY:	COMPLIANCE INC.	GTA PROJECT NO:	090120-4
		GTA SAMPLE NO:	6
PROJECT NO:	4458	DATE SAMPLED:	8/31/2020
LOCATION:	GNS AMERICA	TIME SAMPLED:	1:40 PM
	7261 COMMERCE BLVD	DATE RECEIVED:	9/1/2020
	CANTON	TIME RECEIVED:	11:56 AM
	MI	SAMPLE MATRIX:	SOIL
SAMPLED BY:	RANDY GLASS/COMPLIANCE INC.		
SAMPLE ID:	SB-6, 4-6'		

METALS

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Digestion Method</u>
ARSENIC TOTAL EPA 6020A	0.37	0.29	mg/Kg (PPM)	MR/TR	9/2/2020	EPA 3050B
BARIUM TOTAL EPA 6020A	12	0.29	mg/Kg (PPM)	MR/TR	9/2/2020	EPA 3050B
CADMIUM TOTAL EPA 6020A	ND	0.29	mg/Kg (PPM)	MR/TR	9/2/2020	EPA 3050B
CHROMIUM TOTAL EPA 6020A	5.9	0.29	mg/Kg (PPM)	MR/TR	9/2/2020	EPA 3050B
LEAD TOTAL EPA 6020A	2.8	0.29	mg/Kg (PPM)	MR/TR	9/2/2020	EPA 3050B
MERCURY TOTAL EPA 7471B	ND	0.014	mg/Kg (PPM)	MR	9/3/2020	EPA 7471
SELENIUM TOTAL EPA 6020A	ND	0.29	mg/Kg (PPM)	MR/TR	9/2/2020	EPA 3050B
SILVER TOTAL EPA 6020A	ND	0.29	mg/Kg (PPM)	MR/TR	9/2/2020	EPA 3050B

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

DISS = DISSOLVED



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY:	COMPLIANCE INC.	GTA PROJECT NO:	090120-4
		GTA SAMPLE NO:	9
PROJECT NO:	4458	DATE SAMPLED:	8/31/2020
LOCATION:	GNS AMERICA	TIME SAMPLED:	2:40 PM
	7261 COMMERCE BLVD	DATE RECEIVED:	9/1/2020
	CANTON	TIME RECEIVED:	11:56 AM
	MI	SAMPLE MATRIX:	SOIL
SAMPLED BY:	RANDY GLASS/COMPLIANCE INC.		
SAMPLE ID:	SB-9, 4-6'		

METALS

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Digestion Method</u>
ARSENIC TOTAL EPA 6020A	1.0	0.26	mg/Kg (PPM)	MR/TR	9/2/2020	EPA 3050B
BARIUM TOTAL EPA 6020A	16	0.26	mg/Kg (PPM)	MR/TR	9/2/2020	EPA 3050B
CADMIUM TOTAL EPA 6020A	ND	0.26	mg/Kg (PPM)	MR/TR	9/2/2020	EPA 3050B
CHROMIUM TOTAL EPA 6020A	5.7	0.26	mg/Kg (PPM)	MR/TR	9/2/2020	EPA 3050B
LEAD TOTAL EPA 6020A	3.3	0.26	mg/Kg (PPM)	MR/TR	9/2/2020	EPA 3050B
MERCURY TOTAL EPA 7471B	ND	0.016	mg/Kg (PPM)	MR	9/3/2020	EPA 7471
SELENIUM TOTAL EPA 6020A	ND	0.26	mg/Kg (PPM)	MR/TR	9/2/2020	EPA 3050B
SILVER TOTAL EPA 6020A	ND	0.26	mg/Kg (PPM)	MR/TR	9/2/2020	EPA 3050B

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

DISS = DISSOLVED



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY:	COMPLIANCE INC.	GTA PROJECT NO:	090120-4
		GTA SAMPLE NO:	10
PROJECT NO:	4458	DATE SAMPLED:	8/31/2020
LOCATION:	GNS AMERICA	TIME SAMPLED:	3:00 PM
	7261 COMMERCE BLVD	DATE RECEIVED:	9/1/2020
	CANTON	TIME RECEIVED:	11:56 AM
	MI	SAMPLE MATRIX:	SOIL
SAMPLED BY:	RANDY GLASS/COMPLIANCE INC.		
SAMPLE ID:	SB-10, 2-4'		

METALS

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Digestion Method</u>
ARSENIC TOTAL EPA 6020A	2.5	0.28	mg/Kg (PPM)	MR/TR	9/2/2020	EPA 3050B
BARIUM TOTAL EPA 6020A	29	0.28	mg/Kg (PPM)	MR/TR	9/2/2020	EPA 3050B
CADMIUM TOTAL EPA 6020A	ND	0.28	mg/Kg (PPM)	MR/TR	9/2/2020	EPA 3050B
CHROMIUM TOTAL EPA 6020A	5.6	0.28	mg/Kg (PPM)	MR/TR	9/2/2020	EPA 3050B
LEAD TOTAL EPA 6020A	3.8	0.28	mg/Kg (PPM)	MR/TR	9/2/2020	EPA 3050B
MERCURY TOTAL EPA 7471B	ND	0.015	mg/Kg (PPM)	MR	9/3/2020	EPA 7471
SELENIUM TOTAL EPA 6020A	ND	0.28	mg/Kg (PPM)	MR/TR	9/2/2020	EPA 3050B
SILVER TOTAL EPA 6020A	ND	0.28	mg/Kg (PPM)	MR/TR	9/2/2020	EPA 3050B

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

DISS = DISSOLVED



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY:	COMPLIANCE INC.	GTA PROJECT NO:	090120-4
PROJECT NO:	4458	GTA SAMPLE NO:	12
LOCATION:	GNS AMERICA 7261 COMMERCE BLVD CANTON MI	DATE SAMPLED:	8/31/2020
		TIME SAMPLED:	3:30 PM
		DATE RECEIVED:	9/1/2020
SAMPLED BY:	RANDY GLASS/COMPLIANCE INC.	TIME RECEIVED:	11:56 AM
		SAMPLE MATRIX:	SOIL
SAMPLE ID:	SB-12, 2-4'		

METALS

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Digestion Method</u>
ARSENIC TOTAL EPA 6020A	0.92	0.27	mg/Kg (PPM)	MR/TR	9/2/2020	EPA 3050B
BARIUM TOTAL EPA 6020A	17	0.27	mg/Kg (PPM)	MR/TR	9/2/2020	EPA 3050B
CADMIUM TOTAL EPA 6020A	ND	0.27	mg/Kg (PPM)	MR/TR	9/2/2020	EPA 3050B
CHROMIUM TOTAL EPA 6020A	9.4	0.27	mg/Kg (PPM)	MR/TR	9/2/2020	EPA 3050B
LEAD TOTAL EPA 6020A	3.0	0.27	mg/Kg (PPM)	MR/TR	9/2/2020	EPA 3050B
MERCURY TOTAL EPA 7471B	ND	0.018	mg/Kg (PPM)	MR	9/3/2020	EPA 7471
SELENIUM TOTAL EPA 6020A	ND	0.27	mg/Kg (PPM)	MR/TR	9/2/2020	EPA 3050B
SILVER TOTAL EPA 6020A	ND	0.27	mg/Kg (PPM)	MR/TR	9/2/2020	EPA 3050B

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

DISS = DISSOLVED



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: COMPLIANCE INC.

NAME:
PROJECT NO: 4458

LOCATION: GNS AMERICA
7261 COMMERCE BLVD
CANTON
MI

GTA PROJECT NO: 090120-4
SAMPLED BY: RANDY GLASS/COMPLIANCE INC.

DATE SAMPLED: 8/31/2020
TIME SAMPLED: 10:15 AM
SAMPLE MATRIX: SOIL

DATE RECEIVED: 9/1/2020
TIME RECEIVED: 11:56 AM

MOISTURE

<u>No:</u> <u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Complete</u>
SAMPLE ID: SB-1, 2-4' % MOISTURE EPA 3550C	11	0.050	% OF SAMPLE	AS	9/1/2020
SAMPLE ID: SB-2, 2-4' % MOISTURE EPA 3550C	13	0.050	% OF SAMPLE	AS	9/1/2020
SAMPLE ID: SB-3, 2-4' % MOISTURE EPA 3550C	12	0.050	% OF SAMPLE	AS	9/1/2020
SAMPLE ID: SB-4, 2-4' % MOISTURE EPA 3550C	12	0.050	% OF SAMPLE	AS	9/1/2020
SAMPLE ID: SB-5, 2-4' % MOISTURE EPA 3550C	14	0.050	% OF SAMPLE	AS	9/1/2020
SAMPLE ID: SB-6, 4-6' % MOISTURE EPA 3550C	16	0.050	% OF SAMPLE	AS	9/1/2020
SAMPLE ID: SB-7, 2-3' % MOISTURE EPA 3550C	6.3	0.050	% OF SAMPLE	AS	9/1/2020
SAMPLE ID: SB-8, 4-6' % MOISTURE EPA 3550C	9.6	0.050	% OF SAMPLE	AS	9/1/2020
SAMPLE ID: SB-9, 4-6' % MOISTURE EPA 3550C	6.9	0.050	% OF SAMPLE	AS	9/1/2020
SAMPLE ID: SB-10, 2-4' % MOISTURE EPA 3550C	13	0.050	% OF SAMPLE	AS	9/1/2020
SAMPLE ID: SB-11, 2-4' % MOISTURE EPA 3550C	5.7	0.050	% OF SAMPLE	AS	9/1/2020
SAMPLE ID: SB-12, 2-4' % MOISTURE EPA 3550C	12	0.050	% OF SAMPLE	AS	9/1/2020

CHAIN OF CUSTODY

PROJECT NUMBER 4458	SITE NAME/ADDRESS G-NS America 7261 Commerce Blvd., Canton, MI	COMPANY/NAME
SAMPLED BY Randy Glass	COMPANY Compliance, Inc	GTA PROJECT # 09020-4

SAMPLE INFORMATION

#	SAMPLE ID	DATE SAMPLED	TIME	MATRIX	ANALYSIS
1	SB-1, 2-4'	8/31/20	1015	Soil	VOCs, PNA's, RCRA metals
2	SB-2, 2-4'		1045	Soil	
3	SB-3, 2-4'		1130	Soil	
4	SB-4, 2-4'		1150	Soil	
5	SB-5, 4-6' 2-4'		1225	Soil	
6	SB-6, 4-6'		1340	Soil	
7	SB-7, 2-3'		140	Soil	
8	SB-8 4-6'		1420		
9	SB-9 4-6'		1440		
10	SB-10 2-4'		1500		
11	SB-11 2-4'		1515		
12	SB-12, 2-4'	✓	1530	✓	✓

BILL TO: Compliance, Inc.	REPORT TO: Randy Glass
--	---

RELEASED BY Randy Glass	DATE/TIME 8/31/20 5pm	RECEIVED BY <i>[Signature]</i>	DATE/TIME 8/1/20 11:56
			PL 4.0% BRICE

REQUESTED TAT STANDARD 1 BUSINESS DAY 2 BUSINESS DAYS 3 BUSINESS DAYS