



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

Company: SUMMIT PETROLEUM
Name:
ClientProj:

Site Addr: BORKHOLDER 4-28 SWD

GTA ProjNo: 090120-6

Sampled By: DAN NIDA/SUMMIT

Date Rec: 9/1/2020

Time Rec: 4:08 PM

Sample No.	Sample ID	Date Sampled	Time Sampled	Sample Matrix
1	MW-4	9/1/2020		WATER

ELECTRONIC SIGNATURE REPORT. This is a final report for the following pages of data for the samples specified above. All analysis was performed by the methods stated and all quality control measures required were completed. All quality control information is available upon request.

Kirk Chase

Kirk L. Chase/Chemist
Grand Traverse Analytical
830 Robinwood Court
Traverse City, MI 49686
Ph: 231-929-0905
Fx: 231-929-0894
SP: 231-590-0291
kirk@gtanalytical.com



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: SUMMIT PETROLEUM
PROJECT NO:
LOCATION: BORKHOLDER 4-28 SWD
MI
SAMPLE MATRIX: WATER
SAMPLE ID: MW-4
GTA PROJECT NO: 090120-6
GTA SAMPLE NO: 1
DATE SAMPLED: 9/1/2020
TIME SAMPLED:
DATE RECEIVED: 9/1/2020
TIME RECEIVED: 4:08 PM
SAMPLED BY: DAN NIDA/SUMMIT

EPA 8260B VOLATILE ORGANICS

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date</u> <u>Extracted</u>	<u>Date</u> <u>Complete</u>	<u>Prep Method</u>
Benzene	ND	1.0	ug/L (PPB)	MR		9/2/2020	EPA 5030B
Toluene	ND	1.0					
Ethylbenzene	ND	1.0					
Xylene(Total)	ND	3.0					

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.
ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: SUMMIT PETROLEUM
 PROJECT NO:
 LOCATION: BORKHOLDER 4-28 SWD
 MI
 SAMPLED BY: DAN NIDA/SUMMIT

GTA PROJECT NO: 090120-6
 GTA SAMPLE NO: 1
 DATE SAMPLED: 9/1/2020
 TIME SAMPLED:
 DATE RECEIVED: 9/1/2020
 TIME RECEIVED: 4:08 PM

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date</u>	<u>Sample</u>
SAMPLE ID: MW-4	CHLORIDE EPA 300.0	100	10	mg/L (PPM)	LV	9/3/2020	WATER

ND = NOT DETECTED, RESULT < LOD
 LOD = LIMIT OF DETECTION
 s.u. = STANDARD pH UNITS REPORTED AT 25 C

