



**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

[www.gtanalytical.com](http://www.gtanalytical.com)

Company: VCP MICHIGAN  
Name:  
ClientProj:

Site Addr: SALO C1-19

GTA ProjNo: 082820-9

Sampled By: NJ/ECT  
Date Rec: 8/28/2020  
Time Rec: 3:11 PM

Sample No.	Sample ID	Date Sampled	Time Sampled	Sample Matrix
1	F-1	8/28/2020		SOIL
2	F-2	8/28/2020		SOIL
3	F-3	8/28/2020		SOIL
4	F-4	8/28/2020		SOIL
5	F-5	8/28/2020		SOIL
6	F-6	8/28/2020		SOIL
7	F-7	8/28/2020		SOIL
8	F-8	8/28/2020		SOIL
9	F-9	8/28/2020		SOIL
10	F-10	8/28/2020		SOIL
11	F-11	8/28/2020		SOIL

ELECTRONIC SIGNATURE REPORT. This is a final report for the following pages of data for the samples specified above. All analysis was performed by the methods stated and all quality control measures required were completed. All quality control information is available upon request.

*Kirk Chase*

Kirk L. Chase/Chemist  
Grand Traverse Analytical  
830 Robinwood Court  
Traverse City, MI 49686  
Ph: 231-929-0905  
Fx: 231-929-0894  
SP: 231-590-0291  
[kirk@gtanalytical.com](mailto:kirk@gtanalytical.com)

COMPANY: VCP MICHIGAN

PROJECT NO:

LOCATION: SALO C1-19

MI

SAMPLED BY: NJ/ECT

GTA PROJECT NO: 082820-9

GTA SAMPLE NO: 1

DATE SAMPLED: 8/28/2020

TIME SAMPLED:

DATE RECEIVED: 8/28/2020

TIME RECEIVED: 3:11 PM

**SAMPLE ANALYSIS**

**No: Analysis**

SAMPLE ID: F-1

CHLORIDE EPA 300.0

**Concentration**

**LOD**

**Units**

**Analyst**

**Date**

**Sample**

ND

100

mg/Kg (PPM) LV

8/31/2020

SOIL

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: VCP MICHIGAN  
PROJECT NO:  
LOCATION: SALO C1-19  
MI  
SAMPLED BY: NJ/ECT

GTA PROJECT NO: 082820-9  
GTA SAMPLE NO: 2  
DATE SAMPLED: 8/28/2020  
TIME SAMPLED:  
DATE RECEIVED: 8/28/2020  
TIME RECEIVED: 3:11 PM

**SAMPLE ANALYSIS**

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date</u>	<u>Sample</u>
	SAMPLE ID: F-2 CHLORIDE EPA 300.0	540	100	mg/Kg (PPM)	LV	8/31/2020	SOIL

ND = NOT DETECTED, RESULT < LOD  
LOD = LIMIT OF DETECTION  
s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: VCP MICHIGAN  
PROJECT NO:  
LOCATION: SALO C1-19  
MI  
SAMPLED BY: NJ/ECT

GTA PROJECT NO: 082820-9  
GTA SAMPLE NO: 3  
DATE SAMPLED: 8/28/2020  
TIME SAMPLED:  
DATE RECEIVED: 8/28/2020  
TIME RECEIVED: 3:11 PM

**SAMPLE ANALYSIS**

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date</u>	<u>Sample</u>
	SAMPLE ID: F-3 CHLORIDE EPA 300.0	ND	100	mg/Kg (PPM)	LV	8/31/2020	SOIL

ND = NOT DETECTED, RESULT < LOD  
LOD = LIMIT OF DETECTION  
s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: VCP MICHIGAN

PROJECT NO:

LOCATION: SALO C1-19

GTA PROJECT NO: 082820-9

GTA SAMPLE NO: 4

DATE SAMPLED: 8/28/2020

TIME SAMPLED:

DATE RECEIVED: 8/28/2020

TIME RECEIVED: 3:11 PM

MI

SAMPLED BY: NJ/ECT

**SAMPLE ANALYSIS**

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date</u>	<u>Sample</u>
	SAMPLE ID: F-4 CHLORIDE EPA 300.0	ND	100	mg/Kg (PPM)	LV	8/31/2020	SOIL

ND = NOT DETECTED, RESULT < LOD  
 LOD = LIMIT OF DETECTION  
 s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: VCP MICHIGAN  
PROJECT NO:  
LOCATION: SALO C1-19  
MI  
SAMPLED BY: NJ/ECT

GTA PROJECT NO: 082820-9  
GTA SAMPLE NO: 5  
DATE SAMPLED: 8/28/2020  
TIME SAMPLED:  
DATE RECEIVED: 8/28/2020  
TIME RECEIVED: 3:11 PM

**SAMPLE ANALYSIS**

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date</u>	<u>Sample</u>
SAMPLE ID: F-5	CHLORIDE EPA 300.0	ND	100	mg/Kg (PPM)	LV	8/31/2020	SOIL

ND = NOT DETECTED, RESULT < LOD  
LOD = LIMIT OF DETECTION  
s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: VCP MICHIGAN  
PROJECT NO:  
LOCATION: SALO C1-19  
MI  
SAMPLED BY: NJ/ECT

GTA PROJECT NO: 082820-9  
GTA SAMPLE NO: 6  
DATE SAMPLED: 8/28/2020  
TIME SAMPLED:  
DATE RECEIVED: 8/28/2020  
TIME RECEIVED: 3:11 PM

**SAMPLE ANALYSIS**

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date</u>	<u>Sample</u>
	SAMPLE ID: F-6 CHLORIDE EPA 300.0	ND	100	mg/Kg (PPM)	LV	8/31/2020	SOIL

ND = NOT DETECTED, RESULT < LOD  
LOD = LIMIT OF DETECTION  
s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: VCP MICHIGAN

GTA PROJECT NO: 082820-9

PROJECT NO:

GTA SAMPLE NO: 7

LOCATION: SALO C1-19

DATE SAMPLED: 8/28/2020

TIME SAMPLED:

DATE RECEIVED: 8/28/2020

TIME RECEIVED: 3:11 PM

MI

SAMPLED BY: NJ/ECT

**SAMPLE ANALYSIS**

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date</u>	<u>Sample</u>
	SAMPLE ID: F-7 CHLORIDE EPA 300.0	ND	110	mg/Kg (PPM)	LV	8/31/2020	SOIL

ND = NOT DETECTED, RESULT < LOD  
 LOD = LIMIT OF DETECTION  
 s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: VCP MICHIGAN  
PROJECT NO:  
LOCATION: SALO C1-19  
MI  
SAMPLED BY: NJ/ECT

GTA PROJECT NO: 082820-9  
GTA SAMPLE NO: 8  
DATE SAMPLED: 8/28/2020  
TIME SAMPLED:  
DATE RECEIVED: 8/28/2020  
TIME RECEIVED: 3:11 PM

**SAMPLE ANALYSIS**

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date</u>	<u>Sample</u>
SAMPLE ID: F-8	CHLORIDE EPA 300.0	ND	100	mg/Kg (PPM)	LV	8/31/2020	SOIL

ND = NOT DETECTED, RESULT < LOD  
LOD = LIMIT OF DETECTION  
s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: VCP MICHIGAN  
 PROJECT NO:  
 LOCATION: SALO C1-19  
 MI  
 SAMPLED BY: NJ/ECT

GTA PROJECT NO: 082820-9  
 GTA SAMPLE NO: 9  
 DATE SAMPLED: 8/28/2020  
 TIME SAMPLED:  
 DATE RECEIVED: 8/28/2020  
 TIME RECEIVED: 3:11 PM

**SAMPLE ANALYSIS**

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date</u>	<u>Sample</u>
	SAMPLE ID: F-9 CHLORIDE EPA 300.0	ND	110	mg/Kg (PPM)	LV	8/31/2020	SOIL

ND = NOT DETECTED, RESULT < LOD  
 LOD = LIMIT OF DETECTION  
 s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: VCP MICHIGAN  
PROJECT NO:  
LOCATION: SALO C1-19  
MI  
SAMPLED BY: NJ/ECT

GTA PROJECT NO: 082820-9  
GTA SAMPLE NO: 10  
DATE SAMPLED: 8/28/2020  
TIME SAMPLED:  
DATE RECEIVED: 8/28/2020  
TIME RECEIVED: 3:11 PM

**SAMPLE ANALYSIS**

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date</u>	<u>Sample</u>
SAMPLE ID: F-10	CHLORIDE EPA 300.0	ND	100	mg/Kg (PPM)	LV	8/31/2020	SOIL

ND = NOT DETECTED, RESULT < LOD  
LOD = LIMIT OF DETECTION  
s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: VCP MICHIGAN

PROJECT NO:

LOCATION: SALO C1-19

SAMPLED BY: MI  
 NJ/ECT

GTA PROJECT NO: 082820-9

GTA SAMPLE NO: 11

DATE SAMPLED: 8/28/2020

TIME SAMPLED:

DATE RECEIVED: 8/28/2020

TIME RECEIVED: 3:11 PM

**SAMPLE ANALYSIS**

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date</u>	<u>Sample</u>
	SAMPLE ID: F-11 CHLORIDE EPA 300.0	210	100	mg/Kg (PPM)	LV	8/31/2020	SOIL

ND = NOT DETECTED, RESULT < LOD  
 LOD = LIMIT OF DETECTION  
 s.u. = STANDARD pH UNITS REPORTED AT 25 C



**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: VCP MICHIGAN

NAME:  
PROJECT NO:

LOCATION: SALO C1-19

MI

GTA PROJECT NO: 082820-9

SAMPLED BY: NJ/ECT

DATE SAMPLED: 8/28/2020

TIME SAMPLED:

SAMPLE MATRIX: SOIL

DATE RECEIVED: 8/28/2020

TIME RECEIVED: 3:11 PM

**MOISTURE**

<u>No:</u> <u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Complete</u>
SAMPLE ID: F-1 % MOISTURE EPA 3550C	4.6	0.050	% OF SAMPLE	AS	9/1/2020
SAMPLE ID: F-2 % MOISTURE EPA 3550C	5.1	0.050	% OF SAMPLE	AS	9/1/2020
SAMPLE ID: F-3 % MOISTURE EPA 3550C	4.3	0.050	% OF SAMPLE	AS	9/1/2020
SAMPLE ID: F-4 % MOISTURE EPA 3550C	3.6	0.050	% OF SAMPLE	AS	9/1/2020
SAMPLE ID: F-5 % MOISTURE EPA 3550C	4.8	0.050	% OF SAMPLE	AS	9/1/2020
SAMPLE ID: F-6 % MOISTURE EPA 3550C	3.4	0.050	% OF SAMPLE	AS	9/1/2020
SAMPLE ID: F-7 % MOISTURE EPA 3550C	8.0	0.050	% OF SAMPLE	AS	9/1/2020
SAMPLE ID: F-8 % MOISTURE EPA 3550C	2.3	0.050	% OF SAMPLE	AS	9/1/2020
SAMPLE ID: F-9 % MOISTURE EPA 3550C	7.6	0.050	% OF SAMPLE	AS	9/1/2020
SAMPLE ID: F-10 % MOISTURE EPA 3550C	4.7	0.050	% OF SAMPLE	AS	9/1/2020
SAMPLE ID: F-11 % MOISTURE EPA 3550C	3.9	0.050	% OF SAMPLE	AS	9/1/2020

**CHAIN OF CUSTODY**

PROJECT NUMBER	SITE NAME/ADDRESS	COMPANY/NAME
	SALOCY-19	VCP Mich LLC
SAMPLED BY	COMPANY	GTA PROJECT #
NJ	ECT	082820-9

**SAMPLE INFORMATION**

#	SAMPLE ID	DATE SAMPLED	TIME	MATRIX	ANALYSIS
1	F-1	8-28-20		Soil	CL
2	F-2	↓		↓	↓
3	F-3				
4	F-4				
5	F-5				
6	F-6				
7	F-7				
8	F-8				
9	F-9				
10	F-10				
11	F-11				

**BILL TO:**

VCP Mich LLC

**REPORT TO:**

LISA

**RELEASED BY**

**DATE/TIME**

*M. Jones*

8-28-20

**RECEIVED BY**

**DATE/TIME**

*R. Clark*

8/28/20 3:11P

**REQUESTED TAT**



STANDARD

1 BUSINESS DAY

2 BUSINESS DAYS

3 BUSINESS DAYS