



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

Company: COMPLIANCE INC.
Name:
ClientProj: 4432
GTA ProjNo: 100820-1

Site Addr: NORTHERN FLOOR & TILE
Sampled By: RAY ANDRASI/COMPLIANCE INC.
Date Rec: 10/8/2020
Time Rec: 11:15 AM

Sample No.	Sample ID	Date Sampled	Time Sampled	Sample Matrix
1	SB-1 @ 2'	10/7/2020		SOIL
2	SB-2 @ 1'	10/7/2020		SOIL
3	SB-3 @ 5'	10/7/2020		SOIL
4	SB-6 @ 0.8'	10/7/2020		SOIL
5	SB-6 @ 5'	10/7/2020		SOIL
6	SB-1	10/7/2020		WATER
7	SB-2	10/7/2020		WATER
8	SB-3	10/7/2020		WATER
9	SB-6	10/7/2020		WATER
10	SB-4	10/7/2020		WATER
11	SB-5	10/7/2020		WATER

ELECTRONIC SIGNATURE REPORT. This is a final report for the following pages of data for the samples specified above. All analysis was performed by the methods stated and all quality control measures required were completed. All quality control information is available upon request.

Kirk Chase

Kirk L. Chase/Chemist
Grand Traverse Analytical
830 Robinwood Court
Traverse City, MI 49686
Ph: 231-929-0905
Fx: 231-929-0894
SP: 231-590-0291
kirk@gtanalytical.com



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: COMPLIANCE INC.
PROJECT NO: 4432
LOCATION: NORTHERN FLOOR & TILE

MI
SAMPLE MATRIX: SOIL
SAMPLE ID: SB-1 @ 2'

GTA PROJECT NO: 100820-1
GTA SAMPLE NO: 1
DATE SAMPLED: 10/7/2020
TIME SAMPLED:
DATE RECEIVED: 10/8/2020
TIME RECEIVED: 11:15 AM

SAMPLED BY: RAY ANDRASI/COMPLIANCE INC.
**THIS SAMPLE WAS RECEIVED MEOH PRESERVED.

EPA 8260B VOLATILE ORGANICS

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date</u> <u>Extracted</u>	<u>Date</u> <u>Complete</u>	<u>Prep Method</u>
Benzene	ND	50	ug/Kg (PPB)	MR	10/7/2020	10/12/2020	EPA 5035A
Toluene	ND	50					
Ethylbenzene	ND	50					
Xylene(Total)	ND	150					
1,2,4-Trimethylbenzene	ND	50					
1,3,5-Trimethylbenzene	ND	50					
Naphthalene	ND	250					
2-Methylnaphthalene	ND	250					

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.
ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: COMPLIANCE INC.
 PROJECT NO: 4432
 LOCATION: NORTHERN FLOOR & TILE
 MI
 SAMPLE MATRIX: SOIL
 SAMPLE ID: SB-3 @ 5'

GTA PROJECT NO: 100820-1
 GTA SAMPLE NO: 3
 DATE SAMPLED: 10/7/2020
 TIME SAMPLED:
 DATE RECEIVED: 10/8/2020
 TIME RECEIVED: 11:15 AM

SAMPLED BY: RAY ANDRASI/COMPLIANCE INC.
 **THIS SAMPLE WAS RECEIVED MEOH PRESERVED.

EPA 8260B VOLATILE ORGANICS

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date</u> <u>Extracted</u>	<u>Date</u> <u>Complete</u>	<u>Prep Method</u>
Benzene	ND	50	ug/Kg (PPB)	MR	10/7/2020	10/12/2020	EPA 5035A
Toluene	ND	50					
Ethylbenzene	ND	50					
Xylene(Total)	ND	150					
1,2,4-Trimethylbenzene	ND	50					
1,3,5-Trimethylbenzene	ND	50					
Naphthalene	ND	250					
2-Methylnaphthalene	ND	250					

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.
 ND = NOT DETECTED, RESULT < LOD
 LOD = LIMIT OF DETECTION



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY:	COMPLIANCE INC.	GTA PROJECT NO:	100820-1
PROJECT NO:	4432	GTA SAMPLE NO:	10
LOCATION:	NORTHERN FLOOR & TILE	DATE SAMPLED:	10/7/2020
		TIME SAMPLED:	
		DATE RECEIVED:	10/8/2020
		TIME RECEIVED:	11:15 AM
SAMPLED BY:	MI RAY ANDRASI/COMPLIANCE INC.	SAMPLE ID:	SB-4
SAMPLE MATRIX:	WATER		

EPA 8260B VOLATILE ORGANICS

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Extracted</u>	<u>Date Complete</u>	<u>Prep Method</u>
Benzene	ND	1.0	ug/L (PPB)	MR		10/9/2020	EPA 5030B
Toluene	ND	1.0					
Ethylbenzene	ND	1.0					
Xylene(Total)	ND	3.0					
1,2,4-Trimethylbenzene	ND	1.0					
1,3,5-Trimethylbenzene	ND	1.0					

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.
 ND = NOT DETECTED, RESULTS < LOD.
 LOD = LIMIT OF DETECTION

COMPANY:	COMPLIANCE INC.	GTA PROJECT NO:	100820-1
PROJECT NO:	4432	GTA SAMPLE NO:	11
LOCATION:	NORTHERN FLOOR & TILE	DATE SAMPLED:	10/7/2020
		TIME SAMPLED:	
		DATE RECEIVED:	10/8/2020
		TIME RECEIVED:	11:15 AM
SAMPLED BY:	MI RAY ANDRASI/COMPLIANCE INC.	SAMPLE ID:	SB-5
SAMPLE MATRIX:	WATER		

EPA 8260B VOLATILE ORGANICS

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Extracted</u>	<u>Date Complete</u>	<u>Prep Method</u>
Benzene	ND	1.0	ug/L (PPB)	MR		10/9/2020	EPA 5030B
Toluene	ND	1.0					
Ethylbenzene	ND	1.0					
Xylene(Total)	ND	3.0					
1,2,4-Trimethylbenzene	ND	1.0					
1,3,5-Trimethylbenzene	ND	1.0					

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.
 ND = NOT DETECTED, RESULTS < LOD.
 LOD = LIMIT OF DETECTION

COMPANY:	COMPLIANCE INC.	GTA PROJECT NO:	100820-1
PROJECT NO:	4432	GTA SAMPLE NO:	1
LOCATION:	NORTHERN FLOOR & TILE	DATE SAMPLED:	10/7/2020
		TIME SAMPLED:	
		DATE RECEIVED:	10/8/2020
		TIME RECEIVED:	11:15 AM
SAMPLED BY:	MI RAY ANDRASI/COMPLIANCE INC.	SAMPLE MATRIX:	SOIL
SAMPLE ID:	SB-1 @ 2'		

METALS

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Digestion Method</u>
ARSENIC TOTAL EPA 6020A	4.3	0.31	mg/Kg (PPM)	MR/TR	10/13/2020	EPA 3050B
LEAD TOTAL EPA 6020A	340	0.31	mg/Kg (PPM)	MR/TR	10/13/2020	EPA 3050B

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

DISS = DISSOLVED



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: COMPLIANCE INC.

NAME:
PROJECT NO: 4432

LOCATION: NORTHERN FLOOR & TILE

MI

GTA PROJECT NO: 100820-
SAMPLED BY: RAY ANDRASI/COMPLIANCE
INC.

DATE SAMPLED: 10/7/2020
TIME SAMPLED:

SAMPLE MATRIX: SOIL

DATE RECEIVED: 10/8/2020
TIME RECEIVED: 11:15 AM

MOISTURE

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>
	SAMPLE ID: SB-1 @ 2'					
	% MOISTURE EPA 3550C	17	0.050	% OF SAMPLE	AS	10/8/2020
	SAMPLE ID: SB-2 @ 1'					
	% MOISTURE EPA 3550C	9.9	0.050	% OF SAMPLE	AS	10/8/2020
	SAMPLE ID: SB-3 @ 5'					
	% MOISTURE EPA 3550C	3.9	0.050	% OF SAMPLE	AS	10/8/2020
	SAMPLE ID: SB-6 @ 0.8'					
	% MOISTURE EPA 3550C	10	0.050	% OF SAMPLE	AS	10/8/2020
	SAMPLE ID: SB-6 @ 5'					
	% MOISTURE EPA 3550C	10	0.050	% OF SAMPLE	AS	10/8/2020

CHAIN OF CUSTODY

PROJECT NUMBER 4432	SITE NAME/ADDRESS NORTHERN FLOOR & TILE	COMPANY/NAME
SAMPLED BY R. ANDRASI	COMPANY COMPLIANCE, INC.	GTA PROJECT # 100820-1

SAMPLE INFORMATION

#	SAMPLE ID	DATE SAMPLED	TIME	MATRIX	ANALYSIS
1	SB-1 @ 2'	10-7-20		Soil	BTEX, TMS; Napth; 2MN; Pb As
2	SB-2 @ 1'	"		"	" " "
3	SB-3 @ 5'	"		"	" " "
4	SB-6 @ 0.8'	"		"	" " "
5	SB-6 @ 5'	"		"	" " "
6	SB-1	10-7-20		WTR	BTEX, TMS; Napth; 2MN;
7	SB-2	"		"	" "
8	SB-3	"		"	" "
9	SB-4	"		"	" "
10	SB-4	"		"	BTEX TMS; PNA's
11	SB-5	"		"	" " "

BILL TO: *Compliance, Inc*

REPORT TO:

RELEASED BY <i>Ray And</i>	DATE/TIME 10-8-20 11:15	RECEIVED BY <i>R. O...</i>	DATE/TIME 10/8/20 11:15am
		<i>MLPC</i>	

REQUESTED TAT STANDARD 1 BUSINESS DAY 2 BUSINESS DAYS 3 BUSINESS DAYS