



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

Company: LAMBDA ENERGY RESOURCES, LLC

Name:

ClientProj: 20-123

GTA ProjNo: 122922-15

Site Addr: RICCI 1-19

Sampled By: WPM/OMPC

Date Rec: 12/29/2022

Time Rec: 3:55 PM

Sample No. Sample ID
1 MW-18

Date Sampled
12/27/2022

Time Sampled
12:05 PM

Sample Matrix
WATER

ELECTRONIC SIGNATURE REPORT. This is a final report for the following pages of data for the samples specified above. All analysis was performed by the methods stated and all quality control measures required were completed. All quality control information is available upon request.

Kirk Chase

Kirk L. Chase/Chemist
Grand Traverse Analytical
830 Robinwood Court
Traverse City, MI 49686
Ph: 231-929-0905
Fx: 231-929-0894
SP: 231-590-0291
kirk@gtanalytical.com



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: LAMBDA ENERGY RESOURCES, LLC
PROJECT NO: 20-123
LOCATION: RICCI 1-19
MI
SAMPLE MATRIX: WATER
SAMPLE ID: MW-18

GTA PROJECT NO: 122922-15
GTA SAMPLE NO: 1
DATE SAMPLED: 12/27/2022
TIME SAMPLED: 12:05 PM
DATE RECEIVED: 12/29/2022
TIME RECEIVED: 3:55 PM
SAMPLED BY: WPM/OMPC

EPA 8260B VOLATILE ORGANICS

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date</u> <u>Extracted</u>	<u>Date</u> <u>Complete</u>	<u>Prep Method</u>
Benzene	ND	1.0	ug/L (PPB)	MR		1/2/2023	EPA 5030B
Toluene	ND	1.0					
Ethylbenzene	ND	1.0					
Xylene(Total)	ND	3.0					

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: LAMBDA ENERGY RESOURCES, LLC
PROJECT NO: 20-123
LOCATION: RICCI 1-19
MI
SAMPLED BY: WPM/OMPC

GTA PROJECT NO: 122922-15
GTA SAMPLE NO: 1
DATE SAMPLED: 12/27/2022
TIME SAMPLED: 12:05 PM
DATE RECEIVED: 12/29/2022
TIME RECEIVED: 3:55 PM

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
	SAMPLE ID: MW-18						
	CHLORIDE EPA 300.0	ND	10	mg/L (PPM)	KC/TR	1/5/2023	WATER
	CONDUCTIVITY SM2510-B	360	1.0	uS/cm@25C	TR	1/5/2023	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C
DISS = DISSOLVED

