



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

Company: BREITBURN OPERATING
Name:
ClientProj: 20-356
GTA ProjNo: 060821-4

Site Addr: BEAVER CREEK K-5

Sampled By: WM/OMPC
Date Rec: 6/8/2021
Time Rec: 8:41 AM

Sample No.	Sample ID	Date Sampled	Time Sampled	Sample Matrix
1	MW-1	6/7/2021	4:10 PM	WATER
2	MW-2	6/7/2021	4:00 PM	WATER
3	MW-3	6/7/2021	3:33 PM	WATER

ELECTRONIC SIGNATURE REPORT. This is a final report for the following pages of data for the samples specified above. All analysis was performed by the methods stated and all quality control measures required were completed. All quality control information is available upon request.

Kirk Chase

Kirk L. Chase/Chemist
Grand Traverse
Analytical 830 Robinwood
Court Traverse City, MI
49686 Ph: 231-929-0905
Fx: 231-929-0894
SP: 231-590-0291
kirk@gtanalytical.com

COMPANY: BREITBURN OPERATING
 PROJECT NO: 20-356
 LOCATION: BEAVER CREEK K-5

GTA PROJECT NO: 060821-4
 GTA SAMPLE NO: 1
 DATE SAMPLED: 6/7/2021
 TIME SAMPLED: 4:10 PM
 DATE RECEIVED: 6/8/2021
 TIME RECEIVED: 8:41 AM

SAMPLED BY: MI
 WM/OMPC

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
SAMPLE ID: MW-1	CHLORIDE EPA 300.0	130	10	mg/L (PPM)	LV	6/8/2021	WATER

ND = NOT DETECTED, RESULT < LOD
 LOD = LIMIT OF DETECTION
 s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: BREITBURN OPERATING
 PROJECT NO: 20-356
 LOCATION: BEAVER CREEK K-5

GTA PROJECT NO: 060821-4
 GTA SAMPLE NO: 2
 DATE SAMPLED: 6/7/2021
 TIME SAMPLED: 4:00 PM
 DATE RECEIVED: 6/8/2021
 TIME RECEIVED: 8:41 AM

SAMPLED BY: MI
 WM/OMPC

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
SAMPLE ID: MW-2	CHLORIDE EPA 300.0	ND	10	mg/L (PPM)	LV	6/8/2021	WATER

ND = NOT DETECTED, RESULT < LOD
 LOD = LIMIT OF DETECTION
 s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: BREITBURN OPERATING
 PROJECT NO: 20-356
 LOCATION: BEAVER CREEK K-5

GTA PROJECT NO: 060821-4
 GTA SAMPLE NO: 3
 DATE SAMPLED: 6/7/2021
 TIME SAMPLED: 3:33 PM
 DATE RECEIVED: 6/8/2021
 TIME RECEIVED: 8:41 AM

SAMPLED BY: MI
 WM/OMPC

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
SAMPLE ID: MW-3	CHLORIDE EPA 300.0	ND	10	mg/L (PPM)	LV	6/8/2021	WATER

ND = NOT DETECTED, RESULT < LOD
 LOD = LIMIT OF DETECTION
 s.u. = STANDARD pH UNITS REPORTED AT 25 C

