



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

Company: BREITBURN OPERATING
Name:
ClientProj: 20-356
GTA ProjNo: 071521-4

Site Addr: SBC D-4

Sampled By: JOE P/OMPC
Date Rec: 7/15/2021
Time Rec: 3:00 PM

Sample No.	Sample ID	Date Sampled	Time Sampled	Sample Matrix
1	MW-1	7/15/2021	11:00 AM	WATER

ELECTRONIC SIGNATURE REPORT. This is a final report for the following pages of data for the samples specified above. All analysis was performed by the methods stated and all quality control measures required were completed. All quality control information is available upon request.

Kirk Chase

Kirk L. Chase/Chemist
Grand Traverse Analytical
830 Robinwood Court
Traverse City, MI 49686
Ph: 231-929-0905
Fx: 231-929-0894
SP: 231-590-0291
kirk@gtanalytical.com



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: BREITBURN OPERATING
PROJECT NO: 20-356
LOCATION: SBC D-4
MI
SAMPLE MATRIX: WATER
SAMPLE ID: MW-1

GTA PROJECT NO: 071521-4
GTA SAMPLE NO: 1
DATE SAMPLED: 7/15/2021
TIME SAMPLED: 11:00 AM
DATE RECEIVED: 7/15/2021
TIME RECEIVED: 3:00 PM
SAMPLED BY: JOE P/OMPC

EPA 8260B VOLATILE ORGANICS

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Extracted</u>	<u>Date Complete</u>	<u>Prep Method</u>
Benzene	ND	1.0	ug/L (PPB)	MR		7/21/2021	EPA 5030B
Toluene	ND	1.0					
Ethylbenzene	ND	1.0					
Xylene(Total)	ND	3.0					
1,2,4-Trimethylbenzene	ND	1.0					
1,3,5-Trimethylbenzene	ND	1.0					
Naphthalene	ND	5.0					
2-Methylnaphthalene	ND	5.0					

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.
ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: BREITBURN OPERATING
PROJECT NO: 20-356
LOCATION: SBC D-4

GTA PROJECT NO: 071521-4
GTA SAMPLE NO: 1

DATE SAMPLED: 7/15/2021
TIME SAMPLED: 11:00 AM
DATE RECEIVED: 7/15/2021
TIME RECEIVED: 3:00 PM

MI
SAMPLED BY: JOE P/OMPC

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample</u>
SAMPLE ID: MW-1							
CHLORIDE EPA 300.0		480	20	mg/L (PPM)	LV	7/16/2021	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C

