



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

Company: JAGUAR ENERGY, LLC
Name:
ClientProj: 200665-0300
GTA ProjNo: 102820-1

Site Addr: WEXFORD 1 CPF

Sampled By: NJ/ECT

Date Rec: 10/28/2020

Time Rec: 10:50 AM

Sample No.	Sample ID	Date Sampled	Time Sampled	Sample Matrix
1	TB	10/28/2020		WATER

ELECTRONIC SIGNATURE REPORT. This is a final report for the following pages of data for the samples specified above. All analysis was performed by the methods stated and all quality control measures required were completed. All quality control information is available upon request.

Kirk Chase

Kirk L. Chase/Chemist
Grand Traverse Analytical
830 Robinwood Court
Traverse City, MI 49686
Ph: 231-929-0905
Fx: 231-929-0894
SP: 231-590-0291
kirk@gtanalytical.com



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: JAGUAR ENERGY, LLC
PROJECT NO: 200665-0300
LOCATION: WEXFORD 1 CPF
MI
SAMPLE MATRIX: WATER
SAMPLE ID: TB

GTA PROJECT NO: 102820-1
GTA SAMPLE NO: 1
DATE SAMPLED: 10/28/2020
TIME SAMPLED:
DATE RECEIVED: 10/28/2020
TIME RECEIVED: 10:50 AM
SAMPLED BY: NJ/ECT

EPA 8260B VOLATILE ORGANICS

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Extracted</u>	<u>Date Complete</u>	<u>Prep Method</u>
Benzene	ND	1.0	ug/L (PPB)	MR		10/28/2020	EPA 5030B
Toluene	ND	1.0					
Ethylbenzene	ND	1.0					
Xylene(Total)	ND	3.0					

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.
ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: JAGUAR ENERGY, LLC
PROJECT NO: 200665-0300
LOCATION: WEXFORD 1 CPF

GTA PROJECT NO: 102820-1
GTA SAMPLE NO: 1
DATE SAMPLED: 10/28/2020
TIME SAMPLED:
DATE RECEIVED: 10/28/2020
TIME RECEIVED: 10:50 AM

SAMPLED BY: MI
NJ/ECT

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample</u>
SAMPLE ID: TB							
CHLORIDE EPA 300.0		17	10	mg/L (PPM)	LV	10/29/2020	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C

