

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

Company: CORE ENERGY

Name:

ClientProj: 2021830007

GTA ProjNo: 122624-5

Site Addr: BAGLEY 23 CPF

Sampled By: JFR/GCES

Date Rec: 12/26/2024

Time Rec: 2:10 PM

Sample No. Sample ID
1 MW-NDate Sampled
12/26/2024Time Sampled
11:35 AMSample Matrix
WATER

ELECTRONIC SIGNATURE REPORT. This is a final report for the following pages of data for the samples specified above. All analysis was performed by the methods stated and all quality control measures required were completed. All quality control information is available upon request.

Kirk Chase

Kirk L. Chase/Chemist
Grand Traverse Analytical
830 Robinwood Court
Traverse City, MI 49686
Ph: 231-929-0905
Fx: 231-929-0894
SP: 231-590-0291
kirk@gtanalytical.com



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: CORE ENERGY

PROJECT NO: 2021830007

LOCATION: BAGLEY 23 CPF

MI

SAMPLE MATRIX: WATER

SAMPLE ID: MW-N

GTA PROJECT NO: 122624-5

GTA SAMPLE NO: 1

DATE SAMPLED: 12/26/2024

TIME SAMPLED: 11:35 AM

DATE RECEIVED: 12/26/2024

TIME RECEIVED: 2:10 PM

SAMPLED BY: JFR/GCES

EPA 8260B VOLATILE ORGANICS

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Extracted</u>	<u>Date Complete</u>	<u>Prep Method</u>
Benzene	ND	1.0	ug/L (PPB)	MR		12/27/2024	EPA 5030B
Toluene	ND	1.0					
Ethylbenzene	ND	1.0					
Xylene(Total)	ND	3.0					

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: CORE ENERGY

PROJECT NO: 2021830007

LOCATION: BAGLEY 23 CPF

GTA PROJECT NO: 122624-5

GTA SAMPLE NO: 1

DATE SAMPLED: 12/26/2024

TIME SAMPLED: 11:35 AM

DATE RECEIVED: 12/26/2024

TIME RECEIVED: 2:10 PM

MI
SAMPLED BY: JFR/GCES**SAMPLE ANALYSIS****No: Analysis**

SAMPLE ID: MW-N

CHLORIDE EPA 300.0

CONDUCTIVITY SM2510-B

Concentration

ND

460

LOD

10

1.0

Units

mg/L (PPM)

uS/cm@25C

Analyst

KC

TR

Date Completed

12/31/2024

12/31/2024

Sample Matrix

WATER

WATER

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

s.u. = STANDARD pH UNITS REPORTED AT 25 C

DISS = DISSOLVED

