

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

Company: CORE ENERGY
Name:
ClientProj: 2021730007.01
GTA ProjNo: 060221-10

Site Addr: BAGLEY 23

Sampled By: MARK STOVER/GCES
Date Rec: 6/2/2021
Time Rec: 4:07 PM

Sample No.	Sample ID	Date Sampled	Time Sampled	Sample Matrix
1	MW-N	6/2/2021		WATER

ELECTRONIC SIGNATURE REPORT. This is a final report for the following pages of data for the samples specified above. All analysis was performed by the methods stated and all quality control measures required were completed. All quality control information is available upon request.

Kirk Chase

Kirk L. Chase/Chemist
Grand Traverse Analytical
830 Robinwood Court
Traverse City, MI 49686
Ph: 231-929-0905
Fx: 231-929-0894
SP: 231-590-0291
kirk@gtanalytical.com

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: CORE ENERGY

PROJECT NO: 2021730007.01

LOCATION: BAGLEY 23

MI

SAMPLE MATRIX: WATER

SAMPLE ID: MW-N

GTA PROJECT NO: 060221-10

GTA SAMPLE NO: 1

DATE SAMPLED: 6/2/2021

TIME SAMPLED:

DATE RECEIVED: 6/2/2021

TIME RECEIVED: 4:07 PM

SAMPLED BY: MARK STOVER/GCES

EPA 8260B VOLATILE ORGANICS

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Extracted</u>	<u>Date Complete</u>	<u>Prep Method</u>
Benzene	ND	1.0	ug/L (PPB)	MR		6/3/2021	EPA 5030B
Toluene	ND	1.0					
Ethylbenzene	ND	1.0					
Xylene(Total)	ND	3.0					

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: CORE ENERGY

PROJECT NO: 2021730007.01

LOCATION: BAGLEY 23

GTA PROJECT NO: 060221-10

GTA SAMPLE NO: 1

DATE SAMPLED: 6/2/2021

TIME SAMPLED:

DATE RECEIVED: 6/2/2021

TIME RECEIVED: 4:07 PM

MI

SAMPLED BY: MARK STOVER/GCES

SAMPLE ANALYSIS**No: Analysis**

SAMPLE ID: MW-N

CHLORIDE EPA 300.0

CONDUCTIVITY SM2510-B

Concentration

ND

390

LOD

10

1.0

Units

mg/L (PPM)

uS/cm@25C

Analyst

TR

TR

Date Completed

6/4/2021

6/4/2021

Sample Matrix

WATER

WATER

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

s.u. = STANDARD pH UNITS REPORTED AT 25 C

DISS = DISSOLVED

