



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

Company: LAMBDA ENERGY RESOURCES, LLC

Name:

ClientProj: 20-116

GTA ProjNo: 033022-6

Site Addr: FREDERIC 2

Sampled By: WPM/OMPC

Date Rec: 3/30/2022

Time Rec: 3:50 PM

Sample No.	Sample ID	Date Sampled	Time Sampled	Sample Matrix
1	MW-15R	3/30/2022	12:10 PM	WATER
2	MW-2	3/30/2022	12:50 PM	WATER
3	MW-3	3/30/2022	2:00 PM	WATER
4	MW-4	3/30/2022	12:25 PM	WATER
5	MW-4M	3/30/2022	1:05 PM	WATER
6	MW-5	3/30/2022	1:40 PM	WATER

ELECTRONIC SIGNATURE REPORT. This is a final report for the following pages of data for the samples specified above. All analysis was performed by the methods stated and all quality control measures required were completed. All quality control information is available upon request.

Kirk Chase

Kirk L. Chase/Chemist
Grand Traverse Analytical
830 Robinwood Court
Traverse City, MI 49686
Ph: 231-929-0905
Fx: 231-929-0894
SP: 231-590-0291
kirk@gtanalytical.com

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: LAMBDA ENERGY RESOURCES, LLC
PROJECT NO: 20-116
LOCATION: FREDERIC 2
MI
SAMPLE MATRIX: WATER
SAMPLE ID: MW-15R

GTA PROJECT NO: 033022-6
GTA SAMPLE NO: 1
DATE SAMPLED: 3/30/2022
TIME SAMPLED: 12:10 PM
DATE RECEIVED: 3/30/2022
TIME RECEIVED: 3:50 PM
SAMPLED BY: WPM/OMPC

EPA 8260B VOLATILE ORGANICS

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Extracted</u>	<u>Date Complete</u>	<u>Prep Method</u>
Benzene	ND	1.0	ug/L (PPB)	MR		3/31/2022	EPA 5030B
Toluene	ND	1.0					
Ethylbenzene	ND	1.0					
Xylene(Total)	ND	3.0					
1,2,4-Trimethylbenzene	ND	1.0					
1,3,5-Trimethylbenzene	ND	1.0					
Naphthalene	ND	5.0					
2-Methylnaphthalene	ND	5.0					

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.
ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: LAMBDA ENERGY RESOURCES, LLC
PROJECT NO: 20-116
LOCATION: FREDERIC 2
MI
SAMPLE MATRIX: WATER
SAMPLE ID: MW-2

GTA PROJECT NO: 033022-6
GTA SAMPLE NO: 2
DATE SAMPLED: 3/30/2022
TIME SAMPLED: 12:50 PM
DATE RECEIVED: 3/30/2022
TIME RECEIVED: 3:50 PM
SAMPLED BY: WPM/OMPC

EPA 8260B VOLATILE ORGANICS

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Extracted</u>	<u>Date Complete</u>	<u>Prep Method</u>
Benzene	ND	1.0	ug/L (PPB)	MR		3/31/2022	EPA 5030B
Toluene	ND	1.0					
Ethylbenzene	ND	1.0					
Xylene(Total)	ND	3.0					
1,2,4-Trimethylbenzene	ND	1.0					
1,3,5-Trimethylbenzene	ND	1.0					
Naphthalene	ND	5.0					
2-Methylnaphthalene	ND	5.0					

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.
ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: LAMBDA ENERGY RESOURCES, LLC
PROJECT NO: 20-116
LOCATION: FREDERIC 2
MI
SAMPLE MATRIX: WATER
SAMPLE ID: MW-3

GTA PROJECT NO: 033022-6
GTA SAMPLE NO: 3
DATE SAMPLED: 3/30/2022
TIME SAMPLED: 2:00 PM
DATE RECEIVED: 3/30/2022
TIME RECEIVED: 3:50 PM
SAMPLED BY: WPM/OMPC

EPA 8260B VOLATILE ORGANICS

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Extracted</u>	<u>Date Complete</u>	<u>Prep Method</u>
Benzene	ND	1.0	ug/L (PPB)	MR		3/31/2022	EPA 5030B
Toluene	ND	1.0					
Ethylbenzene	ND	1.0					
Xylene(Total)	ND	3.0					
1,2,4-Trimethylbenzene	ND	1.0					
1,3,5-Trimethylbenzene	ND	1.0					
Naphthalene	ND	5.0					
2-Methylnaphthalene	ND	5.0					

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.
ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION

COMPANY:	LAMBDA ENERGY RESOURCES, LLC	GTA PROJECT NO:	033022-6
PROJECT NO:	20-116	GTA SAMPLE NO:	4
LOCATION:	FREDERIC 2	DATE SAMPLED:	3/30/2022
		TIME SAMPLED:	12:25 PM
	MI	DATE RECEIVED:	3/30/2022
		TIME RECEIVED:	3:50 PM
SAMPLE MATRIX:	WATER		
SAMPLE ID:	MW-4	SAMPLED BY:	WPM/OMPC

EPA 8260B VOLATILE ORGANICS

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Extracted</u>	<u>Date Complete</u>	<u>Prep Method</u>
Benzene	ND	1.0	ug/L (PPB)	MR		3/31/2022	EPA 5030B
Toluene	ND	1.0					
Ethylbenzene	ND	1.0					
Xylene(Total)	ND	3.0					
1,2,4-Trimethylbenzene	ND	1.0					
1,3,5-Trimethylbenzene	ND	1.0					
Naphthalene	ND	5.0					
2-Methylnaphthalene	ND	5.0					

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.
ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION

COMPANY: LAMBDA ENERGY RESOURCES, LLC
PROJECT NO: 20-116
LOCATION: FREDERIC 2
MI
SAMPLE MATRIX: WATER
SAMPLE ID: MW-4M
GTA PROJECT NO: 033022-6
GTA SAMPLE NO: 5
DATE SAMPLED: 3/30/2022
TIME SAMPLED: 1:05 PM
DATE RECEIVED: 3/30/2022
TIME RECEIVED: 3:50 PM
SAMPLED BY: WPM/OMPC

EPA 8260B VOLATILE ORGANICS

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Extracted</u>	<u>Date Complete</u>	<u>Prep Method</u>
Benzene	ND	1.0	ug/L (PPB)	MR		3/31/2022	EPA 5030B
Toluene	ND	1.0					
Ethylbenzene	ND	1.0					
Xylene(Total)	ND	3.0					
1,2,4-Trimethylbenzene	ND	1.0					
1,3,5-Trimethylbenzene	ND	1.0					
Naphthalene	ND	5.0					
2-Methylnaphthalene	ND	5.0					

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.
ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION

COMPANY:	LAMBDA ENERGY RESOURCES, LLC	GTA PROJECT NO:	033022-6
PROJECT NO:	20-116	GTA SAMPLE NO:	6
LOCATION:	FREDERIC 2	DATE SAMPLED:	3/30/2022
		TIME SAMPLED:	1:40 PM
	MI	DATE RECEIVED:	3/30/2022
		TIME RECEIVED:	3:50 PM
SAMPLE MATRIX:	WATER		
SAMPLE ID:	MW-5	SAMPLED BY:	WPM/OMPC

EPA 8260B VOLATILE ORGANICS

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Extracted</u>	<u>Date Complete</u>	<u>Prep Method</u>
Benzene	ND	1.0	ug/L (PPB)	MR		3/31/2022	EPA 5030B
Toluene	ND	1.0					
Ethylbenzene	ND	1.0					
Xylene(Total)	ND	3.0					
1,2,4-Trimethylbenzene	ND	1.0					
1,3,5-Trimethylbenzene	ND	1.0					
Naphthalene	ND	5.0					
2-Methylnaphthalene	ND	5.0					

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.
ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: LAMBDA ENERGY RESOURCES, LLC

GTA PROJECT NO: 033022-6

GTA SAMPLE NO: 1

PROJECT NO: 20-116

LOCATION: FREDERIC 2

DATE SAMPLED: 3/30/2022

TIME SAMPLED: 12:10 PM

DATE RECEIVED: 3/30/2022

TIME RECEIVED: 3:50 PM

MI

SAMPLED BY: WPM/OMPC

SAMPLE ANALYSIS**No: Analysis**

SAMPLE ID: MW-15R

CHLORIDE EPA 300.0

Concentration

15

LOD

10

Units

mg/L (PPM)

Analyst

TR

Date Completed

4/1/2022

Sample

WATER

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

s.u. = STANDARD pH UNITS REPORTED AT 25 C

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: LAMBDA ENERGY RESOURCES, LLC

GTA PROJECT NO: 033022-6

PROJECT NO: 20-116

GTA SAMPLE NO: 2

LOCATION: FREDERIC 2

DATE SAMPLED: 3/30/2022

TIME SAMPLED: 12:50 PM

DATE RECEIVED: 3/30/2022

TIME RECEIVED: 3:50 PM

MI

SAMPLED BY: WPM/OMPC

SAMPLE ANALYSIS**No: Analysis**

SAMPLE ID: MW-2

CHLORIDE EPA 300.0

Concentration

270

LOD

10

Units

mg/L (PPM)

Analyst

TR

Date Completed

4/1/2022

Sample

WATER

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

s.u. = STANDARD pH UNITS REPORTED AT 25 C

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: LAMBDA ENERGY RESOURCES, LLC

PROJECT NO: 20-116

LOCATION: FREDERIC 2

GTA PROJECT NO: 033022-6

GTA SAMPLE NO: 3

DATE SAMPLED: 3/30/2022

TIME SAMPLED: 2:00 PM

DATE RECEIVED: 3/30/2022

TIME RECEIVED: 3:50 PM

SAMPLED BY: MI
WPM/OMPC**SAMPLE ANALYSIS****No: Analysis**

SAMPLE ID: MW-3

CHLORIDE EPA 300.0

Concentration

ND

LOD

10

Units

mg/L (PPM)

Analyst

TR

Date Completed

4/1/2022

Sample

WATER

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

s.u. = STANDARD pH UNITS REPORTED AT 25 C

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: LAMBDA ENERGY RESOURCES, LLC

PROJECT NO: 20-116

LOCATION: FREDERIC 2

GTA PROJECT NO: 033022-6

GTA SAMPLE NO: 4

DATE SAMPLED: 3/30/2022

TIME SAMPLED: 12:25 PM

DATE RECEIVED: 3/30/2022

TIME RECEIVED: 3:50 PM

SAMPLED BY: MI
WPM/OMPC**SAMPLE ANALYSIS****No: Analysis**

SAMPLE ID: MW-4

CHLORIDE EPA 300.0

Concentration

120

LOD

10

Units

mg/L (PPM)

Analyst

TR

Date Completed

4/1/2022

Sample

WATER

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: LAMBDA ENERGY RESOURCES, LLC

GTA PROJECT NO: 033022-6

PROJECT NO: 20-116

GTA SAMPLE NO: 5

LOCATION: FREDERIC 2

DATE SAMPLED: 3/30/2022

TIME SAMPLED: 1:05 PM

DATE RECEIVED: 3/30/2022

TIME RECEIVED: 3:50 PM

MI

SAMPLED BY: WPM/OMPC

SAMPLE ANALYSIS

No: Analysis

SAMPLE ID: MW-4M

CHLORIDE EPA 300.0

Concentration

LOD

Units

Analyst

Date Completed

Sample

ND

10

mg/L (PPM)

TR

4/1/2022

WATER

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

s.u. = STANDARD pH UNITS REPORTED AT 25 C

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: LAMBDA ENERGY RESOURCES, LLC

GTA PROJECT NO: 033022-6

PROJECT NO: 20-116

GTA SAMPLE NO: 6

LOCATION: FREDERIC 2

DATE SAMPLED: 3/30/2022

TIME SAMPLED: 1:40 PM

DATE RECEIVED: 3/30/2022

TIME RECEIVED: 3:50 PM

MI

SAMPLED BY: WPM/OMPC

SAMPLE ANALYSIS**No: Analysis**

SAMPLE ID: MW-5

CHLORIDE EPA 300.0

Concentration

ND

LOD

10

Units

mg/L (PPM)

Analyst

TR

Date Completed

4/1/2022

Sample

WATER

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

s.u. = STANDARD pH UNITS REPORTED AT 25 C

